

PRODUCT RANGE SPECIFICATION

E22128(DC-112-2000-0900) – Grade 304 Double Bowl
Centre Pot Sink 2000mm with 900mm Bowls

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E22128(DC-112-2000-0900) {PSS}	Published catalogue data	19 Sep 2026

01 Product description and specification

Product description	This Grade 304 stainless steel pot sink has two centrally positioned bowls. Overall dimensions are 2000 mm long, 650 mm wide and 900 mm high. Each bowl measures 900 mm long, 500 mm wide and 300 mm deep. A 150 mm rear splashback is included.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E22128(DC-112-2000-0900). 2000 mm Grade 304 Pot Sink with Two 900 mm Centre Bowls. Overall dimensions: 2000 mm long, 650 mm wide and 900 mm high. Each bowl measures 900 mm long, 500 mm wide and 300 mm deep.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Bowl Width	500	mm	—
Bowl Depth	300	mm	—

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DC-112-2000-0900)	• Pot sink 2000mm L x 650mm W x 900mm H • 150mm high splashback to the rear • Stainless steel Grade 304 • Double bowls centre oriented • Bowl dimensions 900mm L x 500mm W x 300mm D	Standard configuration

04 Functional features

01	Hygienic stainless steel construction Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.
02	Designed for commercial environments Built for repeated daily use rather than light domestic applications.
03	Stainless Steel Grade 304 construction, including framework Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.
04	Heavy-duty fabricated construction Provides greater rigidity and durability under demanding commercial use.
05	Deep pot-washing bowl Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

05 Application information

Intended applications	Pot Washing
Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.