

MODEL SPECIFICATION

E22128(DC-112-1500x700-S109) – Double Centre Pot Sink  
1500x700 SS304 1.2 S109

|                |                                   |                          |              |
|----------------|-----------------------------------|--------------------------|--------------|
| DOCUMENT SCOPE | DOCUMENT REFERENCE                | DATA STATUS              | GENERATED ON |
| Model          | E22128(DC-112-1500x700-S109){PSS} | Published catalogue data | 9 Oct 2026   |

01 Model specification

Double-Centre-Bowl Pot Sink in 1.2 mm Grade 304 Stainless Steel. 1500 mm L x 700 mm W; 900 mm Working Height with a 150 mm Rear Splashback (1050 mm Overall). Two Bowls, Each 600 mm L x 500 mm W x 300 mm D, with Pre-Punched 40 mm Diameter Holes. Marine Edge, Stainless Steel Underframe and Framework, and Adjustable Feet. Undershelf: Stainless Steel Grade 304 0.9mm Thickness. 700 mm Width Is an Advanced Customisation; Price Confirmed by Quotation.

02 Technical specifications

| PARAMETER          | VALUE                     | UNIT | TECHNICAL NOTE                                                                                                                |
|--------------------|---------------------------|------|-------------------------------------------------------------------------------------------------------------------------------|
| Working Height     | 900                       | mm   | Floor to the tabletop or working surface; excludes any splashback.                                                            |
| Splashback Height  | 150                       | mm   | Height of the splashback above the tabletop or working surface.                                                               |
| Overall height     | 1050                      | mm   | Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height. |
| Number of Bowls    | 2                         | –    | –                                                                                                                             |
| Bowl Orientation   | Centre                    | –    | –                                                                                                                             |
| Material           | Stainless Steel Grade 304 | –    | The primary material used in the construction of the item. Certain components may be manufactured from different materials.   |
| Material Thickness | 1.2                       | mm   | The thickness of the material used for the item's primary construction. The thickness of individual components may vary.      |
| Width              | 700                       | mm   | The width of the item typically as measured from front to back.                                                               |
| Bowl Length        | 600                       | mm   | The length of the bowl typically as measured from left to right.                                                              |
| Bowl Depth         | 300                       | mm   | –                                                                                                                             |

02 Technical specifications

| PARAMETER  | VALUE                                        | UNIT | TECHNICAL NOTE                                                                                                                               |
|------------|----------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Bowl Width | 500                                          | mm   | —                                                                                                                                            |
| Length     | 1500                                         | mm   | The length of the item typically as measured from left to right.                                                                             |
| Undershelf | Stainless Steel Grade 304<br>0.9mm Thickness | —    | Choose the undershelf or rack option for this sink. The available options specify the construction, material and thickness where applicable. |

03 Dimensions and mass

| PARAMETER      | VALUE | UNIT |
|----------------|-------|------|
| Length         | 1500  | mm   |
| Width          | 700   | mm   |
| Overall height | 1050  | mm   |

04 Model and supply data

|                   |                                                        |
|-------------------|--------------------------------------------------------|
| Parent product    | E22128(DC-112) – Grade 304 Double Bowl Centre Pot Sink |
| Typical lead time | 10–15 working days                                     |
| Warranty          | 24 months                                              |

05 Specification notes

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Short Form Specification | <div><div>SPECIFICATION USE</div><div>Use this description when specifying this model.</div><div>Double-centre-bowl pot sink in 1.2 mm Grade 304 stainless steel. 1500 mm L x 700 mm W; 900 mm working height with a 150 mm rear splashback (1050 mm overall). Two bowls, each 600 mm L x 500 mm W x 300 mm D, with pre-punched 40 mm diameter holes. Marine edge, stainless steel underframe and framework, and adjustable feet. Undershelf: Stainless Steel Grade 304 0.9mm Thickness. 700 mm width is an advanced customisation; price confirmed by quotation.</div></div>                                                                                                                                                                               |
| Detailed specification   | <div><ul style="list-style-type: none"><li>• Model: E22128(DC-112-1500x700-S109)</li><li>• Length: 1500 mm</li><li>• Width: 700 mm (advanced customisation)</li><li>• Working height: 900 mm</li><li>• Overall height: 1050 mm</li><li>• Rear splashback: 150 mm</li><li>• Sink material: stainless steel Grade 304</li><li>• Sink material thickness: 1.2 mm</li><li>• Edge: marine edge</li><li>• Bowls: two, centrally positioned</li><li>• Each bowl: 600 mm L x 500 mm W x 300 mm D</li><li>• Waste outlets: 40 mm diameter holes, pre-punched in each bowl</li><li>• Underframe and framework: stainless steel</li><li>• Feet: adjustable</li><li>• Undershelf: Stainless Steel Grade 304 0.9mm Thickness</li><li>• Price: on request</li></ul></div> |

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.