

PRODUCT RANGE SPECIFICATION

E22128(DC-212) – Grade 430 Double Bowl Pot Sinks with Centre Bowls

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E22128(DC-212){PSS}	Published catalogue data	16 Sep 2026

01 Product description and specification

Product description	The E22128(DC-212) range comprises double-centre-bowl pot sinks manufactured from 1.2 mm Grade 430 stainless steel. The current configuration is 1650 mm long, with two centrally positioned bowls, each 600 x 500 mm, and a tubular rack for storage beneath the sink. Select the length and undershelf configuration to view the matching model and specification sheet.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E22128(DC-212) double-centre-bowl pot sinks in 1.2 mm Grade 430 stainless steel. Current model: E22128(DC-212-1650R), 1650 mm long, with two 600 x 500 mm centre bowls and a tubular rack. Specify length and undershelf configuration.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Material	Stainless Steel Grade 430	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Bowl Width	500	mm	–
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Bowl Depth	300	mm	–
Splashback Height	150	mm	The height of the raised section designed to prevent water or debris from reaching the surrounding wall.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DC-212-1650R)	Double-centre-bowl pot sink in 1.2 mm Grade 430 stainless steel, 1650 mm long, with two 600 x 500 mm centre bowls and a tubular rack.	Length: 1650 mm Undershelf: Tubular Rack

04 Functional features

01	Hygienic stainless steel construction Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.
02	Designed for commercial environments Built for repeated daily use rather than light domestic applications.
03	Grade 430 stainless steel sink Manufactured from 1.2 mm Grade 430 stainless steel, with two centrally positioned 600 x 500 mm bowls.
04	Heavy-duty fabricated construction Provides greater rigidity and durability under demanding commercial use.
05	Deep pot-washing bowl Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

05 Application information

Intended applications	Pot Washing
Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.