
MODEL SPECIFICATION

E22128(DL-112-2400) – Double Bowl Left-Hand Pot Sink 2400mm SS304 1.2



PRODUCT IMAGE · E22128(DL-112-2400): 2400 mm, 1.2 mm Grade 304, two 600 x 500 x 300 mm left-hand bowls

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Model	**E22128(DL-112-2400){PSS}**	**19 Nov 2026**

01 Model specification

Double Bowl Left-Hand Pot Sink in 1.2 mm Grade 304 Stainless Steel, 2400 mm (L) x 650 mm (W). Two Left-Hand Bowls, Each 600 mm (L) x 500 mm (W) x 300 mm Deep, with Pre-Punched 1½″ BSPT Waste Outlet Holes, and a Right-Hand Draining Board. Full Stainless Steel Construction and Sub Frame on Ø38.1 mm Stainless Steel Tubular Legs with Adjustable Feet. 900 mm Working Height; 150 mm Rear Splashback (1050 mm Overall). Weight 53.172 kg. Waste Outlets Not Included.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Overall height	1050	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Number of Bowls	2	–	–
Bowl Orientation	Left Hand	–	–
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Width	650	mm	The width of the item typically as measured from front to back.
Length	2400	mm	The length of the item typically as measured from left to right.
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Bowl Depth	300	mm	—
Bowl Width	500	mm	—
Adjustable Feet	Yes	—	—
Waste Outlet Diameter	40	mm	—
Waste Connection	40 mm (1½″ BSPT)	—	—
Leg Diameter	38.1	mm	Outside diameter of tubular support legs.

03 Dimensions and mass

PARAMETER	VALUE	UNIT
Length	2400	mm
Width	650	mm
Overall height	1050	mm
Weight	54	kg

04 Model and supply data

Parent product	E22128(DL) — Double Bowl Left-Hand Pot Sink
Typical lead time	10–15 working days
Warranty	24 months

05 Specification notes

Configuration description

This 2400 mm double bowl pot sink is manufactured entirely from 1.2 mm Grade 304 stainless steel, including the sub frame. No timber, galvanised or other corrodible backing material is used, so the unit stays hygienic and robust in wet, high-use wash-up areas.

Two bowls are positioned on the left, each 600 mm long, 500 mm wide and 300 mm deep, with a draining board to the right. Each bowl has a pre-punched 1½″ BSPT waste outlet hole. Waste outlets are not included; the Dura 817 waste is available as an optional accessory, and two are recommended.

The sink stands on Ø38.1 mm stainless steel tubular legs with adjustable feet for levelling. Working height is 900 mm, and the 150 mm rear splashback gives an overall height of 1050 mm. The unit weighs 53.172 kg.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this model.

Basterfield E22128(DL-112-2400) double bowl left-hand pot sink in 1.2 mm Grade 304 stainless steel, 2400 mm (L) x 650 mm (W) x 1050 mm (H) overall, 900 mm working height, 150 mm rear splashback. Two left-hand bowls 600 mm (L) x 500 mm (W) x 300 mm (D), each with a pre-punched 1½″ BSPT waste outlet hole; right-hand draining board. Full stainless steel construction and sub frame with no timber or galvanised backing; Ø38.1 mm stainless steel tubular legs with adjustable feet. Weight 53.172 kg. Waste outlets not included.

Detailed specification

- Model: E22128(DL-112-2400)
- Material: Stainless Steel Grade 304
- Material Thickness: 1.2 mm
- Construction: Full stainless steel, including sub frame; no timber or galvanised backing
- Length: 2400 mm
- Width: 650 mm
- Working Height: 900 mm
- Splashback Height: 150 mm
- Overall Height: 1050 mm
- Number of Bowls: 2
- Bowl Orientation: Left Hand
- Draining Board: Right Hand
- Bowl Size (each): 600 mm (L) x 500 mm (W) x 300 mm (D)
- Waste Outlet Holes: Pre-punched 1½″ BSPT, one per bowl
- Waste Outlets: Not included; optional Dura 817 waste (two recommended)
- Legs: Ø38.1 mm stainless steel tubular
- Feet: Adjustable
- Weight: 53.172 kg

06 Frequently asked questions

Are waste outlets included?

No. Each bowl has a pre-punched waste outlet hole (see the selected model for size), but waste outlets are not included. The Dura 817 waste is available as an optional accessory; two are recommended, one per bowl.

What are the bowl dimensions?

Each of the two bowls is 600 mm long, 500 mm wide and 300 mm deep.

Is there any timber or galvanised steel in the unit?

No. The sink, sub frame and legs are all stainless steel. No timber, galvanised or other corrodible backing material is used.

Which lengths are available?

Standard lengths are 1850, 2000, 2200 and 2400 mm. The standard width is 650 mm, with a 700 mm option.

What is the difference between working height and overall height?

The working height is 900 mm. The 150 mm rear splashback brings the overall height to 1050 mm.

E&OE. Specifications are subject to change without notice.