

PRODUCT RANGE SPECIFICATION

E22128(DL) – Double Bowl Left-Hand Pot Sink



PRODUCT IMAGE

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

E22128(DL){PSS}

DATA STATUS

Published catalogue data

GENERATED ON

19 Sep 2026

01 Product description and specification

Product description

The E22128(DL) Pot Sink Double Bowl Left Hand Orientation is a heavy-duty commercial stainless steel pot sink designed for demanding wash-up applications in commercial kitchens, food production facilities, butcheries and institutional catering environments. The unit incorporates two wash bowls positioned on the left-hand side with an integral drainer to the right. It is available in either Grade 304 or Grade 316 stainless steel and can be manufactured in 1.2mm or 1.5mm material thickness. Its hygienic all-stainless-steel construction eliminates timber and galvanised backing materials, providing a robust, corrosion-resistant solution suitable for intensive commercial use.

The E22128(DL) Pot Sink Double Bowl Left Hand Orientation is available in a range of standard lengths, with a standard width of 650mm and an optional 700mm width. The working height is 900mm, with a 150mm high integral rear splashback providing an overall height of 1050mm. A full stainless steel framework and sub-structure supports the worktop and bowls, whilst stainless steel cross-bracing channels provide additional rigidity and help prevent flexing under heavy loads.

The freestanding construction incorporates adjustable feet for accurate levelling on uneven floors and stable installation. Designed for high-demand wash-up environments, the E22128(DL) Pot Sink Double Bowl Left Hand Orientation is suitable for commercial kitchens, food-processing plants, catering facilities, butcheries and other hygiene-sensitive operations requiring durable double-bowl washing capacity with a dedicated right-hand draining area.

Working height is measured from the floor to the worktop. Overall height includes the splashback and is calculated from the selected working and splashback heights.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Shall be Basterfield E22128(DL) Pot Sink Double Bowl Left Hand Orientation, manufactured from Grade 304 or Grade 316 stainless steel in 1.2mm or 1.5mm material thickness, comprising two wash bowls positioned to the left-hand side with an integral right-hand drainer. Unit shall be available in a range of standard lengths with a standard width of 650mm or optional 700mm, a working height of 900mm and an integral 150mm high rear splashback providing an overall height of 1050mm. Construction shall incorporate a heavy-duty full stainless steel framework and sub-structure with stainless steel cross-bracing channels for additional strength and rigidity, with no timber or galvanised backing materials. Unit shall be freestanding on adjustable feet for accurate levelling and shall be suitable for heavy-duty commercial kitchen, food-processing, catering, butchery and hygiene-sensitive wash-up applications.

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Overall height	1050	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Bowl Orientation	Left Hand	—	—
Bowl Width	500	mm	—
Number of Bowls	2	—	—
Bowl Depth	300	mm	—

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-112-1850)	SINK POT DOUBLE BOWL LH 600x500 SS304x1.2 1850 Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: — × — × 1050 mm (L × W × H)
E22128(DL-112-1850x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: — × — × 1050 mm (L × W × H)
E22128(DL-112-2000)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: — × — × 1050 mm (L × W × H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-112-2200x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-112-2200x650)	Pot Sink Double Bowl Left-Hand Stainless Steel Grade 304 Heavy Duty 1.2mm Heavy Duty Thickness 2200mm (L) x 650mm (W) x 900mm (H) with 300mm Bowl Depth Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-112-2400)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-112-2400x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-1850)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-1850x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-115-2000)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-2000x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-2200)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-2200x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-2400)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-115-2400x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 304. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-312-1850)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-1850x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-2000)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-2000x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-2200)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-2200x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-312-2400)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 650 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-312-2400x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 700 mm, Material Thickness: 1.2 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-315-1850)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-315-1850x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 1850 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 1850 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-315-2000)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – x – x 1050 mm (L x W x H)
E22128(DL-315-2000x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2000 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2000 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – x – x 1050 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(DL-315-2200)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – × – × 1050 mm (L × W × H)
E22128(DL-315-2200x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2200 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2200 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – × – × 1050 mm (L × W × H)
E22128(DL-315-2400)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 650 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 650 mm Overall dimensions: – × – × 1050 mm (L × W × H)
E22128(DL-315-2400x0700)	Pot Sink Double Bowl Left Hand Orientation configured with Length: 2400 mm, Width: 700 mm, Material Thickness: 1.5 mm, Material: Stainless Steel Grade 316. Height specification: 900 mm working height, with a 150 mm splashback (1050 mm overall).	Length: 2400 mm Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Width: 700 mm Overall dimensions: – × – × 1050 mm (L × W × H)

04 Functional features

01	Hygienic stainless steel construction Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.
02	Designed for commercial environments Built for repeated daily use rather than light domestic applications.
03	Stainless Steel Grade 304 construction, including framework Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.
04	Heavy-duty fabricated construction Provides greater rigidity and durability under demanding commercial use.
05	Deep pot-washing bowl Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

05 Application information

Intended applications	Kitchen Washing & Warewashing, Pot Washing
-----------------------	--

05 Application information

Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés, Schools
------------	--

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.