PRODUCT RANGE SPECIFICATION

E22128(SL-112) – Grade 304 Single Bowl Left-Hand Pot Sink



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	E22128(SL-112){PSS}	19 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/e22128sl-112-grade-304-single-bowl-left-hand-pot-sink#specifications

01 Product description and specification

Product description

Pot sink with a single left-hand bowl for washing cookware in commercial and institutional kitchens.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield E22128(SL-112). Pot Sink Single Left Hand Bowl. Material: stainless steel Grade 304. Material Thickness: 1.2 mm. Length: 1200 mm, 1600 mm, 1800 mm. Number of Bowls: 1. 150 mm high rear splashback helps prevent water splashes, keeping work areas clean and sanitary. Integrated 40 mm waste outlet provides efficient drainage for fast and effective cleaning.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Overall height	1050	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Bowl Width	500	mm	–

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Depth	300	mm	–

03 Configuration options

Length	1200 mm; 1600 mm; 1800 mm

Options vary by model; not every combination is available. Use the product page to select a model.

04 Functional features

01 **Hygienic stainless steel construction**
Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.

02 **Designed for commercial environments**
Built for repeated daily use rather than light domestic applications.

03 **Stainless Steel Grade 304 construction, including framework**
Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.

04 **Heavy-duty fabricated construction**
Provides greater rigidity and durability under demanding commercial use.

05 **Deep pot-washing bowl**
Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

05 Application information

Intended applications	Pot Washing
Industries	Cannabis, Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

Product drawings and images



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.