

PRODUCT RANGE SPECIFICATION

E22128(SL-112) – Pot Sink Single Left Hand Bowl

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE E22128(SL-112){PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	---	---	-----------------------------

01 Product description and specification

Product description	Pot sink with a single left-hand bowl for washing cookware in commercial and institutional kitchens. Featuring a left-hand deep bowl (500 mm width x 600 mm length x 300 mm depth), this unit is suited to washing large cookware, making it a perfect fit for restaurants, catering operations, and food production facilities. Durable stainless steel Construction • A fully welded stainless steel frame with reinforced legs enhances durability and structural integrity. Optimized for Commercial Use • 150 mm high rear splashback helps prevent water splashes, keeping work areas clean and sanitary. • Integrated 40 mm waste outlet provides efficient drainage for fast and effective cleaning. • Adjustable stainless steel feet allow easy levelling on uneven floors. Size Options & Customization • Standard length: 1600 mm (custom sizes available on request). • Standard width: 650 mm (alternative widths: 600 mm or 700 mm available). • Tabletop height: 900 mm (1050 mm including splashback). This left-hand bowl pot sink is part of a versatile range that includes right-hand and centre bowl configurations, offering flexibility for different workspace layouts. Need Custom Dimensions?
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E22128(SL-112). Pot Sink Single Left Hand Bowl. Material: stainless steel Grade 304. Material Thickness: 1.2 mm. Length: 1200 mm, 1600 mm. Number of Bowls: 1. 150 mm high rear splashback helps prevent water splashes, keeping work areas clean and sanitary. Integrated 40 mm waste outlet provides efficient drainage for fast and effective cleaning.
--------------------------	---

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Length	600	mm	The length of the bowl typically as measured from left to right.
Bowl Width	500	mm	—

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Depth	300	mm	—
Splashback Height	150	mm	The height of the raised section designed to prevent water or debris from reaching the surrounding wall.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E22128(SL-112-1200)	POT SINK SINGLE BOWL LH 304 1.2MM 1200MM LENGTH	Length: 1200 mm
E22128(SL-112-1600)	Pot Sink 1600mm Length Single Bowl Left Hand Stainless Steel Grade 304 1.2mm Thickness	Length: 1600 mm

04 Functional features

01	Hygienic stainless steel construction Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.
02	Designed for commercial environments Built for repeated daily use rather than light domestic applications.
03	Stainless Steel Grade 304 construction, including framework Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.
04	Heavy-duty fabricated construction Provides greater rigidity and durability under demanding commercial use.
05	Deep pot-washing bowl Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

05 Application information

Intended applications	Pot Washing
Industries	Foodservice & Catering

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images

PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.