PRODUCT RANGE SPECIFICATION

# E22128(TC) – Triple Bowl Centre Pot Sink



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

| DOCUMENT SCOPE | DOCUMENT REFERENCE | GENERATED ON |
|---|---|---|
| Product range | E22128(TC){PSS} | 19 Nov 2026 |

**Detailed item specifications**

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/e22128tc-triple-bowl-centre-pot-sink#specifications

## 01 Product description and specification

**Product description**

Triple-bowl pot sink for separating washing tasks in commercial and institutional cookware washing areas.

**Short Form Specification**

**SPECIFICATION USE**
Use this description when specifying this product range.

E22128(TC) triple bowl centre pot sink in Grade 304 stainless steel, 650mm wide, with three standard 600mm (L) x 500mm (W) x 300mm (D) bowls, a 150mm rear splashback, stainless steel framework and adjustable feet. 2250mm length: 1.2mm or 1.5mm thickness. 2800mm length: 1.5mm thickness, with draining boards to each side. Specify length and thickness.

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| Material | Stainless Steel Grade 304 | – | The primary material used in the construction of the item. Certain components may be manufactured from different materials. |
| Bowl Width | 500 | mm | – |
| Width | 650 | mm | The width of the item typically as measured from front to back. |
| Bowl Depth | 300 | mm | – |
| Number of Bowls | 3 | – | – |
| Bowl Orientation | Centre | – | – |
| Bowl Length | 600 | mm | The length of the bowl typically as measured from left to right. |

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| **Splashback Height** | 150 | mm | Height of the splashback above the tabletop or working surface. |

## 03 Configuration options

| | |
|---|---|
| **Length** | 2250 mm; 2800 mm |
| **Material Thickness** | 1.2 mm; 1.5 mm |

Options vary by model; not every combination is available. Use the product page to select a model.

## 04 Functional features

01 **Hygienic stainless steel construction**
Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.

02 **Designed for commercial environments**
Built for repeated daily use rather than light domestic applications.

03 **Stainless Steel Grade 304 construction, including framework**
Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.

04 **Heavy-duty fabricated construction**
Provides greater rigidity and durability under demanding commercial use.

05 **Deep pot-washing bowl**
Provides the capacity required to wash large pots, pans, containers and utensils that cannot be accommodated in conventional sink bowls.

## 05 Application information

| | |
|---|---|
| **Intended applications** | Pot Washing |
| **Industries** | Food & Beverage Processing, Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés |

## 06 Supply and support

| | |
|---|---|
| **Typical lead time** | 10–15 working days |
| **Warranty** | 24 months |

## Product drawings and images



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.