PRODUCT RANGE SPECIFICATION

E22129(DC) – Combination Pot & Utensil Sink Double Bowl Centre

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	E22129(DC){PSS}	25 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/e22129dc-combination-pot-utensil-sink-double-bowl-centre#specifications

01 Product description and specification

Product description

Combination pot and utensil sink with two centre bowls for washing cookware and equipment in commercial kitchens.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Combination pot and utensil sink in 1.2mm Grade 304 stainless steel. The left-hand pot bowl measures 600 × 500 × 300mm and the right-hand utensil bowl measures 600 × 500 × 500mm. Both bowls have Ø40mm waste outlet holes. Overall width is 650mm; length depends on the selected model. Working height is 900mm, with a 150mm rear splashback giving an overall height of 1050mm.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Working Height	900	mm	Floor to the tabletop or working surface; excludes any splashback.
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Overall height	1050	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.

03 Functional features

01 **Hygienic stainless steel construction**
Smooth, non-porous surfaces are easy to clean and suitable for commercial hygiene environments.

02 **Designed for commercial environments**
Built for repeated daily use rather than light domestic applications.

03 **Stainless Steel Grade 304 construction, including framework**
Provides excellent corrosion resistance, durability and hygiene in normal commercial kitchen and food-service environments.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

04 Heavy-duty fabricated construction

Provides greater rigidity and durability under demanding commercial use.

04 Application information

Intended applications	Kitchen Washing & Warewashing
Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

05 Supply and support

Typical lead time	10–15 working days
Warranty	24 months

Product drawings and images

BASTERFIELD

E22129(DC)

Combination pot and utensil sink — front view



Left-hand pot bowl: 600 × 500 × 300mm | Right-hand utensil bowl: 600 × 500 × 500mm

Grade 304 stainless steel, 1.2mm thickness. Bowl dimensions: (L) × (W) × (D). All dimensions in mm.

Bowl specification revision: 9 November 2026

FRONT VIEW · Front view — left pot bowl 600 × 500 × 300mm; right utensil bowl 600 × 500 × 500mm

BASTERFIELD

E22129(DC)

Combination pot and utensil sink — top view



Waste outlet holes: Ø40mm

Left-hand pot bowl: 600 × 500 × 300mm | Right-hand utensil bowl: 600 × 500 × 500mm

Grade 304 stainless steel, 1.2mm thickness. Bowl dimensions: (L) × (W) × (D). All dimensions in mm.

Bowl specification revision: 9 November 2026

TOP VIEW · Top view — left pot bowl 600 × 500 × 300mm; right utensil bowl 600 × 500 × 500mm

E&OE. Specifications are subject to change without notice.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357