

PRODUCT RANGE SPECIFICATION

E25144(112) – Grade 304 Stainless Steel Preparation Table with Rear Splashback



PRODUCT IMAGE · Rendered
E25144(112-1800x0600): 1800 x 600 mm, 900 mm working height, 150 mm rear splashback, 1050 mm overall height; no undershelf.

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE
Product range

DOCUMENT REFERENCE
E25144(112){PSS}

DATA STATUS
Published catalogue data

GENERATED ON
6 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/e25144112-grade-304-stainless-steel-preparation-table-with-rear-splashback#specifications>



01 Product description and specification

Product description
Grade 304 stainless steel preparation table with adjustable feet and no undershelf. Standard 1.2 mm worktop, 900 mm working height and 150 mm rear splashback; 1050 mm overall height.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield E25144(112) Grade 304 stainless steel preparation table with adjustable feet and rear splashback; no undershelf. Standard: 1.2 mm worktop, 900 mm working height, 150 mm rear splashback. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm; widths: 600, 650 or 700 mm. Advanced options: 1.5 or 2 mm worktop, 850 or 1000 mm working height, 300 or 450 mm splashback above worktop. Solid, slatted, perforated and tubular undershelves are separate products.

The E25144(112-1800x0600) model measures 1800 mm (L) x 600 mm (W), with a 1.2 mm Grade 304 stainless steel worktop, 900 mm working height and 150 mm rear splashback. Overall height is 1050 mm. Supplied without an undershelf. Approximate mass: 30 kg. This mass applies to the specified model.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Undershelf	No undershelf	—	Undershelf specification for the selected table product. Grade 304 or 430; solid in 0.9 or 1.2 mm, other constructions in 1.2 mm only. Tubular uses formed open-section sheet metal.
Product Range	Heavy Duty	—	—
Splashback Configuration	Rear	—	—

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(112-0500x0600)	500 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-0500x0650)	500 mm	650 mm	1.2 mm	900 mm	150 mm
E25144(112-0500x0700)	500 mm	700 mm	1.2 mm	900 mm	150 mm
E25144(112-0500x600-R300)	500 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-0500x600-R450)	500 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-0500x600x1000)	500 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-0500x600x1000-R300)	500 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-0500x600x1000-R450)	500 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-0500x600x850)	500 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-0500x600x850-R300)	500 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-0500x600x850-R450)	500 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-0500x650-R300)	500 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-0500x650-R450)	500 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-0500x650x1000)	500 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-0500x650x1000-R300)	500 mm	650 mm	1.2 mm	1000 mm	300 mm
E25144(112-0500x650x1000-R450)	500 mm	650 mm	1.2 mm	1000 mm	450 mm
E25144(112-0500x650x850)	500 mm	650 mm	1.2 mm	850 mm	150 mm
E25144(112-0500x650x850-R300)	500 mm	650 mm	1.2 mm	850 mm	300 mm
E25144(112-0500x650x850-R450)	500 mm	650 mm	1.2 mm	850 mm	450 mm
E25144(112-0500x700-R300)	500 mm	700 mm	1.2 mm	900 mm	300 mm
E25144(112-0500x700-R450)	500 mm	700 mm	1.2 mm	900 mm	450 mm
E25144(112-0500x700x1000)	500 mm	700 mm	1.2 mm	1000 mm	150 mm
E25144(112-0500x700x1000-R300)	500 mm	700 mm	1.2 mm	1000 mm	300 mm
E25144(112-0500x700x1000-R450)	500 mm	700 mm	1.2 mm	1000 mm	450 mm
E25144(112-0500x700x850)	500 mm	700 mm	1.2 mm	850 mm	150 mm
E25144(112-0500x700x850-R300)	500 mm	700 mm	1.2 mm	850 mm	300 mm
E25144(112-0500x700x850-R450)	500 mm	700 mm	1.2 mm	850 mm	450 mm
E25144(112-0900x0600)	900 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-0900x0650)	900 mm	650 mm	1.2 mm	900 mm	150 mm
E25144(112-0900x0700)	900 mm	700 mm	1.2 mm	900 mm	150 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(112-0900x600-R300)	900 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-0900x600-R450)	900 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-0900x600x1000)	900 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-0900x600x1000-R300)	900 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-0900x600x1000-R450)	900 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-0900x600x850)	900 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-0900x600x850-R300)	900 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-0900x600x850-R450)	900 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-0900x650-R300)	900 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-0900x650-R450)	900 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-0900x650x1000)	900 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-0900x650x1000-R300)	900 mm	650 mm	1.2 mm	1000 mm	300 mm
E25144(112-0900x650x1000-R450)	900 mm	650 mm	1.2 mm	1000 mm	450 mm
E25144(112-0900x650x850)	900 mm	650 mm	1.2 mm	850 mm	150 mm
E25144(112-0900x650x850-R300)	900 mm	650 mm	1.2 mm	850 mm	300 mm
E25144(112-0900x650x850-R450)	900 mm	650 mm	1.2 mm	850 mm	450 mm
E25144(112-0900x700-R300)	900 mm	700 mm	1.2 mm	900 mm	300 mm
E25144(112-0900x700-R450)	900 mm	700 mm	1.2 mm	900 mm	450 mm
E25144(112-0900x700x1000)	900 mm	700 mm	1.2 mm	1000 mm	150 mm
E25144(112-0900x700x1000-R300)	900 mm	700 mm	1.2 mm	1000 mm	300 mm
E25144(112-0900x700x1000-R450)	900 mm	700 mm	1.2 mm	1000 mm	450 mm
E25144(112-0900x700x850)	900 mm	700 mm	1.2 mm	850 mm	150 mm
E25144(112-0900x700x850-R300)	900 mm	700 mm	1.2 mm	850 mm	300 mm
E25144(112-0900x700x850-R450)	900 mm	700 mm	1.2 mm	850 mm	450 mm
E25144(112-1200x0600)	1200 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-1200x0650)	1200 mm	650 mm	1.2 mm	900 mm	150 mm
E25144(112-1200x0700)	1200 mm	700 mm	1.2 mm	900 mm	150 mm
E25144(112-1200x600-R300)	1200 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-1200x600-R450)	1200 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-1200x600x1000)	1200 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-1200x600x1000-R300)	1200 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-1200x600x1000-R450)	1200 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-1200x600x850)	1200 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-1200x600x850-R300)	1200 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-1200x600x850-R450)	1200 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-1200x650-R300)	1200 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-1200x650-R450)	1200 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-1200x650x1000)	1200 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-1200x650x1000-R300)	1200 mm	650 mm	1.2 mm	1000 mm	300 mm
E25144(112-1200x650x1000-R450)	1200 mm	650 mm	1.2 mm	1000 mm	450 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(112-1200x650x850)	1200 mm	650 mm	1.2 mm	850 mm	150 mm
E25144(112-1200x650x850-R300)	1200 mm	650 mm	1.2 mm	850 mm	300 mm
E25144(112-1200x650x850-R450)	1200 mm	650 mm	1.2 mm	850 mm	450 mm
E25144(112-1200x700-R300)	1200 mm	700 mm	1.2 mm	900 mm	300 mm
E25144(112-1200x700-R450)	1200 mm	700 mm	1.2 mm	900 mm	450 mm
E25144(112-1200x700x1000)	1200 mm	700 mm	1.2 mm	1000 mm	150 mm
E25144(112-1200x700x1000-R300)	1200 mm	700 mm	1.2 mm	1000 mm	300 mm
E25144(112-1200x700x1000-R450)	1200 mm	700 mm	1.2 mm	1000 mm	450 mm
E25144(112-1200x700x850)	1200 mm	700 mm	1.2 mm	850 mm	150 mm
E25144(112-1200x700x850-R300)	1200 mm	700 mm	1.2 mm	850 mm	300 mm
E25144(112-1200x700x850-R450)	1200 mm	700 mm	1.2 mm	850 mm	450 mm
E25144(112-1500)	1500 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-1500x0650)	1500 mm	650 mm	1.2 mm	900 mm	150 mm
E25144(112-1500x0700)	1500 mm	700 mm	1.2 mm	900 mm	150 mm
E25144(112-1500x600-R300)	1500 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-1500x600-R450)	1500 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-1500x600x1000)	1500 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-1500x600x1000-R300)	1500 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-1500x600x1000-R450)	1500 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-1500x600x850)	1500 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-1500x600x850-R300)	1500 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-1500x600x850-R450)	1500 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-1500x650-R300)	1500 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-1500x650-R450)	1500 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-1500x650x1000)	1500 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-1500x650x1000-R300)	1500 mm	650 mm	1.2 mm	1000 mm	300 mm
E25144(112-1500x650x1000-R450)	1500 mm	650 mm	1.2 mm	1000 mm	450 mm
E25144(112-1500x650x850)	1500 mm	650 mm	1.2 mm	850 mm	150 mm
E25144(112-1500x650x850-R300)	1500 mm	650 mm	1.2 mm	850 mm	300 mm
E25144(112-1500x650x850-R450)	1500 mm	650 mm	1.2 mm	850 mm	450 mm
E25144(112-1500x700-R300)	1500 mm	700 mm	1.2 mm	900 mm	300 mm
E25144(112-1500x700-R450)	1500 mm	700 mm	1.2 mm	900 mm	450 mm
E25144(112-1500x700x1000)	1500 mm	700 mm	1.2 mm	1000 mm	150 mm
E25144(112-1500x700x1000-R300)	1500 mm	700 mm	1.2 mm	1000 mm	300 mm
E25144(112-1500x700x1000-R450)	1500 mm	700 mm	1.2 mm	1000 mm	450 mm
E25144(112-1500x700x850)	1500 mm	700 mm	1.2 mm	850 mm	150 mm
E25144(112-1500x700x850-R300)	1500 mm	700 mm	1.2 mm	850 mm	300 mm
E25144(112-1500x700x850-R450)	1500 mm	700 mm	1.2 mm	850 mm	450 mm
E25144(112-1800x0600)	1800 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-1800x0650)	1800 mm	650 mm	1.2 mm	900 mm	150 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(112-1800x0700)	1800 mm	700 mm	1.2 mm	900 mm	150 mm
E25144(112-1800x600-R300)	1800 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-1800x600-R450)	1800 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-1800x600x1000)	1800 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-1800x600x1000-R300)	1800 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-1800x600x1000-R450)	1800 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-1800x600x850)	1800 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-1800x600x850-R300)	1800 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-1800x600x850-R450)	1800 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-1800x650-R300)	1800 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-1800x650-R450)	1800 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-1800x650x1000)	1800 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-1800x650x1000-R300)	1800 mm	650 mm	1.2 mm	1000 mm	300 mm
E25144(112-1800x650x1000-R450)	1800 mm	650 mm	1.2 mm	1000 mm	450 mm
E25144(112-1800x650x850)	1800 mm	650 mm	1.2 mm	850 mm	150 mm
E25144(112-1800x650x850-R300)	1800 mm	650 mm	1.2 mm	850 mm	300 mm
E25144(112-1800x650x850-R450)	1800 mm	650 mm	1.2 mm	850 mm	450 mm
E25144(112-1800x700-R300)	1800 mm	700 mm	1.2 mm	900 mm	300 mm
E25144(112-1800x700-R450)	1800 mm	700 mm	1.2 mm	900 mm	450 mm
E25144(112-1800x700x1000)	1800 mm	700 mm	1.2 mm	1000 mm	150 mm
E25144(112-1800x700x1000-R300)	1800 mm	700 mm	1.2 mm	1000 mm	300 mm
E25144(112-1800x700x1000-R450)	1800 mm	700 mm	1.2 mm	1000 mm	450 mm
E25144(112-1800x700x850)	1800 mm	700 mm	1.2 mm	850 mm	150 mm
E25144(112-1800x700x850-R300)	1800 mm	700 mm	1.2 mm	850 mm	300 mm
E25144(112-1800x700x850-R450)	1800 mm	700 mm	1.2 mm	850 mm	450 mm
E25144(112-2000)	2000 mm	600 mm	1.2 mm	900 mm	150 mm
E25144(112-2000x0650)	2000 mm	650 mm	1.2 mm	900 mm	150 mm
E25144(112-2000x0700)	2000 mm	700 mm	1.2 mm	900 mm	150 mm
E25144(112-2000x600-R300)	2000 mm	600 mm	1.2 mm	900 mm	300 mm
E25144(112-2000x600-R450)	2000 mm	600 mm	1.2 mm	900 mm	450 mm
E25144(112-2000x600x1000)	2000 mm	600 mm	1.2 mm	1000 mm	150 mm
E25144(112-2000x600x1000-R300)	2000 mm	600 mm	1.2 mm	1000 mm	300 mm
E25144(112-2000x600x1000-R450)	2000 mm	600 mm	1.2 mm	1000 mm	450 mm
E25144(112-2000x600x850)	2000 mm	600 mm	1.2 mm	850 mm	150 mm
E25144(112-2000x600x850-R300)	2000 mm	600 mm	1.2 mm	850 mm	300 mm
E25144(112-2000x600x850-R450)	2000 mm	600 mm	1.2 mm	850 mm	450 mm
E25144(112-2000x650-R300)	2000 mm	650 mm	1.2 mm	900 mm	300 mm
E25144(112-2000x650-R450)	2000 mm	650 mm	1.2 mm	900 mm	450 mm
E25144(112-2000x650x1000)	2000 mm	650 mm	1.2 mm	1000 mm	150 mm
E25144(112-2000x650x1000-R300)	2000 mm	650 mm	1.2 mm	1000 mm	300 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
<u>E25144(112-2000x650x1000-R450)</u>	2000 mm	650 mm	1.2 mm	1000 mm	450 mm
<u>E25144(112-2000x650x850)</u>	2000 mm	650 mm	1.2 mm	850 mm	150 mm
<u>E25144(112-2000x650x850-R300)</u>	2000 mm	650 mm	1.2 mm	850 mm	300 mm
<u>E25144(112-2000x650x850-R450)</u>	2000 mm	650 mm	1.2 mm	850 mm	450 mm
<u>E25144(112-2000x700-R300)</u>	2000 mm	700 mm	1.2 mm	900 mm	300 mm
<u>E25144(112-2000x700-R450)</u>	2000 mm	700 mm	1.2 mm	900 mm	450 mm
<u>E25144(112-2000x700x1000)</u>	2000 mm	700 mm	1.2 mm	1000 mm	150 mm
<u>E25144(112-2000x700x1000-R300)</u>	2000 mm	700 mm	1.2 mm	1000 mm	300 mm
<u>E25144(112-2000x700x1000-R450)</u>	2000 mm	700 mm	1.2 mm	1000 mm	450 mm
<u>E25144(112-2000x700x850)</u>	2000 mm	700 mm	1.2 mm	850 mm	150 mm
<u>E25144(112-2000x700x850-R300)</u>	2000 mm	700 mm	1.2 mm	850 mm	300 mm
<u>E25144(112-2000x700x850-R450)</u>	2000 mm	700 mm	1.2 mm	850 mm	450 mm
<u>E25144(112-2400x0600)</u>	2400 mm	600 mm	1.2 mm	900 mm	150 mm
<u>E25144(112-2400x0650)</u>	2400 mm	650 mm	1.2 mm	900 mm	150 mm
<u>E25144(112-2400x0700)</u>	2400 mm	700 mm	1.2 mm	900 mm	150 mm
<u>E25144(112-2400x600-R300)</u>	2400 mm	600 mm	1.2 mm	900 mm	300 mm
<u>E25144(112-2400x600-R450)</u>	2400 mm	600 mm	1.2 mm	900 mm	450 mm
<u>E25144(112-2400x600x1000)</u>	2400 mm	600 mm	1.2 mm	1000 mm	150 mm
<u>E25144(112-2400x600x1000-R300)</u>	2400 mm	600 mm	1.2 mm	1000 mm	300 mm
<u>E25144(112-2400x600x1000-R450)</u>	2400 mm	600 mm	1.2 mm	1000 mm	450 mm
<u>E25144(112-2400x600x850)</u>	2400 mm	600 mm	1.2 mm	850 mm	150 mm
<u>E25144(112-2400x600x850-R300)</u>	2400 mm	600 mm	1.2 mm	850 mm	300 mm
<u>E25144(112-2400x600x850-R450)</u>	2400 mm	600 mm	1.2 mm	850 mm	450 mm
<u>E25144(112-2400x650-R300)</u>	2400 mm	650 mm	1.2 mm	900 mm	300 mm
<u>E25144(112-2400x650-R450)</u>	2400 mm	650 mm	1.2 mm	900 mm	450 mm
<u>E25144(112-2400x650x1000)</u>	2400 mm	650 mm	1.2 mm	1000 mm	150 mm
<u>E25144(112-2400x650x1000-R300)</u>	2400 mm	650 mm	1.2 mm	1000 mm	300 mm
<u>E25144(112-2400x650x1000-R450)</u>	2400 mm	650 mm	1.2 mm	1000 mm	450 mm
<u>E25144(112-2400x650x850)</u>	2400 mm	650 mm	1.2 mm	850 mm	150 mm
<u>E25144(112-2400x650x850-R300)</u>	2400 mm	650 mm	1.2 mm	850 mm	300 mm
<u>E25144(112-2400x650x850-R450)</u>	2400 mm	650 mm	1.2 mm	850 mm	450 mm
<u>E25144(112-2400x700-R300)</u>	2400 mm	700 mm	1.2 mm	900 mm	300 mm
<u>E25144(112-2400x700-R450)</u>	2400 mm	700 mm	1.2 mm	900 mm	450 mm
<u>E25144(112-2400x700x1000)</u>	2400 mm	700 mm	1.2 mm	1000 mm	150 mm
<u>E25144(112-2400x700x1000-R300)</u>	2400 mm	700 mm	1.2 mm	1000 mm	300 mm
<u>E25144(112-2400x700x1000-R450)</u>	2400 mm	700 mm	1.2 mm	1000 mm	450 mm
<u>E25144(112-2400x700x850)</u>	2400 mm	700 mm	1.2 mm	850 mm	150 mm
<u>E25144(112-2400x700x850-R300)</u>	2400 mm	700 mm	1.2 mm	850 mm	300 mm
<u>E25144(112-2400x700x850-R450)</u>	2400 mm	700 mm	1.2 mm	850 mm	450 mm
<u>E25144(115-0500x0600)</u>	500 mm	600 mm	1.5 mm	900 mm	150 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
<u>E25144(115-0500x0650)</u>	500 mm	650 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-0500x0700)</u>	500 mm	700 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-0500x600-R300)</u>	500 mm	600 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-0500x600-R450)</u>	500 mm	600 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-0500x600x1000)</u>	500 mm	600 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-0500x600x1000-R300)</u>	500 mm	600 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-0500x600x1000-R450)</u>	500 mm	600 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-0500x600x850)</u>	500 mm	600 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-0500x600x850-R300)</u>	500 mm	600 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-0500x600x850-R450)</u>	500 mm	600 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-0500x650-R300)</u>	500 mm	650 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-0500x650-R450)</u>	500 mm	650 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-0500x650x1000)</u>	500 mm	650 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-0500x650x1000-R300)</u>	500 mm	650 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-0500x650x1000-R450)</u>	500 mm	650 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-0500x650x850)</u>	500 mm	650 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-0500x650x850-R300)</u>	500 mm	650 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-0500x650x850-R450)</u>	500 mm	650 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-0500x700-R300)</u>	500 mm	700 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-0500x700-R450)</u>	500 mm	700 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-0500x700x1000)</u>	500 mm	700 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-0500x700x1000-R300)</u>	500 mm	700 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-0500x700x1000-R450)</u>	500 mm	700 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-0500x700x850)</u>	500 mm	700 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-0500x700x850-R300)</u>	500 mm	700 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-0500x700x850-R450)</u>	500 mm	700 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-0900x0600)</u>	900 mm	600 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-0900x0650)</u>	900 mm	650 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-0900x0700)</u>	900 mm	700 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-0900x600-R300)</u>	900 mm	600 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-0900x600-R450)</u>	900 mm	600 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-0900x600x1000)</u>	900 mm	600 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-0900x600x1000-R300)</u>	900 mm	600 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-0900x600x1000-R450)</u>	900 mm	600 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-0900x600x850)</u>	900 mm	600 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-0900x600x850-R300)</u>	900 mm	600 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-0900x600x850-R450)</u>	900 mm	600 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-0900x650-R300)</u>	900 mm	650 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-0900x650-R450)</u>	900 mm	650 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-0900x650x1000)</u>	900 mm	650 mm	1.5 mm	1000 mm	150 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(115-0900x650x1000-R300)	900 mm	650 mm	1.5 mm	1000 mm	300 mm
E25144(115-0900x650x1000-R450)	900 mm	650 mm	1.5 mm	1000 mm	450 mm
E25144(115-0900x650x850)	900 mm	650 mm	1.5 mm	850 mm	150 mm
E25144(115-0900x650x850-R300)	900 mm	650 mm	1.5 mm	850 mm	300 mm
E25144(115-0900x650x850-R450)	900 mm	650 mm	1.5 mm	850 mm	450 mm
E25144(115-0900x700-R300)	900 mm	700 mm	1.5 mm	900 mm	300 mm
E25144(115-0900x700-R450)	900 mm	700 mm	1.5 mm	900 mm	450 mm
E25144(115-0900x700x1000)	900 mm	700 mm	1.5 mm	1000 mm	150 mm
E25144(115-0900x700x1000-R300)	900 mm	700 mm	1.5 mm	1000 mm	300 mm
E25144(115-0900x700x1000-R450)	900 mm	700 mm	1.5 mm	1000 mm	450 mm
E25144(115-0900x700x850)	900 mm	700 mm	1.5 mm	850 mm	150 mm
E25144(115-0900x700x850-R300)	900 mm	700 mm	1.5 mm	850 mm	300 mm
E25144(115-0900x700x850-R450)	900 mm	700 mm	1.5 mm	850 mm	450 mm
E25144(115-1200x0600)	1200 mm	600 mm	1.5 mm	900 mm	150 mm
E25144(115-1200x0650)	1200 mm	650 mm	1.5 mm	900 mm	150 mm
E25144(115-1200x0700)	1200 mm	700 mm	1.5 mm	900 mm	150 mm
E25144(115-1200x600-R300)	1200 mm	600 mm	1.5 mm	900 mm	300 mm
E25144(115-1200x600-R450)	1200 mm	600 mm	1.5 mm	900 mm	450 mm
E25144(115-1200x600x1000)	1200 mm	600 mm	1.5 mm	1000 mm	150 mm
E25144(115-1200x600x1000-R300)	1200 mm	600 mm	1.5 mm	1000 mm	300 mm
E25144(115-1200x600x1000-R450)	1200 mm	600 mm	1.5 mm	1000 mm	450 mm
E25144(115-1200x600x850)	1200 mm	600 mm	1.5 mm	850 mm	150 mm
E25144(115-1200x600x850-R300)	1200 mm	600 mm	1.5 mm	850 mm	300 mm
E25144(115-1200x600x850-R450)	1200 mm	600 mm	1.5 mm	850 mm	450 mm
E25144(115-1200x650-R300)	1200 mm	650 mm	1.5 mm	900 mm	300 mm
E25144(115-1200x650-R450)	1200 mm	650 mm	1.5 mm	900 mm	450 mm
E25144(115-1200x650x1000)	1200 mm	650 mm	1.5 mm	1000 mm	150 mm
E25144(115-1200x650x1000-R300)	1200 mm	650 mm	1.5 mm	1000 mm	300 mm
E25144(115-1200x650x1000-R450)	1200 mm	650 mm	1.5 mm	1000 mm	450 mm
E25144(115-1200x650x850)	1200 mm	650 mm	1.5 mm	850 mm	150 mm
E25144(115-1200x650x850-R300)	1200 mm	650 mm	1.5 mm	850 mm	300 mm
E25144(115-1200x650x850-R450)	1200 mm	650 mm	1.5 mm	850 mm	450 mm
E25144(115-1200x700-R300)	1200 mm	700 mm	1.5 mm	900 mm	300 mm
E25144(115-1200x700-R450)	1200 mm	700 mm	1.5 mm	900 mm	450 mm
E25144(115-1200x700x1000)	1200 mm	700 mm	1.5 mm	1000 mm	150 mm
E25144(115-1200x700x1000-R300)	1200 mm	700 mm	1.5 mm	1000 mm	300 mm
E25144(115-1200x700x1000-R450)	1200 mm	700 mm	1.5 mm	1000 mm	450 mm
E25144(115-1200x700x850)	1200 mm	700 mm	1.5 mm	850 mm	150 mm
E25144(115-1200x700x850-R300)	1200 mm	700 mm	1.5 mm	850 mm	300 mm
E25144(115-1200x700x850-R450)	1200 mm	700 mm	1.5 mm	850 mm	450 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(115-1500x0600)	1500 mm	600 mm	1.5 mm	900 mm	150 mm
E25144(115-1500x0650)	1500 mm	650 mm	1.5 mm	900 mm	150 mm
E25144(115-1500x0700)	1500 mm	700 mm	1.5 mm	900 mm	150 mm
E25144(115-1500x600-R300)	1500 mm	600 mm	1.5 mm	900 mm	300 mm
E25144(115-1500x600-R450)	1500 mm	600 mm	1.5 mm	900 mm	450 mm
E25144(115-1500x600x1000)	1500 mm	600 mm	1.5 mm	1000 mm	150 mm
E25144(115-1500x600x1000-R300)	1500 mm	600 mm	1.5 mm	1000 mm	300 mm
E25144(115-1500x600x1000-R450)	1500 mm	600 mm	1.5 mm	1000 mm	450 mm
E25144(115-1500x600x850)	1500 mm	600 mm	1.5 mm	850 mm	150 mm
E25144(115-1500x600x850-R300)	1500 mm	600 mm	1.5 mm	850 mm	300 mm
E25144(115-1500x600x850-R450)	1500 mm	600 mm	1.5 mm	850 mm	450 mm
E25144(115-1500x650-R300)	1500 mm	650 mm	1.5 mm	900 mm	300 mm
E25144(115-1500x650-R450)	1500 mm	650 mm	1.5 mm	900 mm	450 mm
E25144(115-1500x650x1000)	1500 mm	650 mm	1.5 mm	1000 mm	150 mm
E25144(115-1500x650x1000-R300)	1500 mm	650 mm	1.5 mm	1000 mm	300 mm
E25144(115-1500x650x1000-R450)	1500 mm	650 mm	1.5 mm	1000 mm	450 mm
E25144(115-1500x650x850)	1500 mm	650 mm	1.5 mm	850 mm	150 mm
E25144(115-1500x650x850-R300)	1500 mm	650 mm	1.5 mm	850 mm	300 mm
E25144(115-1500x650x850-R450)	1500 mm	650 mm	1.5 mm	850 mm	450 mm
E25144(115-1500x700-R300)	1500 mm	700 mm	1.5 mm	900 mm	300 mm
E25144(115-1500x700-R450)	1500 mm	700 mm	1.5 mm	900 mm	450 mm
E25144(115-1500x700x1000)	1500 mm	700 mm	1.5 mm	1000 mm	150 mm
E25144(115-1500x700x1000-R300)	1500 mm	700 mm	1.5 mm	1000 mm	300 mm
E25144(115-1500x700x1000-R450)	1500 mm	700 mm	1.5 mm	1000 mm	450 mm
E25144(115-1500x700x850)	1500 mm	700 mm	1.5 mm	850 mm	150 mm
E25144(115-1500x700x850-R300)	1500 mm	700 mm	1.5 mm	850 mm	300 mm
E25144(115-1500x700x850-R450)	1500 mm	700 mm	1.5 mm	850 mm	450 mm
E25144(115-1800x0600)	1800 mm	600 mm	1.5 mm	900 mm	150 mm
E25144(115-1800x0650)	1800 mm	650 mm	1.5 mm	900 mm	150 mm
E25144(115-1800x0700)	1800 mm	700 mm	1.5 mm	900 mm	150 mm
E25144(115-1800x600-R300)	1800 mm	600 mm	1.5 mm	900 mm	300 mm
E25144(115-1800x600-R450)	1800 mm	600 mm	1.5 mm	900 mm	450 mm
E25144(115-1800x600x1000)	1800 mm	600 mm	1.5 mm	1000 mm	150 mm
E25144(115-1800x600x1000-R300)	1800 mm	600 mm	1.5 mm	1000 mm	300 mm
E25144(115-1800x600x1000-R450)	1800 mm	600 mm	1.5 mm	1000 mm	450 mm
E25144(115-1800x600x850)	1800 mm	600 mm	1.5 mm	850 mm	150 mm
E25144(115-1800x600x850-R300)	1800 mm	600 mm	1.5 mm	850 mm	300 mm
E25144(115-1800x600x850-R450)	1800 mm	600 mm	1.5 mm	850 mm	450 mm
E25144(115-1800x650-R300)	1800 mm	650 mm	1.5 mm	900 mm	300 mm
E25144(115-1800x650-R450)	1800 mm	650 mm	1.5 mm	900 mm	450 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
<u>E25144(115-1800x650x1000)</u>	1800 mm	650 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-1800x650x1000-R300)</u>	1800 mm	650 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-1800x650x1000-R450)</u>	1800 mm	650 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-1800x650x850)</u>	1800 mm	650 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-1800x650x850-R300)</u>	1800 mm	650 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-1800x650x850-R450)</u>	1800 mm	650 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-1800x700-R300)</u>	1800 mm	700 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-1800x700-R450)</u>	1800 mm	700 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-1800x700x1000)</u>	1800 mm	700 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-1800x700x1000-R300)</u>	1800 mm	700 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-1800x700x1000-R450)</u>	1800 mm	700 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-1800x700x850)</u>	1800 mm	700 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-1800x700x850-R300)</u>	1800 mm	700 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-1800x700x850-R450)</u>	1800 mm	700 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-2000x0600)</u>	2000 mm	600 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-2000x0650)</u>	2000 mm	650 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-2000x0700)</u>	2000 mm	700 mm	1.5 mm	900 mm	150 mm
<u>E25144(115-2000x600-R300)</u>	2000 mm	600 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-2000x600-R450)</u>	2000 mm	600 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-2000x600x1000)</u>	2000 mm	600 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-2000x600x1000-R300)</u>	2000 mm	600 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-2000x600x1000-R450)</u>	2000 mm	600 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-2000x600x850)</u>	2000 mm	600 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-2000x600x850-R300)</u>	2000 mm	600 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-2000x600x850-R450)</u>	2000 mm	600 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-2000x650-R300)</u>	2000 mm	650 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-2000x650-R450)</u>	2000 mm	650 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-2000x650x1000)</u>	2000 mm	650 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-2000x650x1000-R300)</u>	2000 mm	650 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-2000x650x1000-R450)</u>	2000 mm	650 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-2000x650x850)</u>	2000 mm	650 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-2000x650x850-R300)</u>	2000 mm	650 mm	1.5 mm	850 mm	300 mm
<u>E25144(115-2000x650x850-R450)</u>	2000 mm	650 mm	1.5 mm	850 mm	450 mm
<u>E25144(115-2000x700-R300)</u>	2000 mm	700 mm	1.5 mm	900 mm	300 mm
<u>E25144(115-2000x700-R450)</u>	2000 mm	700 mm	1.5 mm	900 mm	450 mm
<u>E25144(115-2000x700x1000)</u>	2000 mm	700 mm	1.5 mm	1000 mm	150 mm
<u>E25144(115-2000x700x1000-R300)</u>	2000 mm	700 mm	1.5 mm	1000 mm	300 mm
<u>E25144(115-2000x700x1000-R450)</u>	2000 mm	700 mm	1.5 mm	1000 mm	450 mm
<u>E25144(115-2000x700x850)</u>	2000 mm	700 mm	1.5 mm	850 mm	150 mm
<u>E25144(115-2000x700x850-R300)</u>	2000 mm	700 mm	1.5 mm	850 mm	300 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(115-2000x700x850-R450)	2000 mm	700 mm	1.5 mm	850 mm	450 mm
E25144(115-2400x0600)	2400 mm	600 mm	1.5 mm	900 mm	150 mm
E25144(115-2400x0650)	2400 mm	650 mm	1.5 mm	900 mm	150 mm
E25144(115-2400x0700)	2400 mm	700 mm	1.5 mm	900 mm	150 mm
E25144(115-2400x600-R300)	2400 mm	600 mm	1.5 mm	900 mm	300 mm
E25144(115-2400x600-R450)	2400 mm	600 mm	1.5 mm	900 mm	450 mm
E25144(115-2400x600x1000)	2400 mm	600 mm	1.5 mm	1000 mm	150 mm
E25144(115-2400x600x1000-R300)	2400 mm	600 mm	1.5 mm	1000 mm	300 mm
E25144(115-2400x600x1000-R450)	2400 mm	600 mm	1.5 mm	1000 mm	450 mm
E25144(115-2400x600x850)	2400 mm	600 mm	1.5 mm	850 mm	150 mm
E25144(115-2400x600x850-R300)	2400 mm	600 mm	1.5 mm	850 mm	300 mm
E25144(115-2400x600x850-R450)	2400 mm	600 mm	1.5 mm	850 mm	450 mm
E25144(115-2400x650-R300)	2400 mm	650 mm	1.5 mm	900 mm	300 mm
E25144(115-2400x650-R450)	2400 mm	650 mm	1.5 mm	900 mm	450 mm
E25144(115-2400x650x1000)	2400 mm	650 mm	1.5 mm	1000 mm	150 mm
E25144(115-2400x650x1000-R300)	2400 mm	650 mm	1.5 mm	1000 mm	300 mm
E25144(115-2400x650x1000-R450)	2400 mm	650 mm	1.5 mm	1000 mm	450 mm
E25144(115-2400x650x850)	2400 mm	650 mm	1.5 mm	850 mm	150 mm
E25144(115-2400x650x850-R300)	2400 mm	650 mm	1.5 mm	850 mm	300 mm
E25144(115-2400x650x850-R450)	2400 mm	650 mm	1.5 mm	850 mm	450 mm
E25144(115-2400x700-R300)	2400 mm	700 mm	1.5 mm	900 mm	300 mm
E25144(115-2400x700-R450)	2400 mm	700 mm	1.5 mm	900 mm	450 mm
E25144(115-2400x700x1000)	2400 mm	700 mm	1.5 mm	1000 mm	150 mm
E25144(115-2400x700x1000-R300)	2400 mm	700 mm	1.5 mm	1000 mm	300 mm
E25144(115-2400x700x1000-R450)	2400 mm	700 mm	1.5 mm	1000 mm	450 mm
E25144(115-2400x700x850)	2400 mm	700 mm	1.5 mm	850 mm	150 mm
E25144(115-2400x700x850-R300)	2400 mm	700 mm	1.5 mm	850 mm	300 mm
E25144(115-2400x700x850-R450)	2400 mm	700 mm	1.5 mm	850 mm	450 mm
E25144(120-0500x0600)	500 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-0500x0650)	500 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-0500x0700)	500 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-0500x600-R300)	500 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-0500x600-R450)	500 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-0500x600x1000)	500 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-0500x600x1000-R300)	500 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-0500x600x1000-R450)	500 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-0500x600x850)	500 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-0500x600x850-R300)	500 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-0500x600x850-R450)	500 mm	600 mm	2 mm	850 mm	450 mm
E25144(120-0500x650-R300)	500 mm	650 mm	2 mm	900 mm	300 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(120-0500x650-R450)	500 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-0500x650x1000)	500 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-0500x650x1000-R300)	500 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-0500x650x1000-R450)	500 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-0500x650x850)	500 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-0500x650x850-R300)	500 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-0500x650x850-R450)	500 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-0500x700-R300)	500 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-0500x700-R450)	500 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-0500x700x1000)	500 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-0500x700x1000-R300)	500 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-0500x700x1000-R450)	500 mm	700 mm	2 mm	1000 mm	450 mm
E25144(120-0500x700x850)	500 mm	700 mm	2 mm	850 mm	150 mm
E25144(120-0500x700x850-R300)	500 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-0500x700x850-R450)	500 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-0900x0600)	900 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-0900x0650)	900 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-0900x0700)	900 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-0900x600-R300)	900 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-0900x600-R450)	900 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-0900x600x1000)	900 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-0900x600x1000-R300)	900 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-0900x600x1000-R450)	900 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-0900x600x850)	900 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-0900x600x850-R300)	900 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-0900x600x850-R450)	900 mm	600 mm	2 mm	850 mm	450 mm
E25144(120-0900x650-R300)	900 mm	650 mm	2 mm	900 mm	300 mm
E25144(120-0900x650-R450)	900 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-0900x650x1000)	900 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-0900x650x1000-R300)	900 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-0900x650x1000-R450)	900 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-0900x650x850)	900 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-0900x650x850-R300)	900 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-0900x650x850-R450)	900 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-0900x700-R300)	900 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-0900x700-R450)	900 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-0900x700x1000)	900 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-0900x700x1000-R300)	900 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-0900x700x1000-R450)	900 mm	700 mm	2 mm	1000 mm	450 mm
E25144(120-0900x700x850)	900 mm	700 mm	2 mm	850 mm	150 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(120-0900x700x850-R300)	900 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-0900x700x850-R450)	900 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-1200x0600)	1200 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-1200x0650)	1200 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-1200x0700)	1200 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-1200x600-R300)	1200 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-1200x600-R450)	1200 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-1200x600x1000)	1200 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-1200x600x1000-R300)	1200 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-1200x600x1000-R450)	1200 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-1200x600x850)	1200 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-1200x600x850-R300)	1200 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-1200x600x850-R450)	1200 mm	600 mm	2 mm	850 mm	450 mm
E25144(120-1200x650-R300)	1200 mm	650 mm	2 mm	900 mm	300 mm
E25144(120-1200x650-R450)	1200 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-1200x650x1000)	1200 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-1200x650x1000-R300)	1200 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-1200x650x1000-R450)	1200 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-1200x650x850)	1200 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-1200x650x850-R300)	1200 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-1200x650x850-R450)	1200 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-1200x700-R300)	1200 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-1200x700-R450)	1200 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-1200x700x1000)	1200 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-1200x700x1000-R300)	1200 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-1200x700x1000-R450)	1200 mm	700 mm	2 mm	1000 mm	450 mm
E25144(120-1200x700x850)	1200 mm	700 mm	2 mm	850 mm	150 mm
E25144(120-1200x700x850-R300)	1200 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-1200x700x850-R450)	1200 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-1500x0600)	1500 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-1500x0650)	1500 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-1500x0700)	1500 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-1500x600-R300)	1500 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-1500x600-R450)	1500 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-1500x600x1000)	1500 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-1500x600x1000-R300)	1500 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-1500x600x1000-R450)	1500 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-1500x600x850)	1500 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-1500x600x850-R300)	1500 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-1500x600x850-R450)	1500 mm	600 mm	2 mm	850 mm	450 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(120-1500x650-R300)	1500 mm	650 mm	2 mm	900 mm	300 mm
E25144(120-1500x650-R450)	1500 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-1500x650x1000)	1500 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-1500x650x1000-R300)	1500 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-1500x650x1000-R450)	1500 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-1500x650x850)	1500 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-1500x650x850-R300)	1500 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-1500x650x850-R450)	1500 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-1500x700-R300)	1500 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-1500x700-R450)	1500 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-1500x700x1000)	1500 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-1500x700x1000-R300)	1500 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-1500x700x1000-R450)	1500 mm	700 mm	2 mm	1000 mm	450 mm
E25144(120-1500x700x850)	1500 mm	700 mm	2 mm	850 mm	150 mm
E25144(120-1500x700x850-R300)	1500 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-1500x700x850-R450)	1500 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-1800x0600)	1800 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-1800x0650)	1800 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-1800x0700)	1800 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-1800x600-R300)	1800 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-1800x600-R450)	1800 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-1800x600x1000)	1800 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-1800x600x1000-R300)	1800 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-1800x600x1000-R450)	1800 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-1800x600x850)	1800 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-1800x600x850-R300)	1800 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-1800x600x850-R450)	1800 mm	600 mm	2 mm	850 mm	450 mm
E25144(120-1800x650-R300)	1800 mm	650 mm	2 mm	900 mm	300 mm
E25144(120-1800x650-R450)	1800 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-1800x650x1000)	1800 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-1800x650x1000-R300)	1800 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-1800x650x1000-R450)	1800 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-1800x650x850)	1800 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-1800x650x850-R300)	1800 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-1800x650x850-R450)	1800 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-1800x700-R300)	1800 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-1800x700-R450)	1800 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-1800x700x1000)	1800 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-1800x700x1000-R300)	1800 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-1800x700x1000-R450)	1800 mm	700 mm	2 mm	1000 mm	450 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
E25144(120-1800x700x850)	1800 mm	700 mm	2 mm	850 mm	150 mm
E25144(120-1800x700x850-R300)	1800 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-1800x700x850-R450)	1800 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-2000x0600)	2000 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-2000x0650)	2000 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-2000x0700)	2000 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-2000x600-R300)	2000 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-2000x600-R450)	2000 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-2000x600x1000)	2000 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-2000x600x1000-R300)	2000 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-2000x600x1000-R450)	2000 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-2000x600x850)	2000 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-2000x600x850-R300)	2000 mm	600 mm	2 mm	850 mm	300 mm
E25144(120-2000x600x850-R450)	2000 mm	600 mm	2 mm	850 mm	450 mm
E25144(120-2000x650-R300)	2000 mm	650 mm	2 mm	900 mm	300 mm
E25144(120-2000x650-R450)	2000 mm	650 mm	2 mm	900 mm	450 mm
E25144(120-2000x650x1000)	2000 mm	650 mm	2 mm	1000 mm	150 mm
E25144(120-2000x650x1000-R300)	2000 mm	650 mm	2 mm	1000 mm	300 mm
E25144(120-2000x650x1000-R450)	2000 mm	650 mm	2 mm	1000 mm	450 mm
E25144(120-2000x650x850)	2000 mm	650 mm	2 mm	850 mm	150 mm
E25144(120-2000x650x850-R300)	2000 mm	650 mm	2 mm	850 mm	300 mm
E25144(120-2000x650x850-R450)	2000 mm	650 mm	2 mm	850 mm	450 mm
E25144(120-2000x700-R300)	2000 mm	700 mm	2 mm	900 mm	300 mm
E25144(120-2000x700-R450)	2000 mm	700 mm	2 mm	900 mm	450 mm
E25144(120-2000x700x1000)	2000 mm	700 mm	2 mm	1000 mm	150 mm
E25144(120-2000x700x1000-R300)	2000 mm	700 mm	2 mm	1000 mm	300 mm
E25144(120-2000x700x1000-R450)	2000 mm	700 mm	2 mm	1000 mm	450 mm
E25144(120-2000x700x850)	2000 mm	700 mm	2 mm	850 mm	150 mm
E25144(120-2000x700x850-R300)	2000 mm	700 mm	2 mm	850 mm	300 mm
E25144(120-2000x700x850-R450)	2000 mm	700 mm	2 mm	850 mm	450 mm
E25144(120-2400x0600)	2400 mm	600 mm	2 mm	900 mm	150 mm
E25144(120-2400x0650)	2400 mm	650 mm	2 mm	900 mm	150 mm
E25144(120-2400x0700)	2400 mm	700 mm	2 mm	900 mm	150 mm
E25144(120-2400x600-R300)	2400 mm	600 mm	2 mm	900 mm	300 mm
E25144(120-2400x600-R450)	2400 mm	600 mm	2 mm	900 mm	450 mm
E25144(120-2400x600x1000)	2400 mm	600 mm	2 mm	1000 mm	150 mm
E25144(120-2400x600x1000-R300)	2400 mm	600 mm	2 mm	1000 mm	300 mm
E25144(120-2400x600x1000-R450)	2400 mm	600 mm	2 mm	1000 mm	450 mm
E25144(120-2400x600x850)	2400 mm	600 mm	2 mm	850 mm	150 mm
E25144(120-2400x600x850-R300)	2400 mm	600 mm	2 mm	850 mm	300 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	WORKTOP THICKNESS	WORKING HEIGHT	REAR SPLASHBACK HEIGHT
<u>E25144(120-2400x600x850-R450)</u>	2400 mm	600 mm	2 mm	850 mm	450 mm
<u>E25144(120-2400x650-R300)</u>	2400 mm	650 mm	2 mm	900 mm	300 mm
<u>E25144(120-2400x650-R450)</u>	2400 mm	650 mm	2 mm	900 mm	450 mm
<u>E25144(120-2400x650x1000)</u>	2400 mm	650 mm	2 mm	1000 mm	150 mm
<u>E25144(120-2400x650x1000-R300)</u>	2400 mm	650 mm	2 mm	1000 mm	300 mm
<u>E25144(120-2400x650x1000-R450)</u>	2400 mm	650 mm	2 mm	1000 mm	450 mm
<u>E25144(120-2400x650x850)</u>	2400 mm	650 mm	2 mm	850 mm	150 mm
<u>E25144(120-2400x650x850-R300)</u>	2400 mm	650 mm	2 mm	850 mm	300 mm
<u>E25144(120-2400x650x850-R450)</u>	2400 mm	650 mm	2 mm	850 mm	450 mm
<u>E25144(120-2400x700-R300)</u>	2400 mm	700 mm	2 mm	900 mm	300 mm
<u>E25144(120-2400x700-R450)</u>	2400 mm	700 mm	2 mm	900 mm	450 mm
<u>E25144(120-2400x700x1000)</u>	2400 mm	700 mm	2 mm	1000 mm	150 mm
<u>E25144(120-2400x700x1000-R300)</u>	2400 mm	700 mm	2 mm	1000 mm	300 mm
<u>E25144(120-2400x700x1000-R450)</u>	2400 mm	700 mm	2 mm	1000 mm	450 mm
<u>E25144(120-2400x700x850)</u>	2400 mm	700 mm	2 mm	850 mm	150 mm
<u>E25144(120-2400x700x850-R300)</u>	2400 mm	700 mm	2 mm	850 mm	300 mm
<u>E25144(120-2400x700x850-R450)</u>	2400 mm	700 mm	2 mm	850 mm	450 mm

04 Functional features

01 Grade 304 stainless steel worktop

The worktop is Grade 304 stainless steel, 1.2 mm thick. Advanced customisation offers 1.5 mm or 2 mm worktops.

02 Rear splashback height choices

The rear splashback is 150 mm high as standard. Advanced customisation offers 300 mm or 450 mm splashbacks, measured above the worktop. The splashback runs along the rear edge of the worktop.

03 Plain table

Supplied without an undershelf. Select a separate solid, slatted, perforated or tubular undershelf product when storage is required.

04 Working height

The standard working height is 900 mm, measured from the floor to the worktop. Advanced customisation offers 850 mm or 1000 mm working heights.

05 Size choices

Lengths of 500, 900, 1200, 1500, 1800, 2000 or 2400 mm, and widths of 600, 650 or 700 mm are available.

06 Intended working areas

A Grade 304 heavy-duty preparation table for commercial kitchens, healthcare utility rooms, laboratories, pharmaceutical support areas and abattoir preparation areas.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Clinical Laboratories, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Restaurants & Cafés

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images



VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.