

PRODUCT RANGE SPECIFICATION

E25144(312) – Grade 316 Preparation Table with Rear Splashback

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E25144(312){PSS}	Published catalogue data	15 Sep 2026

01 Product description and specification

Product description	Basterfield E25144(312). A separate Grade 316 table alternative retaining the existing 1500 x 600 mm and 2000 x 600 mm configurations. The worktop is Grade 316 stainless steel, 1.2 mm thick. Stainless steel frame with adjustable feet. Available in 1500 x 600 mm and 2000 x 600 mm sizes. The rear splashback is 150 mm high as standard. Advanced customisation offers 300 mm or 450 mm splashbacks, measured above the worktop. The splashback runs along the rear edge of the worktop. The working height is 900 mm, measured from the floor to the worktop. Supplied without an undershelf. Whole-table Grade 304, Grade 430 and Grade 316 ranges are separate product alternatives, rather than material customisations. A Grade 430 undershelf does not change the specified worktop grade.
---------------------	---

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Shall be Basterfield E25144(312), a Grade 316 stainless steel preparation table with rear splashback. The worktop is Grade 316 stainless steel, 1.2 mm thick. Stainless steel frame with adjustable feet. Available in 1500 x 600 mm and 2000 x 600 mm sizes. The working height is 900 mm, measured from the floor to the worktop. The rear splashback is 150 mm high as standard. Advanced customisation offers 300 mm or 450 mm splashbacks, measured above the worktop. The splashback runs along the rear edge of the worktop. Supplied without an undershelf.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 316	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.2	mm	The worktop is Grade 316 stainless steel, 1.2 mm thick.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Undershelf	No undershelf	—	Undershelf specification for the selected table product. Grade 304 or 430; solid in 0.9 or 1.2 mm, other constructions in 1.2 mm only. Tubular uses formed open-section sheet metal.
Height	900	mm	The working height is 900 mm, measured from the floor to the worktop.
Splashback Configuration	Rear	—	Product classification detail retained during the September 2026 catalogue category review.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25144(312-1500)	Work Table Stainless Steel Grade 316 1.2mm Thickness 1500mm (L) x 600mm (W) x 900mm (H) with 150mm Splashback to Rear	Length: 1500 mm Splashback Height: 150 mm Width: 600 mm
E25144(312-1500x600-R300)	Grade 316 stainless steel preparation table, 1500 mm (L) x 600 mm (W), 900 mm working height. Worktop thickness: 1.2 mm. Rear splashback: 300 mm high above worktop. No undershelf. Stainless steel frame with adjustable feet.	Length: 1500 mm Splashback Height: 300 mm Width: 600 mm
E25144(312-1500x600-R450)	Grade 316 stainless steel preparation table, 1500 mm (L) x 600 mm (W), 900 mm working height. Worktop thickness: 1.2 mm. Rear splashback: 450 mm high above worktop. No undershelf. Stainless steel frame with adjustable feet.	Length: 1500 mm Splashback Height: 450 mm Width: 600 mm
E25144(312-2000)	Work Table Stainless Steel Grade 316 1.2mm Thickness 2000mm (L) x 600mm (W) x 900mm (H) with 150mm Splashback to Rear	Length: 2000 mm Splashback Height: 150 mm Width: 600 mm
E25144(312-2000x600-R300)	Grade 316 stainless steel preparation table, 2000 mm (L) x 600 mm (W), 900 mm working height. Worktop thickness: 1.2 mm. Rear splashback: 300 mm high above worktop. No undershelf. Stainless steel frame with adjustable feet.	Length: 2000 mm Splashback Height: 300 mm Width: 600 mm
E25144(312-2000x600-R450)	Grade 316 stainless steel preparation table, 2000 mm (L) x 600 mm (W), 900 mm working height. Worktop thickness: 1.2 mm. Rear splashback: 450 mm high above worktop. No undershelf. Stainless steel frame with adjustable feet.	Length: 2000 mm Splashback Height: 450 mm Width: 600 mm

04 Functional features

01 Grade 316 stainless steel worktop

The worktop is Grade 316 stainless steel, 1.2 mm thick.

- 02 Rear splashback height choices**

The rear splashback is 150 mm high as standard. Advanced customisation offers 300 mm or 450 mm splashbacks, measured above the worktop. The splashback runs along the rear edge of the worktop.
- 03 Plain table**

Supplied without an undershelf.
- 04 Working height**

The working height is 900 mm, measured from the floor to the worktop.
- 05 Size choices**

Available in 1500 x 600 mm and 2000 x 600 mm sizes.
- 06 Intended working areas**

A separate Grade 316 table alternative retaining the existing 1500 x 600 mm and 2000 x 600 mm configurations.

05 Application information

Intended applications	Food Preparation Workstations, Preparation Tables (with Splashback)
Industries	Foodservice & Catering

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.