

PRODUCT RANGE SPECIFICATION

E25145(109-P) – Grade 304 Eco Preparation Table (0.9 mm) with Perforated Undershelf

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E25145(109-P){PSS}	Published catalogue data	15 Sep 2026

01 Product description and specification

Product description	Basterfield E25145(109-P). An economical preparation table for catering kitchens and foodservice work areas, with a stainless steel frame and adjustable feet. Eco refers to the economical product range. The worktop is Grade 304 stainless steel, 0.9 mm thick. Choose a separate table range when a thicker worktop is required. The standard working height is 900 mm. Advanced customisation offers 850 mm or 1000 mm working heights. Lengths of 500, 900, 1200, 1500, 1800, 2000 or 2400 mm, and widths of 600, 650 or 700 mm are available. Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only. Grade 304 heavy duty E25145(112) tables are separate alternatives for broader industrial, abattoir and healthcare support applications. Grade 304 and Grade 430 table ranges are separate products, rather than material-grade customisations.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Shall be Basterfield E25145(109-P) Eco Preparation Table with a Grade 304 stainless steel worktop, stainless steel frame and adjustable feet. The worktop is Grade 304 stainless steel, 0.9 mm thick. Choose a separate table range when a thicker worktop is required. The standard working height is 900 mm. Advanced customisation offers 850 mm or 1000 mm working heights. Lengths of 500, 900, 1200, 1500, 1800, 2000 or 2400 mm, and widths of 600, 650 or 700 mm are available. Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	0.9	mm	The worktop is Grade 304 stainless steel, 0.9 mm thick. Choose a separate table range when a thicker worktop is required.
Product Range	Eco	—	Product classification detail retained during the September 2026 catalogue category review.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Splashback Configuration	None	—	Product classification detail retained during the September 2026 catalogue category review.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-0500x0600-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-0500x0600-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0500x0650-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-0500x0650-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0500x0700-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0500x0700-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-0500x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-0500x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0500x600x850-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-0500x600x850-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0500x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-0500x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0500x650x850-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-0500x650x850-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0500x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0500x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-0500x700x850-P112)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0500x700x850-P212)	Grade 304 stainless steel Eco preparation table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-0900x0600-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-0900x0600-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0900x0650-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-0900x0650-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0900x0700-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0900x0700-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-0900x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-0900x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0900x600x850-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-0900x600x850-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-0900x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-0900x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0900x650x850-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-0900x650x850-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-0900x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0900x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-0900x700x850-P112)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-0900x700x850-P212)	Grade 304 stainless steel Eco preparation table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 900 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1200x0600-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1200x0600-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1200x0650-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1200x0650-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1200x0700-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1200x0700-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1200x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1200x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1200x600x850-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1200x600x850-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1200x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1200x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1200x650x850-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1200x650x850-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1200x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1200x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1200x700x850-P112)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1200x700x850-P212)	Grade 304 stainless steel Eco preparation table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1200 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1500x0600-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1500x0600-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1500x0650-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1500x0650-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1500x0700-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1500x0700-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1500x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1500x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1500x600x850-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1500x600x850-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1500x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1500x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1500x650x850-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1500x650x850-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1500x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1500x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1500x700x850-P112)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1500x700x850-P212)	Grade 304 stainless steel Eco preparation table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1500 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1800x0600-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1800x0600-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1800x0650-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1800x0650-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1800x0700-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1800x0700-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1800x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1800x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1800x600x850-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-1800x600x850-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-1800x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1800x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1800x650x850-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-1800x650x850-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-1800x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-1800x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-1800x700x850-P112)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-1800x700x850-P212)	Grade 304 stainless steel Eco preparation table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 1800 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2000x0600-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-2000x0600-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2000x0650-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-2000x0650-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2000x0700-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2000x0700-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2000x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-2000x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2000x600x850-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-2000x600x850-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2000x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-2000x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2000x650x850-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-2000x650x850-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2000x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2000x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2000x700x850-P112)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2000x700x850-P212)	Grade 304 stainless steel Eco preparation table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2000 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2400x0600-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-2400x0600-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2400x0650-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-2400x0650-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2400x0700-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2400x0700-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 900 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2400x600x1000-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-2400x600x1000-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2400x600x850-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm
E25145(109-2400x600x850-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm
E25145(109-2400x650x1000-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(109-2400x650x1000-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2400x650x850-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm
E25145(109-2400x650x850-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm
E25145(109-2400x700x1000-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2400x700x1000-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 1000 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm
E25145(109-2400x700x850-P112)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm
E25145(109-2400x700x850-P212)	Grade 304 stainless steel Eco preparation table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 0.9 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless steel frame with adjustable feet.	Height: 850 mm Length: 2400 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm

04 Functional features**01 Grade 304 worktop**

The worktop is Grade 304 stainless steel, 0.9 mm thick. Choose a separate table range when a thicker worktop is required.

02 Economical catering range

An economical preparation table for catering kitchens and foodservice work areas, with a stainless steel frame and adjustable feet. Eco refers to the economical product range.

03 Adjustable feet

Adjustable feet allow levelling at the selected working height.

04 Perforated undershelf included

Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only.

05 Size and height choices

Lengths of 500, 900, 1200, 1500, 1800, 2000 or 2400 mm, and widths of 600, 650 or 700 mm are available. The standard working height is 900 mm. Advanced customisation offers 850 mm or 1000 mm working heights.

05 Application information

Intended applications	Food Preparation Workstations
Industries	Foodservice & Catering

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.