

PRODUCT RANGE SPECIFICATION

E25145(112) – Grade 304 Heavy Duty Preparation Table



PRODUCT IMAGE · Rendered E25145(112-1800x0600), 1800 x 600 x 900 mm, with no undershelf and no splashback.

Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

E25145(112){PSS}

DATA STATUS

Published catalogue data

GENERATED ON

16 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/e25145112-grade-304-heavy-duty-preparation-table#specifications>



01 Product description and specification

Product description

Grade 304 table with a 1.2 mm standard worktop, adjustable feet and a choice of no undershelf, solid, slatted, perforated or tubular undershelf.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield E25145(112). The standard worktop is 1.2 mm thick and the standard working height is 900 mm. This table has no splashback. Working height is measured from the floor to the worktop and equals overall height. Choose no undershelf, or a solid, slatted, perforated or tubular undershelf. Solid undershelves are available in Grade 304 or Grade 430 stainless steel, 0.9 mm or 1.2 mm thick. Slatted, perforated and tubular undershelves are available in Grade 304 or Grade 430, 1.2 mm thick. The tubular design uses formed open-section sheet metal. Available sizes depend on the selected configuration. Confirm the selected configuration's dimensions, undershelf material, thickness and mass on its item specification sheet.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Product Range	Heavy Duty	—	—
Splashback Configuration	None	—	—

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0500x0600)</u>	500 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-0500x0600-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0600-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x0600-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x0650)</u>	500 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-0500x0650-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0650-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x0650-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x0700)</u>	500 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-0500x0700-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0500x0700-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0500x0700-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x0700-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0500x600x1000)</u>	500 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x600x1000-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x600x850)</u>	500 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0500x600x850-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0500x600x850-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x600x850-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0500x600x850-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0500x650x1000)</u>	500 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x650x1000-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x650x850)</u>	500 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0500x650x850-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0500x650x850-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0500x650x850-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0500x650x850-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0500x700x1000)</u>	500 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x700x1000-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0500x700x850)</u>	500 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0500x700x850-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0500x700x850-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0500x700x850-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0900x0600)</u>	900 mm	600 mm	No undershelf	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0900x0600-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0600-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x0600-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x0650)</u>	900 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-0900x0650-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0650-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x0650-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x0700)</u>	900 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-0900x0700-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0900x0700-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-0900x0700-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x0700-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-0900x600x1000)</u>	900 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x600x1000-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x600x850)</u>	900 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0900x600x850-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0900x600x850-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x600x850-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0900x600x850-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0900x650x1000)</u>	900 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x650x1000-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x650x850)</u>	900 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0900x650x850-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x650x850-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-0900x650x850-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0900x700x1000)</u>	900 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x700x1000-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-0900x700x850)</u>	900 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-0900x700x850-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-0900x700x850-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-0900x700x850-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1000x0600)</u>	1000 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1000x0650)</u>	1000 mm	650 mm	No undershelf	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1000x0700)</u>	1000 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1100x0600)</u>	1100 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1100x0650)</u>	1100 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1100x0700)</u>	1100 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1200x0600)</u>	1200 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1200x0600-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0600-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1200x0600-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1200x0650)</u>	1200 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1200x0650-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0650-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1200x0650-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1200x0700)</u>	1200 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1200x0700-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1200x0700-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1200x0700-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1200x600x1000)</u>	1200 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x600x1000-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x600x850)</u>	1200 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1200x600x850-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1200x600x850-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x600x850-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1200x600x850-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1200x650x1000)</u>	1200 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x650x1000-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x650x850)</u>	1200 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1200x650x850-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1200x650x850-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x650x850-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1200x650x850-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1200x700x1000)</u>	1200 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x700x1000-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1200x700x850)</u>	1200 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1200x700x850-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1200x700x850-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1200x700x850-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1200x700x850-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1300x0600)</u>	1300 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1300x0650)</u>	1300 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1300x0700)</u>	1300 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1400x0600)</u>	1400 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1400x0650)</u>	1400 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1400x0700)</u>	1400 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1500x0600)</u>	1500 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1500x0600-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0600-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x0600-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x0650)</u>	1500 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1500x0650-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1500x0650-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0650-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x0650-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x0700)</u>	1500 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1500x0700-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1500x0700-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x0700-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1500x600x1000)</u>	1500 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1500x600x1000-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1500x600x1000-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1500x600x850)</u>	1500 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1500x600x850-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x600x850-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1500x600x850-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1500x650x1000)</u>	1500 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1500x650x1000-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1500x650x850)</u>	1500 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1500x650x850-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x650x850-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1500x650x850-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1500x700x1000)</u>	1500 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1500x700x1000-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1500x700x850)</u>	1500 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1500x700x850-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1500x700x850-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1500x700x850-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1500x700x850-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1600x0600)</u>	1600 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1600x0650)</u>	1600 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1600x0700)</u>	1600 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1700x0600)</u>	1700 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1700x0650)</u>	1700 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1700x0700)</u>	1700 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1800x0600)</u>	1800 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1800x0600-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0600-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1800x0600-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1800x0650)</u>	1800 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1800x0650-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0650-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1800x0650-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1800x0700)</u>	1800 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1800x0700-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-1800x0700-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1800x0700-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-1800x0750-S109)</u>	1800 mm	750 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-1800x600x1000)</u>	1800 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1800x600x1000-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x600x1000-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x600x850)</u>	1800 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1800x600x850-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x600x850-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1800x600x850-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1800x650x1000)</u>	1800 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1800x650x1000-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x650x1000-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x650x850)</u>	1800 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1800x650x850-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x650x850-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1800x650x850-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1800x700x1000)</u>	1800 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-1800x700x1000-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x700x1000-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-1800x700x850)</u>	1800 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-1800x700x850-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-1800x700x850-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1800x700x850-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-1900x0650)</u>	1900 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-1900x0700)</u>	1900 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2000x0600)</u>	2000 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2000x0600-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0600-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2000x0600-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x0600-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x0650)</u>	2000 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2000x0650-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0650-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x0650-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x0700)</u>	2000 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2000x0700-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2000x0700-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x0700-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2000x600x1000)</u>	2000 mm	600 mm	No undershelf	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2000x600x1000-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x600x1000-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x600x850)</u>	2000 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2000x600x850-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x600x850-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2000x600x850-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2000x650x1000)</u>	2000 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2000x650x1000-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x650x1000-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x650x850)</u>	2000 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2000x650x850-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x650x850-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2000x650x850-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2000x700x1000)</u>	2000 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2000x700x1000-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x700x1000-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2000x700x850)</u>	2000 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2000x700x850-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2000x700x850-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2000x700x850-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2100x0600)</u>	2100 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2100x0650)</u>	2100 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2100x0700)</u>	2100 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2200x0600)</u>	2200 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2200x0650)</u>	2200 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2200x0700)</u>	2200 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2300x0600)</u>	2300 mm	600 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2300x0650)</u>	2300 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2300x0700)</u>	2300 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2400x0600)</u>	2400 mm	600 mm	No undershelf	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2400x0600-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0600-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x0600-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x0650)</u>	2400 mm	650 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2400x0650-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0650-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x0650-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x0700)</u>	2400 mm	700 mm	No undershelf	1.2 mm	900 mm
<u>E25145(112-2400x0700-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2400x0700-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
<u>E25145(112-2400x0700-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x0700-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	900 mm
<u>E25145(112-2400x600x1000)</u>	2400 mm	600 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x600x1000-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x600x850)</u>	2400 mm	600 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2400x600x850-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2400x600x850-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x600x850-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2400x600x850-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2400x650x1000)</u>	2400 mm	650 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x650x1000-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x650x850)</u>	2400 mm	650 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2400x650x850-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x650x850-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(112-2400x650x850-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2400x700x1000)</u>	2400 mm	700 mm	No undershelf	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x700x1000-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	1000 mm
<u>E25145(112-2400x700x850)</u>	2400 mm	700 mm	No undershelf	1.2 mm	850 mm
<u>E25145(112-2400x700x850-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
<u>E25145(112-2400x700x850-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(112-2400x700x850-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.2 mm	850 mm
<u>E25145(115-0500x0600)</u>	500 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0500x0600-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0500x0600-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0600-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x0600-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x0650)</u>	500 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0500x0650-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0650-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x0650-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x0700)</u>	500 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0500x0700-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0500x0700-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0500x0700-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x0700-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0500x600x1000)</u>	500 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x600x1000-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x600x850)</u>	500 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0500x600x850-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0500x600x850-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x600x850-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0500x600x850-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0500x650x1000)</u>	500 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x650x1000-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x650x850)</u>	500 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0500x650x850-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x650x850-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0500x650x850-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0500x700x1000)</u>	500 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x700x1000-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0500x700x850)</u>	500 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0500x700x850-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0500x700x850-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0500x700x850-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x0600)</u>	900 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0900x0600-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0900x0600-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0600-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x0600-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x0650)</u>	900 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0900x0650-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0650-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x0650-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x0700)</u>	900 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-0900x0700-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0900x0700-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-0900x0700-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x0700-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-0900x600x1000)</u>	900 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x600x1000-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x600x850)</u>	900 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0900x600x850-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x600x850-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0900x600x850-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x600x850-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x650x1000)</u>	900 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x650x1000-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x650x850)</u>	900 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0900x650x850-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x650x850-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x650x850-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x700x1000)</u>	900 mm	700 mm	No undershelf	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-0900x700x1000-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x700x1000-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-0900x700x850)</u>	900 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-0900x700x850-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-0900x700x850-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-0900x700x850-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1200x0600)</u>	1200 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1200x0600-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1200x0600-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0600-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x0600-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x0650)</u>	1200 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1200x0650-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0650-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x0650-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x0700)</u>	1200 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1200x0700-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1200x0700-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1200x0700-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x0700-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1200x600x1000)</u>	1200 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x600x1000-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x600x850)</u>	1200 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1200x600x850-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x600x850-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1200x600x850-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1200x650x1000)</u>	1200 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x650x1000-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x650x850)</u>	1200 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1200x650x850-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x650x850-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1200x650x850-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1200x700x1000)</u>	1200 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1200x700x1000-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x700x1000-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1200x700x850)</u>	1200 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1200x700x850-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1200x700x850-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1200x700x850-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1500x0600)</u>	1500 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1500x0600-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1500x0600-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0600-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x0600-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x0650)</u>	1500 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1500x0650-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0650-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x0650-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x0700)</u>	1500 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1500x0700-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1500x0700-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1500x0700-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x0700-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1500x600x1000)</u>	1500 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x600x1000-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x600x850)</u>	1500 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1500x600x850-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x600x850-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1500x600x850-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1500x650x1000)</u>	1500 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x650x1000-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x650x850)</u>	1500 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1500x650x850-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x650x850-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1500x650x850-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1500x700x1000)</u>	1500 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1500x700x1000-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x700x1000-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1500x700x850)</u>	1500 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1500x700x850-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1500x700x850-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1500x700x850-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x0600)</u>	1800 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1800x0600-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1800x0600-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0600-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x0600-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x0650)</u>	1800 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1800x0650-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0650-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x0650-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x0700)</u>	1800 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-1800x0700-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-1800x0700-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1800x0700-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x0700-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-1800x600x1000)</u>	1800 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x600x1000-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x600x850)</u>	1800 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1800x600x850-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x600x850-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x600x850-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x650x1000)</u>	1800 mm	650 mm	No undershelf	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1800x650x1000-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x650x1000-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x650x850)</u>	1800 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1800x650x850-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x650x850-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x650x850-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x700x1000)</u>	1800 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-1800x700x1000-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x700x1000-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-1800x700x850)</u>	1800 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-1800x700x850-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-1800x700x850-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-1800x700x850-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x0600)</u>	2000 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2000x0600-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2000x0600-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0600-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2000x0600-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2000x0650)</u>	2000 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2000x0650-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0650-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2000x0650-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2000x0700)</u>	2000 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2000x0700-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2000x0700-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2000x0700-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2000x600x1000)</u>	2000 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x600x1000-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x600x850)</u>	2000 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2000x600x850-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x600x850-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x600x850-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x650x1000)</u>	2000 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2000x650x1000-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x650x1000-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x650x850)</u>	2000 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2000x650x850-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x650x850-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x650x850-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x700x1000)</u>	2000 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2000x700x1000-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x700x1000-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2000x700x850)</u>	2000 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2000x700x850-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2000x700x850-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2000x700x850-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x0600)</u>	2400 mm	600 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2400x0600-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2400x0600-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0600-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2400x0600-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2400x0650)</u>	2400 mm	650 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2400x0650-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0650-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2400x0650-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2400x0700)</u>	2400 mm	700 mm	No undershelf	1.5 mm	900 mm
<u>E25145(115-2400x0700-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
<u>E25145(115-2400x0700-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	900 mm
<u>E25145(115-2400x0700-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2400x600x1000)</u>	2400 mm	600 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x600x1000-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x600x850)</u>	2400 mm	600 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2400x600x850-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x600x850-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x600x850-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x650x1000)</u>	2400 mm	650 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2400x650x1000-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x650x1000-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x650x850)</u>	2400 mm	650 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2400x650x850-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x650x850-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x650x850-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x700x1000)</u>	2400 mm	700 mm	No undershelf	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(115-2400x700x1000-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x700x1000-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	1000 mm
<u>E25145(115-2400x700x850)</u>	2400 mm	700 mm	No undershelf	1.5 mm	850 mm
<u>E25145(115-2400x700x850-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
<u>E25145(115-2400x700x850-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(115-2400x700x850-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	1.5 mm	850 mm
<u>E25145(120-0500x0600)</u>	500 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0500x0600-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0600-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0600-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0600-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0600-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0600-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0600-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0600-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0500x0600-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x0600-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x0650)</u>	500 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0500x0650-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0650-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0650-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0650-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x0650-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x0700)</u>	500 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0500x0700-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0700-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0500x0700-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0500x0700-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x0700-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0500x600x1000)</u>	500 mm	600 mm	No undershelf	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0500x600x1000-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x600x1000-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x600x1000-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x600x850)</u>	500 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0500x600x850-L112)</u>	500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-L212)</u>	500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-P112)</u>	500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-P212)</u>	500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-S109)</u>	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-S112)</u>	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-S209)</u>	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-S212)</u>	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x600x850-T112)</u>	500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0500x600x850-T212)</u>	500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0500x650x1000)</u>	500 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-0500x650x1000-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0500x650x1000-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x650x1000-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x650x1000-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x650x850)</u>	500 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0500x650x850-L112)</u>	500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-L212)</u>	500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-P112)</u>	500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-P212)</u>	500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-S109)</u>	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-S112)</u>	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-S209)</u>	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-S212)</u>	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x650x850-T112)</u>	500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0500x650x850-T212)</u>	500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0500x700x1000)</u>	500 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-0500x700x1000-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0500x700x1000-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0500x700x1000-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x700x1000-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0500x700x850)</u>	500 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0500x700x850-L112)</u>	500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-L212)</u>	500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-P112)</u>	500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-P212)</u>	500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-S109)</u>	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-S112)</u>	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-S209)</u>	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-S212)</u>	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0500x700x850-T112)</u>	500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0500x700x850-T212)</u>	500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x0600)</u>	900 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0900x0600-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0600-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0600-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0600-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0900x0600-T112)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0900x0650)</u>	900 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0900x0650-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0650-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0650-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0650-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0900x0650-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0900x0700)</u>	900 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-0900x0700-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0700-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-0900x0700-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-0900x0700-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0900x0700-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-0900x600x1000)</u>	900 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-0900x600x1000-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0900x600x1000-L12)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x600x1000-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x600x1000-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x600x850)</u>	900 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0900x600x850-L112)</u>	900 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-L212)</u>	900 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-P112)</u>	900 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-P212)</u>	900 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-S109)</u>	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-S112)</u>	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-S209)</u>	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-S212)</u>	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x600x850-T112)</u>	900 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x600x850-T212)</u>	900 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x650x1000)</u>	900 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-0900x650x1000-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0900x650x1000-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x650x1000-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x650x1000-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x650x850)</u>	900 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0900x650x850-L112)</u>	900 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-L212)</u>	900 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-P112)</u>	900 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-P212)</u>	900 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-S109)</u>	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-S112)</u>	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-S209)</u>	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-S212)</u>	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x650x850-T112)</u>	900 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x650x850-T212)</u>	900 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x700x1000)</u>	900 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-0900x700x1000-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-0900x700x1000-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-0900x700x1000-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x700x1000-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-0900x700x850)</u>	900 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-0900x700x850-L112)</u>	900 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-L212)</u>	900 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-P112)</u>	900 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-P212)</u>	900 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-S109)</u>	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-S112)</u>	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-S209)</u>	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-S212)</u>	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-0900x700x850-T112)</u>	900 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-0900x700x850-T212)</u>	900 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x0600)</u>	1200 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1200x0600-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0600-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0600-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0600-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1200x0600-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1200x0650)</u>	1200 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1200x0650-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0650-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0650-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0650-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1200x0650-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1200x0700)</u>	1200 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1200x0700-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0700-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1200x0700-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1200x0700-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1200x0700-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1200x600x1000)</u>	1200 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1200x600x1000-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1200x600x1000-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x600x1000-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x600x1000-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x600x850)</u>	1200 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1200x600x850-L112)</u>	1200 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-L212)</u>	1200 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-P112)</u>	1200 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-P212)</u>	1200 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-S109)</u>	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-S112)</u>	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-S209)</u>	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-S212)</u>	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x600x850-T112)</u>	1200 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x600x850-T212)</u>	1200 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x650x1000)</u>	1200 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1200x650x1000-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1200x650x1000-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x650x1000-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x650x1000-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x650x850)</u>	1200 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1200x650x850-L112)</u>	1200 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-L212)</u>	1200 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-P112)</u>	1200 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-P212)</u>	1200 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-S109)</u>	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-S112)</u>	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-S209)</u>	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-S212)</u>	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x650x850-T112)</u>	1200 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x650x850-T212)</u>	1200 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x700x1000)</u>	1200 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1200x700x1000-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1200x700x1000-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1200x700x1000-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x700x1000-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1200x700x850)</u>	1200 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1200x700x850-L112)</u>	1200 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-L212)</u>	1200 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-P112)</u>	1200 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-P212)</u>	1200 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-S109)</u>	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-S112)</u>	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-S209)</u>	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-S212)</u>	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1200x700x850-T112)</u>	1200 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1200x700x850-T212)</u>	1200 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x0600)</u>	1500 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1500x0600-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0600-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0600-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0600-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x0600-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x0650)</u>	1500 mm	650 mm	No undershelf	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1500x0650-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0650-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0650-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0650-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x0650-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x0700)</u>	1500 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1500x0700-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0700-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1500x0700-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1500x0700-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x0700-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1500x600x1000)</u>	1500 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1500x600x1000-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1500x600x1000-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x600x1000-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1500x600x1000-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1500x600x850)</u>	1500 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1500x600x850-L112)</u>	1500 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-L212)</u>	1500 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-P112)</u>	1500 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-P212)</u>	1500 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-S109)</u>	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-S112)</u>	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-S209)</u>	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-S212)</u>	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x600x850-T112)</u>	1500 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x600x850-T212)</u>	1500 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x650x1000)</u>	1500 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1500x650x1000-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1500x650x1000-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x650x1000-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1500x650x1000-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1500x650x850)</u>	1500 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1500x650x850-L112)</u>	1500 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-L212)</u>	1500 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-P112)</u>	1500 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-P212)</u>	1500 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-S109)</u>	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-S112)</u>	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-S209)</u>	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-S212)</u>	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x650x850-T112)</u>	1500 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x650x850-T212)</u>	1500 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x700x1000)</u>	1500 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1500x700x1000-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1500x700x1000-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1500x700x1000-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1500x700x850)</u>	1500 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1500x700x850-L112)</u>	1500 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-L212)</u>	1500 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-P112)</u>	1500 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-P212)</u>	1500 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-S109)</u>	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-S112)</u>	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-S209)</u>	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-S212)</u>	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1500x700x850-T112)</u>	1500 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1500x700x850-T212)</u>	1500 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x0600)</u>	1800 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1800x0600-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0600-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0600-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0600-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x0600-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x0650)</u>	1800 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1800x0650-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1800x0650-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0650-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0650-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0650-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0650-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0650-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0650-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0650-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x0650-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x0700)</u>	1800 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-1800x0700-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0700-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-1800x0700-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-1800x0700-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x0700-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-1800x600x1000)</u>	1800 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1800x600x1000-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1800x600x1000-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x600x1000-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1800x600x1000-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1800x600x850)</u>	1800 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1800x600x850-L112)</u>	1800 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-L212)</u>	1800 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-P112)</u>	1800 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-P212)</u>	1800 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-S109)</u>	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-S112)</u>	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-S209)</u>	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-S212)</u>	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x600x850-T112)</u>	1800 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x600x850-T212)</u>	1800 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x650x1000)</u>	1800 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1800x650x1000-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1800x650x1000-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x650x1000-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1800x650x1000-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1800x650x850)</u>	1800 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1800x650x850-L112)</u>	1800 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-L212)</u>	1800 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-P112)</u>	1800 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-P212)</u>	1800 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-S109)</u>	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-S112)</u>	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-S209)</u>	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-S212)</u>	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x650x850-T112)</u>	1800 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x650x850-T212)</u>	1800 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x700x1000)</u>	1800 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-1800x700x1000-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-1800x700x1000-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-1800x700x1000-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-1800x700x850)</u>	1800 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-1800x700x850-L112)</u>	1800 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-L212)</u>	1800 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-P112)</u>	1800 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-P212)</u>	1800 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-S109)</u>	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-S112)</u>	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-S209)</u>	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-S212)</u>	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-1800x700x850-T112)</u>	1800 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-1800x700x850-T212)</u>	1800 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x0600)</u>	2000 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2000x0600-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0600-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0600-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0600-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x0600-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x0650)</u>	2000 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2000x0650-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0650-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2000x0650-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0650-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0650-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0650-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0650-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0650-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0650-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x0650-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x0700)</u>	2000 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2000x0700-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0700-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2000x0700-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2000x0700-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x0700-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2000x600x1000)</u>	2000 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2000x600x1000-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2000x600x1000-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x600x1000-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x600x1000-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x600x850)</u>	2000 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-2000x600x850-L112)</u>	2000 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-L212)</u>	2000 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-P112)</u>	2000 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-P212)</u>	2000 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-S109)</u>	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-S112)</u>	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-S209)</u>	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-S212)</u>	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x600x850-T112)</u>	2000 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x600x850-T212)</u>	2000 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x650x1000)</u>	2000 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2000x650x1000-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2000x650x1000-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2000x650x1000-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x650x1000-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x650x850)</u>	2000 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-2000x650x850-L112)</u>	2000 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-L212)</u>	2000 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-P112)</u>	2000 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-P212)</u>	2000 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-S109)</u>	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-S112)</u>	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-S209)</u>	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-S212)</u>	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x650x850-T112)</u>	2000 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x650x850-T212)</u>	2000 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x700x1000)</u>	2000 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2000x700x1000-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2000x700x1000-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x700x1000-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2000x700x850)</u>	2000 mm	700 mm	No undershelf	2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2000x700x850-L112)</u>	2000 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-L212)</u>	2000 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-P112)</u>	2000 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-P212)</u>	2000 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-S109)</u>	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-S112)</u>	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-S209)</u>	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-S212)</u>	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2000x700x850-T112)</u>	2000 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2000x700x850-T212)</u>	2000 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2400x0600)</u>	2400 mm	600 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2400x0600-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0600-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0600-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0600-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x0600-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x0650)</u>	2400 mm	650 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2400x0650-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0650-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0650-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2400x0650-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0650-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0650-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0650-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0650-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0650-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x0650-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x0700)</u>	2400 mm	700 mm	No undershelf	2 mm	900 mm
<u>E25145(120-2400x0700-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0700-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
<u>E25145(120-2400x0700-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
<u>E25145(120-2400x0700-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x0700-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	900 mm
<u>E25145(120-2400x600x1000)</u>	2400 mm	600 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2400x600x1000-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2400x600x1000-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x600x1000-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2400x600x1000-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2400x600x850)</u>	2400 mm	600 mm	No undershelf	2 mm	850 mm
<u>E25145(120-2400x600x850-L112)</u>	2400 mm	600 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-L212)</u>	2400 mm	600 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-P112)</u>	2400 mm	600 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-P212)</u>	2400 mm	600 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-S109)</u>	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-S112)</u>	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-S209)</u>	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-S212)</u>	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x600x850-T112)</u>	2400 mm	600 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2400x600x850-T212)</u>	2400 mm	600 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2400x650x1000)</u>	2400 mm	650 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2400x650x1000-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x650x1000-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
<u>E25145(120-2400x650x1000-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2400x650x850)</u>	2400 mm	650 mm	No undershelf	2 mm	850 mm
<u>E25145(120-2400x650x850-L112)</u>	2400 mm	650 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-L212)</u>	2400 mm	650 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-P112)</u>	2400 mm	650 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-P212)</u>	2400 mm	650 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-S109)</u>	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-S112)</u>	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-S209)</u>	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-S212)</u>	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
<u>E25145(120-2400x650x850-T112)</u>	2400 mm	650 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2400x650x850-T212)</u>	2400 mm	650 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm
<u>E25145(120-2400x700x1000)</u>	2400 mm	700 mm	No undershelf	2 mm	1000 mm
<u>E25145(120-2400x700x1000-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-L212)</u>	2400 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-P112)</u>	2400 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-P212)</u>	2400 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-S109)</u>	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-S112)</u>	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-S209)</u>	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-S212)</u>	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
<u>E25145(120-2400x700x1000-T112)</u>	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2400x700x1000-T212)</u>	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	1000 mm
<u>E25145(120-2400x700x850)</u>	2400 mm	700 mm	No undershelf	2 mm	850 mm
<u>E25145(120-2400x700x850-L112)</u>	2400 mm	700 mm	Slatted Grade 304 1.2 mm	2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-2400x700x850-L212)	2400 mm	700 mm	Slatted Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-P112)	2400 mm	700 mm	Perforated Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-P212)	2400 mm	700 mm	Perforated Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2400x700x850-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2400x700x850-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-T112)	2400 mm	700 mm	Tubular Grade 304 1.2 mm (open section)	2 mm	850 mm
E25145(120-2400x700x850-T212)	2400 mm	700 mm	Tubular Grade 430 1.2 mm (open section)	2 mm	850 mm

04 Functional features

01	Grade 304 stainless steel worktop and frame The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.
02	No timber or galvanised backing beneath the worktop Stainless steel support beneath the worktop.
03	Adjustable stainless steel feet Adjustable stainless steel feet allow accurate levelling.
04	Choice of undershelf configuration Choose no undershelf, or a solid, slatted, perforated or tubular undershelf. Solid undershelves are available in Grade 304 or Grade 430 stainless steel, 0.9 mm or 1.2 mm thick. Slatted, perforated and tubular undershelves are available in Grade 304 or Grade 430, 1.2 mm thick. The tubular design uses formed open-section sheet metal. Available sizes depend on the selected configuration.
05	Choice of table sizes Lengths: 500, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400 mm. Widths: 600, 650, 700, 750 mm. Available combinations vary by undershelf and worktop specification; select the required options in the configurator.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Cannabis, Clinical Laboratories, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images


PRODUCT IMAGE




PRODUCT IMAGE



PRODUCT IMAGE





RIGHT

PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.