

PRODUCT RANGE SPECIFICATION

E25145(112) – Grade 304 Stainless Steel Preparation Table without Undershelf

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E25145(112){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	The Basterfield E25145(112) stainless steel Heavy Duty Preparation Table has a Grade 304 stainless steel worktop, sub-frame, framework and legs. Stainless steel support is used throughout, with no timber or galvanised backing beneath the worktop. Adjustable stainless steel feet allow levelling on uneven floors. Supplied without an undershelf. Tables with solid, slatted, perforated and open-section tubular undershelves are separate products: E25145(112-S), E25145(112-L), E25145(112-P) and E25145(112-T). The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. Grade 316 and Grade 430 tables are separate product alternatives, specified and quoted separately. They are not material customisations of this Grade 304 table. A Grade 430 undershelf does not change the Grade 304 worktop and frame. Designed and manufactured in South Africa for commercial and industrial preparation areas. Suitable working areas include commercial kitchens, abattoirs and meat-processing facilities, healthcare utility rooms, laboratories and pharmaceutical support areas.
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E25145(112) Grade 304 stainless steel worktop, sub-frame, frame, legs and adjustable feet; no timber or galvanised backing; no undershelf. Standard: 1.2 mm worktop, 900 mm height. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm; widths: 600, 650 or 700 mm. Advanced options: 1.5 or 2 mm worktop; 850 or 1000 mm height. Separate undershelf models: E25145(112-S), E25145(112-L), E25145(112-P), E25145(112-T). Grade 316 and 430 tables are separate alternatives. A Grade 430 undershelf does not change the Grade 304 worktop and frame.
--------------------------	--

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Undershelf	No undershelf	—	Undershelf specification for the selected table product. Grade 304 or 430; solid in 0.9 or 1.2 mm, other constructions in 1.2 mm only. Tubular uses formed open-section sheet metal.
Product Range	Heavy Duty	—	Product classification detail retained during the September 2026 catalogue category review.
Splashback Configuration	None	—	Product classification detail retained during the September 2026 catalogue category review.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x0600)	Heavy-duty stainless steel preparation table, configured at 500 mm (L) x 600 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-0500x0650)	Heavy-duty stainless steel preparation table, configured at 500 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0500x0700)	Heavy-duty stainless steel preparation table, configured at 500 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-0500x600x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-0500x600x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x650x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0500x650x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0500x700x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-0500x700x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-0900x0600)	Work Table Stainless Steel Grade 304 1.2mm Thickness 900mm (L) x 600mm (W) x 900mm (H) to E25145{PSS}	Height: 900 mm Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-0900x0650)	Heavy-duty stainless steel preparation table, configured at 900 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0900x0700)	Heavy-duty stainless steel preparation table, configured at 900 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-0900x600x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-0900x600x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x650x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0900x650x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-0900x700x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-0900x700x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1200x0600)	Heavy-duty stainless steel preparation table, configured at 1200 mm (L) x 600 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1200x0650)	Heavy-duty stainless steel preparation table, configured at 1200 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1200x0700)	Heavy-duty stainless steel preparation table, configured at 1200 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1200x600x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x600x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1200x650x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1200x650x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1200x700x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1200x700x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1500x0600)	Table Preparation S/steel 304 X 1.2 1500	Height: 900 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1500x0650)	Heavy-duty stainless steel preparation table, configured at 1500 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1500x0700)	Heavy-duty stainless steel preparation table, configured at 1500 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1500x600x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x600x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1500x650x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1500x650x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1500x700x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1500x700x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1800x0600)	Heavy-duty stainless steel preparation table, configured at 1800 mm (L) x 600 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1800x0650)	Heavy-duty stainless steel preparation table, configured at 1800 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1800x0700)	Heavy-duty stainless steel preparation table, configured at 1800 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1800x600x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1800x600x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-1800x650x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1800x650x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-1800x700x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-1800x700x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2000x0600)	Heavy-duty stainless steel preparation table, configured at 2000 mm (L) x 600 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-2000x0650)	Heavy-duty stainless steel preparation table, configured at 2000 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x0700)	Heavy-duty stainless steel preparation table, configured at 2000 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2000x600x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-2000x600x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-2000x650x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-2000x650x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-2000x700x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2000x700x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2400x0600)	Heavy-duty stainless steel preparation table, configured at 2400 mm (L) x 600 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x0650)	Heavy-duty stainless steel preparation table, configured at 2400 mm (L) x 650 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-2400x0700)	Heavy-duty stainless steel preparation table, configured at 2400 mm (L) x 700 mm (W) x 900 mm (H). Standard construction includes a Grade 304 stainless steel 1.2mm worktop, fully stainless steel frame and legs, and adjustable stainless steel feet. Suitable for hygienic commercial and industrial work areas.	Height: 900 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2400x600x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-2400x600x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm
E25145(112-2400x650x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-2400x650x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm
E25145(112-2400x700x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(112-2400x700x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm
E25145(115-0500x0600)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x0650)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-0500x0700)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-0500x600x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-0500x600x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-0500x650x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-0500x650x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-0500x700x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-0500x700x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-0900x0600)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-0900x0650)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x0700)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-0900x600x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-0900x600x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-0900x650x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-0900x650x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-0900x700x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-0900x700x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1200x0600)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1200x0650)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1200x0700)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x600x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1200x600x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1200x650x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1200x650x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1200x700x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1200x700x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1500x0600)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1500x0650)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1500x0700)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1500x600x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x600x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1500x650x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1500x650x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1500x700x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1500x700x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1800x0600)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1800x0650)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1800x0700)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1800x600x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-1800x600x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x650x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1800x650x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-1800x700x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-1800x700x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2000x0600)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2000x0650)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-2000x0700)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2000x600x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2000x600x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2000x650x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2000x650x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-2000x700x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2000x700x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2400x0600)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2400x0650)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-2400x0700)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2400x600x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2400x600x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm
E25145(115-2400x650x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm
E25145(115-2400x650x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x700x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(115-2400x700x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 1.5 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm
E25145(120-0500x0600)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0500x0650)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0500x0700)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 500 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-0500x600x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0500x600x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0500x650x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0500x650x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0500x700x1000)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 500 mm Material Thickness: 2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0500x700x850)	Grade 304 stainless steel preparation table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 500 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-0900x0600)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0900x0650)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0900x0700)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 900 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-0900x600x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0900x600x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-0900x650x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0900x650x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-0900x700x1000)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 900 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-0900x700x850)	Grade 304 stainless steel preparation table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 900 mm Material Thickness: 2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x0600)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1200x0650)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1200x0700)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1200 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1200x600x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1200x600x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1200x650x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1200x650x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1200x700x1000)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1200 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1200x700x850)	Grade 304 stainless steel preparation table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1200 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1500x0600)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x0650)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1500x0700)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1500 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1500x600x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1500x600x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1500x650x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1500x650x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1500x700x1000)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1500 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1500x700x850)	Grade 304 stainless steel preparation table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1500 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1800x0600)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1800x0650)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 2 mm Width: 650 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x0700)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 1800 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1800x600x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1800x600x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-1800x650x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1800x650x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-1800x700x1000)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 1800 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-1800x700x850)	Grade 304 stainless steel preparation table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 1800 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-2000x0600)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-2000x0650)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2000x0700)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2000 mm Material Thickness: 2 mm Width: 700 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x600x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-2000x600x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-2000x650x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2000x650x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2000x700x1000)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2000 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-2000x700x850)	Grade 304 stainless steel preparation table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2000 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-2400x0600)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-2400x0650)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2400x0700)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 900 mm Length: 2400 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-2400x600x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 2 mm Width: 600 mm

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x600x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 2 mm Width: 600 mm
E25145(120-2400x650x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2400x650x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 2 mm Width: 650 mm
E25145(120-2400x700x1000)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 1000 mm Length: 2400 mm Material Thickness: 2 mm Width: 700 mm
E25145(120-2400x700x850)	Grade 304 stainless steel preparation table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop thickness: 2 mm. No undershelf. Stainless steel frame and legs with adjustable stainless steel feet.	Height: 850 mm Length: 2400 mm Material Thickness: 2 mm Width: 700 mm

04 Functional features**01 Grade 304 stainless steel worktop and frame**

The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.

02 No timber or galvanised backing beneath the worktop

Stainless steel support beneath the worktop.

03 Adjustable stainless steel feet

Adjustable stainless steel feet allow accurate levelling.

04 Undershelf table alternatives

Supplied without an undershelf. Tables with solid, slatted, perforated and open-section tubular undershelves are separate products: E25145(112-S), E25145(112-L), E25145(112-P) and E25145(112-T).

05 Choice of table sizes

Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Clinical Laboratories, Foodservice & Catering, Hospitals & Clinics, Meat & Poultry Processing, Pharmaceutical Manufacturing

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images




PRODUCT IMAGE




PRODUCT IMAGE



PRODUCT IMAGE





RIGHT

PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.