

PRODUCT RANGE SPECIFICATION

E25145(112) – Grade 304 Stainless Steel Preparation Table Without Undershelf



PRODUCT IMAGE · Rendered E25145(112-1800x0600), 1800 x 600 x 900 mm, with no undershelf and no splashback.

Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE
Product range

DOCUMENT REFERENCE
E25145(112){PSS}

DATA STATUS
Published catalogue data

GENERATED ON
5 Oct 2026

01 Product description and specification

Product description

The Basterfield E25145(112) stainless steel Heavy Duty Preparation Table has a Grade 304 stainless steel worktop, sub-frame, framework and legs. Stainless steel support is used throughout, with no timber or galvanised backing beneath the worktop. Adjustable stainless steel feet allow levelling on uneven floors.

Supplied without an undershelf. Tables with solid, slatted, perforated and open-section tubular undershelves are separate products: E25145(112-S), E25145(112-L), E25145(112-P) and E25145(112-T).

The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights. Lengths: 500 mm; 900 to 2400 mm in 100 mm increments. Widths: 600, 650 or 700 mm.

Grade 316 and Grade 430 tables are separate product alternatives, specified and quoted separately. They are not material customisations of this Grade 304 table. A Grade 430 undershelf does not change the Grade 304 worktop and frame.

Designed and manufactured in South Africa for commercial and industrial preparation areas.

Suitable working areas include commercial kitchens, abattoirs and meat-processing facilities, healthcare utility rooms, laboratories and pharmaceutical support areas.

Working height is measured from the floor to the worktop. This product has no splashback, so overall height equals working height.

The E25145(112-1800x0600) model measures 1800 mm (L) x 600 mm (W) x 900 mm (H), with a 1.2 mm Grade 304 stainless steel worktop, no undershelf and no splashback. Its working height and overall height are both 900 mm.

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E25145(112) Grade 304 stainless steel worktop, sub-frame, frame, legs and adjustable feet; no timber or galvanised backing; no undershelf. Standard: 1.2 mm worktop, 900 mm height. Lengths: 500 mm; 900 to 1800 mm in 100 mm increments; 2000 or 2400 mm; widths: 600, 650 or 700 mm. Advanced options: 1.5 or 2 mm worktop; 850 or 1000 mm height. Separate undershelf models: E25145(112-S), E25145(112-L), E25145(112-P), E25145(112-T). Grade 316 and 430 tables are separate alternatives. A Grade 430 undershelf does not change the Grade 304 worktop and frame. The E25145(112-1800x0600) model measures 1800 mm (L) x 600 mm (W) x 900 mm (H), with a 1.2 mm Grade 304 stainless steel worktop, no undershelf and no splashback. Its working height and overall height are both 900 mm. Approximate mass: 25 kg. This mass applies to the specified model.
--------------------------	---

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Undershelf	No undershelf	—	Undershelf specification for the selected table product. Grade 304 or 430; solid in 0.9 or 1.2 mm, other constructions in 1.2 mm only. Tubular uses formed open-section sheet metal.
Product Range	Heavy Duty	—	—
Splashback Configuration	None	—	—

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x0600)	Heavy-Duty Stainless Steel Preparation Table, Configured at 500 mm (L) x 600 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: — × — × 900 mm (L × W × H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 500 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0500x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 500 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0500x600x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x600x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x650x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x650x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x700x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x700x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x0600)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 900 x 600 x 900 mm (L x W x H) Mass: 18 kg
E25145(112-0900x0650)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 900 x 650 x 900 mm (L x W x H) Mass: 19 kg
E25145(112-0900x0700)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 900 x 700 x 900 mm (L x W x H) Mass: 19 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x600x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x600x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x650x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x650x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x700x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x700x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1000x0600)	Grade 304 Stainless Steel Preparation Table, 1000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1000 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1000 x 600 x 900 mm (L x W x H) Mass: 18 kg
E25145(112-1000x0650)	Grade 304 Stainless Steel Preparation Table, 1000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1000 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1000 x 650 x 900 mm (L x W x H) Mass: 19 kg
E25145(112-1000x0700)	Grade 304 Stainless Steel Preparation Table, 1000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1000 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1000 x 700 x 900 mm (L x W x H) Mass: 20 kg
E25145(112-1100x0600)	Grade 304 Stainless Steel Preparation Table, 1100 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1100 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1100 x 600 x 900 mm (L x W x H) Mass: 19 kg
E25145(112-1100x0650)	Grade 304 Stainless Steel Preparation Table, 1100 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1100 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1100 x 650 x 900 mm (L x W x H) Mass: 20 kg
E25145(112-1100x0700)	Grade 304 Stainless Steel Preparation Table, 1100 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1100 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1100 x 700 x 900 mm (L x W x H) Mass: 21 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x0600)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1200 x 600 x 900 mm (L x W x H) Mass: 20 kg
E25145(112-1200x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1200 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1200 x 650 x 900 mm (L x W x H) Mass: 21 kg
E25145(112-1200x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1200 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1200 x 700 x 900 mm (L x W x H) Mass: 22 kg
E25145(112-1200x600x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x600x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x650x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x650x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1200x700x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x700x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1300x0600)	Grade 304 Stainless Steel Preparation Table, 1300 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1300 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1300 x 600 x 900 mm (L x W x H) Mass: 21 kg
E25145(112-1300x0650)	Grade 304 Stainless Steel Preparation Table, 1300 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1300 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1300 x 650 x 900 mm (L x W x H) Mass: 22 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1300x0700)	Grade 304 Stainless Steel Preparation Table, 1300 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1300 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1300 x 700 x 900 mm (L x W x H) Mass: 23 kg
E25145(112-1400x0600)	Grade 304 Stainless Steel Preparation Table, 1400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1400 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1400 x 600 x 900 mm (L x W x H) Mass: 22 kg
E25145(112-1400x0650)	Grade 304 Stainless Steel Preparation Table, 1400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1400 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1400 x 650 x 900 mm (L x W x H) Mass: 23 kg
E25145(112-1400x0700)	Grade 304 Stainless Steel Preparation Table, 1400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1400 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1400 x 700 x 900 mm (L x W x H) Mass: 24 kg
E25145(112-1500x0600)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1500 x 600 x 900 mm (L x W x H) Mass: 23 kg
E25145(112-1500x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1500 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1500 x 650 x 900 mm (L x W x H) Mass: 24 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1500 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1500 x 700 x 900 mm (L x W x H) Mass: 25 kg
E25145(112-1500x600x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x600x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x650x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x650x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x700x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x700x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1600x0600)	Grade 304 Stainless Steel Preparation Table, 1600 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1600 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1600 x 600 x 900 mm (L x W x H) Mass: 23 kg
E25145(112-1600x0650)	Grade 304 Stainless Steel Preparation Table, 1600 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1600 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1600 x 650 x 900 mm (L x W x H) Mass: 25 kg
E25145(112-1600x0700)	Grade 304 Stainless Steel Preparation Table, 1600 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1600 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1600 x 700 x 900 mm (L x W x H) Mass: 26 kg
E25145(112-1700x0600)	Grade 304 Stainless Steel Preparation Table, 1700 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1700 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1700 x 600 x 900 mm (L x W x H) Mass: 24 kg
E25145(112-1700x0650)	Grade 304 Stainless Steel Preparation Table, 1700 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1700 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1700 x 650 x 900 mm (L x W x H) Mass: 25 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1700x0700)	Grade 304 Stainless Steel Preparation Table, 1700 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1700 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1700 x 700 x 900 mm (L x W x H) Mass: 27 kg
E25145(112-1800x0600)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H), Without an Undershelf or Splashback. Grade 304 Worktop: 1.2 mm Thick. Approximate Mass: 25 kg. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet.	Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 1800 x 600 x 900 mm (L x W x H) Mass: 25 kg
E25145(112-1800x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1800 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1800 x 650 x 900 mm (L x W x H) Mass: 26 kg
E25145(112-1800x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 1800 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1800 x 700 x 900 mm (L x W x H) Mass: 28 kg
E25145(112-1800x600x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1800x600x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x650x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x650x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x700x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x700x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1900x0650)	Grade 304 Stainless Steel Preparation Table, 1900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1900 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 1900 x 650 x 900 mm (L x W x H) Mass: 27 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1900x0700)	Grade 304 Stainless Steel Preparation Table, 1900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1900 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 1900 x 700 x 900 mm (L x W x H) Mass: 29 kg
E25145(112-2000x0600)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2000 mm (L) x 600 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2000 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 2000 x 650 x 900 mm (L x W x H) Mass: 29 kg
E25145(112-2000x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2000 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 2000 x 700 x 900 mm (L x W x H) Mass: 28 kg
E25145(112-2000x600x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x600x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x650x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x650x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x700x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x700x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2100x0600)	Grade 304 Stainless Steel Preparation Table, 2100 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2100 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 2100 x 600 x 900 mm (L x W x H) Mass: 27 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2100x0650)	Grade 304 Stainless Steel Preparation Table, 2100 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2100 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 2100 x 650 x 900 mm (L x W x H) Mass: 29 kg
E25145(112-2100x0700)	Grade 304 Stainless Steel Preparation Table, 2100 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2100 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 2100 x 700 x 900 mm (L x W x H) Mass: 30 kg
E25145(112-2200x0600)	Grade 304 Stainless Steel Preparation Table, 2200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2200 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 2200 x 600 x 900 mm (L x W x H) Mass: 28 kg
E25145(112-2200x0650)	Grade 304 Stainless Steel Preparation Table, 2200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2200 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 2200 x 650 x 900 mm (L x W x H) Mass: 30 kg
E25145(112-2200x0700)	Grade 304 Stainless Steel Preparation Table, 2200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2200 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 2200 x 700 x 900 mm (L x W x H) Mass: 31 kg
E25145(112-2300x0600)	Grade 304 Stainless Steel Preparation Table, 2300 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2300 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 2300 x 600 x 900 mm (L x W x H) Mass: 29 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2300x0650)	Grade 304 Stainless Steel Preparation Table, 2300 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undersheff. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2300 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 2300 x 650 x 900 mm (L x W x H) Mass: 31 kg
E25145(112-2300x0700)	Grade 304 Stainless Steel Preparation Table, 2300 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. No Undersheff. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2300 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 2300 x 700 x 900 mm (L x W x H) Mass: 32 kg
E25145(112-2400x0600)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2400 mm (L) x 600 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: 2400 x 600 x 900 mm (L x W x H) Mass: 30 kg
E25145(112-2400x0650)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2400 mm (L) x 650 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: 2400 x 650 x 900 mm (L x W x H) Mass: 31 kg
E25145(112-2400x0700)	Heavy-Duty Stainless Steel Preparation Table, Configured at 2400 mm (L) x 700 mm (W) x 900 mm (H). Standard Construction Includes a Grade 304 Stainless Steel 1.2mm Worktop, Fully Stainless Steel Frame and Legs, and Adjustable Stainless Steel Feet. Suitable for Hygienic Commercial and Industrial Work Areas. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: 2400 x 700 x 900 mm (L x W x H) Mass: 33 kg

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x600x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x600x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x650x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x650x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x700x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x700x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x0600)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0650)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0700)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x600x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x600x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x650x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x650x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x700x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x700x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x0600)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0650)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0700)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x600x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x600x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x650x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x650x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x700x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x700x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x0600)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0650)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0700)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x600x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x600x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x650x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x650x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x700x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x700x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x0600)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0650)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0700)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x600x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x600x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x650x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x650x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x700x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x700x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x0600)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0650)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0700)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x600x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x600x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x650x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x650x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x700x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x700x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x0600)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0650)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0700)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2000x600x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x600x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x650x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x650x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x700x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x700x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x0600)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0650)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0700)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x600x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x600x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x650x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x650x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x700x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x700x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x0600)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0650)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0700)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0500x600x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x600x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x650x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x650x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x700x1000)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x700x850)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x0600)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0650)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0700)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x600x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x600x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x650x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x650x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x700x1000)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x700x850)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x0600)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0650)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0700)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x600x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x600x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x650x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x650x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x700x1000)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x700x850)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x0600)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0650)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0700)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x600x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x600x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x650x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x650x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x700x1000)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x700x850)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x0600)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0650)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0700)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x600x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x600x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x650x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x650x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x700x1000)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x700x850)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x0600)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0650)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0700)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x600x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x600x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x650x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x650x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x700x1000)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x700x850)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x0600)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0650)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0700)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x600x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x600x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x650x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x650x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x700x1000)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x700x850)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. No Undershelf. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

04 Functional features

01	Grade 304 stainless steel worktop and frame The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.
02	No timber or galvanised backing beneath the worktop Stainless steel support beneath the worktop.
03	Adjustable stainless steel feet Adjustable stainless steel feet allow accurate levelling.
04	Undershelf table alternatives Supplied without an undershelf. Tables with solid, slatted, perforated and open-section tubular undershelves are separate products: E25145(112-S), E25145(112-L), E25145(112-P) and E25145(112-T).
05	Choice of table sizes Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Clinical Laboratories, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months


Product drawings and images**PRODUCT IMAGE**




PRODUCT IMAGE



PRODUCT IMAGE





RIGHT

PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.