

PRODUCT RANGE SPECIFICATION

E25145(112-P) – Stainless Steel Heavy Duty Preparation Table with Perforated Undershelf

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E25145(112-P){PSS}	Published catalogue data	5 Oct 2026

01 Product description and specification

Product description	The Basterfield E25145(112-P) Stainless Steel Heavy Duty Preparation Table with Perforated Undershelf has a Grade 304 stainless steel worktop, sub-frame, framework and legs. Stainless steel support is used throughout, with no timber or galvanised backing beneath the worktop. Adjustable stainless steel feet allow levelling on uneven floors. Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. Grade 316 and Grade 430 tables are separate product alternatives, specified and quoted separately. They are not material customisations of this Grade 304 table. A Grade 430 undershelf does not change the Grade 304 worktop and frame. Designed and manufactured in South Africa for commercial and industrial preparation areas. Suitable working areas include commercial kitchens, abattoirs and meat-processing facilities, healthcare utility rooms, laboratories and pharmaceutical support areas. Working height is measured from the floor to the worktop. This product has no splashback, so overall height equals working height.
---------------------	---

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Shall be Basterfield E25145(112-P), with Grade 304 stainless steel worktop, sub-frame, framework and legs, adjustable stainless steel feet, and no timber or galvanised worktop backing. Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. Grade 316 and Grade 430 tables are separate product alternatives, specified and quoted separately. They are not material customisations of this Grade 304 table. A Grade 430 undershelf does not change the Grade 304 worktop and frame.
--------------------------	---

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Product Range	Heavy Duty	—	—
Splashback Configuration	None	—	—

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: — x — x 900 mm (L x W x H)
E25145(112-0500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: — x — x 900 mm (L x W x H)
E25145(112-0500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: — x — x 900 mm (L x W x H)
E25145(112-0500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: — x — x 900 mm (L x W x H)
E25145(112-0500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: — x — x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x0600-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0900x0600-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x0650-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0900x0650-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0900x0700-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0900x0700-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-0900x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-0900x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-0900x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-0900x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1200x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1200x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1200x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1200x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1200x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1200x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1200x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1200x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1200x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1200x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1200x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1800x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1800x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1800x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1800x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1800x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-1800x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1800x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-1800x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-1800x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-1800x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2000x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2000x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2000x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2000x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2400x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2400x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2400x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2400x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(112-2400x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(112-2400x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(112-2400x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(112-2400x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x0600-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x0600-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0650-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0650-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0700-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-0900x0700-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-0900x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-0900x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-0900x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1200x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1200x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1200x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1200x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-1800x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-1800x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-1800x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-1800x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2000x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2000x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2000x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2000x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2000x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2000x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(115-2400x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(115-2400x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(115-2400x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(115-2400x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 1.5 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 1.5 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x0600-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0600-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0650-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0650-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x0700-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x0700-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-0900x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-0900x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-0900x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-0900x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 900 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 900 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1200x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1200x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1200x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1200x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1200 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1200 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1500x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1500x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1500x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1500x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1500 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1500 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x0600-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x0600-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0650-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0650-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0700-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-1800x0700-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-1800x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-1800x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-1800x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 1800 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 1800 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2000x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2000x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2000x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2000x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2000 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2000 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x0600-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0600-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0650-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0650-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x0700-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x0700-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 900 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 900 mm Working Height (900 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 900 mm Overall dimensions: – x – x 900 mm (L x W x H)
E25145(120-2400x600x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x600x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x600x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x600x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 600 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 600 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x650x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x650x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x650x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x650x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 650 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 650 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x700x1000-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E25145(120-2400x700x1000-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 1000 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 1000 mm Working Height (1000 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 1000 mm Overall dimensions: – x – x 1000 mm (L x W x H)
E25145(120-2400x700x850-P112)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 304 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 304 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)
E25145(120-2400x700x850-P212)	Grade 304 Stainless Steel Preparation Table, 2400 mm (L) x 700 mm (W) x 850 mm (H). Worktop Thickness: 2 mm. Undershelf: Perforated Grade 430 1.2 mm. Stainless Steel Frame and Legs with Adjustable Stainless Steel Feet. Height Specification: 850 mm Working Height (850 mm Overall), Without a Splashback.	Length: 2400 mm Material Thickness: 2 mm Undershelf: Perforated Grade 430 1.2 mm Width: 700 mm Working Height: 850 mm Overall dimensions: – x – x 850 mm (L x W x H)

04 Functional features

01	Grade 304 stainless steel worktop and frame The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.
02	No timber or galvanised backing beneath the worktop Stainless steel support beneath the worktop.
03	Adjustable stainless steel feet Adjustable stainless steel feet allow accurate levelling.
04	Perforated undershelf included Supplied with a perforated undershelf in Grade 304 or Grade 430 stainless steel, 1.2 mm only.
05	Choice of table sizes Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Widths: 600, 650 or 700 mm. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Clinical Laboratories, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Restaurants & Cafés

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.