

PRODUCT RANGE SPECIFICATION

E25145(112-S) – Stainless Steel Heavy Duty Preparation Table with Solid Undershelf



PRODUCT IMAGE · E25145(112-1200x0600-S109) with 1.2 mm worktop and 0.9 mm solid Grade 304 undershelf

Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

E25145(112-S){PSS}

DATA STATUS

Published catalogue data

GENERATED ON

7 Oct 2026

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/e25145112-s-stainless-steel-heavy-duty-preparation-table-with-solid-undershelf#specifications>



01 Product description and specification

Product description

Grade 304 preparation table with solid undershelf and no splashback. Standard 1.2 mm worktop and 900 mm working height; undershelf grades, thicknesses and table sizes are selectable.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Shall be Basterfield E25145(112-S), with Grade 304 stainless steel worktop, sub-frame, framework and legs, adjustable stainless steel feet, and no timber or galvanised worktop backing. Supplied with a solid undershelf in Grade 304 or Grade 430 stainless steel, 0.9 mm or 1.2 mm. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights. Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Standard widths: 600, 650 or 700 mm. An 1800 x 750 x 900 mm configuration with a 1.2 mm Grade 304 worktop and solid 0.9 mm Grade 304 undershelf is available under advanced customisation. Grade 316 and Grade 430 tables are separate product alternatives, specified and quoted separately. They are not material customisations of this Grade 304 table. A Grade 430 undershelf does not change the Grade 304 worktop and frame.

1800 x 600 mm models with Grade 304 solid undershelves:

- E25145(112-1800x0600-S109): 1800 mm (L) x 600 mm (W) x 900 mm (H), 1.2 mm Grade 304 worktop, 0.9 mm Grade 304 solid undershelf; approximate mass 33 kg.
- E25145(112-1800x0600-S112): 1800 mm (L) x 600 mm (W) x 900 mm (H), 1.2 mm Grade 304 worktop, 1.2 mm Grade 304 solid undershelf; approximate mass 35 kg.

Both models have no splashback; the 900 mm working height is also the overall height. These masses apply to the specified models.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Product Range	Heavy Duty	—	
Splashback Configuration	None	—	

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-0500x0600-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0600-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0500x0600-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0600-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0500x0650-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0650-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0500x0650-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0650-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0500x0700-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0700-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0500x0700-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0500x0700-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0500x600x1000-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x600x1000-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0500x600x1000-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x600x1000-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-0500x600x850-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0500x600x850-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0500x600x850-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0500x600x850-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-0500x650x1000-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x650x1000-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0500x650x1000-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x650x1000-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-0500x650x850-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0500x650x850-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0500x650x850-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0500x650x850-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-0500x700x1000-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x700x1000-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0500x700x1000-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0500x700x1000-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-0500x700x850-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0500x700x850-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0500x700x850-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0500x700x850-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-0900x0600-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0600-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0900x0600-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0600-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0900x0650-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0650-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0900x0650-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0650-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0900x0700-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0700-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-0900x0700-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-0900x0700-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-0900x600x1000-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x600x1000-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x600x1000-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x600x1000-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x600x850-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0900x600x850-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0900x600x850-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0900x600x850-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-0900x650x1000-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x650x1000-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x650x1000-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x650x1000-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x650x850-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0900x650x850-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0900x650x850-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0900x650x850-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-0900x700x1000-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x700x1000-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x700x1000-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-0900x700x1000-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-0900x700x850-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-0900x700x850-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-0900x700x850-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-0900x700x850-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-1200x0600-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0600-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1200x0600-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0600-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1200x0650-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0650-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1200x0650-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0650-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1200x0700-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0700-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1200x0700-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1200x0700-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1200x600x1000-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x600x1000-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x600x1000-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x600x1000-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x600x850-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1200x600x850-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1200x600x850-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1200x600x850-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1200x650x1000-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x650x1000-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x650x1000-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x650x1000-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x650x850-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1200x650x850-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1200x650x850-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1200x650x850-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1200x700x1000-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x700x1000-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x700x1000-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1200x700x1000-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1200x700x850-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1200x700x850-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1200x700x850-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1200x700x850-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1500x0600-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0600-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1500x0600-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0600-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-1500x0650-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0650-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1500x0650-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0650-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1500x0700-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0700-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1500x0700-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1500x0700-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1500x600x1000-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x600x1000-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x600x1000-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x600x1000-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x600x850-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1500x600x850-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1500x600x850-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1500x600x850-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1500x650x1000-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x650x1000-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x650x1000-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x650x1000-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x650x850-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1500x650x850-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1500x650x850-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1500x650x850-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1500x700x1000-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x700x1000-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x700x1000-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1500x700x1000-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1500x700x850-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1500x700x850-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1500x700x850-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1500x700x850-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1800x0600-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0600-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1800x0600-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0600-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1800x0650-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0650-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1800x0650-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0650-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-1800x0700-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0700-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-1800x0700-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-1800x0700-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-1800x0750-S109)	1800 mm	750 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-1800x600x1000-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x600x1000-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x600x1000-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x600x1000-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x600x850-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1800x600x850-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1800x600x850-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1800x600x850-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1800x650x1000-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x650x1000-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x650x1000-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x650x1000-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x650x850-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1800x650x850-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1800x650x850-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1800x650x850-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-1800x700x1000-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x700x1000-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x700x1000-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-1800x700x1000-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-1800x700x850-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-1800x700x850-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-1800x700x850-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-1800x700x850-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2000x0600-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2000x0600-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2000x0600-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-2000x0600-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2000x0650-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2000x0650-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2000x0650-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-2000x0650-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2000x0700-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2000x0700-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2000x0700-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-2000x0700-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2000x600x1000-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x600x1000-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x600x1000-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x600x1000-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x600x850-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2000x600x850-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2000x600x850-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2000x600x850-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2000x650x1000-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x650x1000-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x650x1000-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x650x1000-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x650x850-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2000x650x850-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2000x650x850-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2000x650x850-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2000x700x1000-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x700x1000-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x700x1000-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-2000x700x1000-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2000x700x850-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2000x700x850-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2000x700x850-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2000x700x850-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2400x0600-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0600-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2400x0600-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0600-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2400x0650-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0650-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2400x0650-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0650-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2400x0700-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0700-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	900 mm
E25145(112-2400x0700-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	900 mm
E25145(112-2400x0700-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	900 mm
E25145(112-2400x600x1000-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2400x600x1000-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x600x1000-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(112-2400x600x1000-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x600x850-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2400x600x850-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2400x600x850-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2400x600x850-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2400x650x1000-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2400x650x1000-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x650x1000-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-2400x650x1000-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x650x850-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2400x650x850-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2400x650x850-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2400x650x850-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(112-2400x700x1000-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	1000 mm
E25145(112-2400x700x1000-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x700x1000-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	1000 mm
E25145(112-2400x700x1000-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	1000 mm
E25145(112-2400x700x850-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.2 mm	850 mm
E25145(112-2400x700x850-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.2 mm	850 mm
E25145(112-2400x700x850-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.2 mm	850 mm
E25145(112-2400x700x850-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.2 mm	850 mm
E25145(115-0500x0600-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0600-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0500x0600-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0600-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0500x0650-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0650-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0500x0650-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0650-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0500x0700-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0700-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0500x0700-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0500x0700-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0500x600x1000-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x600x1000-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x600x1000-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x600x1000-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x600x850-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0500x600x850-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0500x600x850-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-0500x600x850-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-0500x650x1000-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x650x1000-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x650x1000-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x650x1000-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x650x850-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0500x650x850-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0500x650x850-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-0500x650x850-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-0500x700x1000-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x700x1000-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x700x1000-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-0500x700x1000-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0500x700x850-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0500x700x850-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0500x700x850-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-0500x700x850-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-0900x0600-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0600-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0900x0600-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0600-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0900x0650-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0650-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0900x0650-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0650-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0900x0700-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0700-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-0900x0700-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-0900x0700-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-0900x600x1000-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0900x600x1000-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x600x1000-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-0900x600x1000-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x600x850-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0900x600x850-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0900x600x850-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-0900x600x850-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-0900x650x1000-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0900x650x1000-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x650x1000-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-0900x650x1000-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x650x850-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0900x650x850-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0900x650x850-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-0900x650x850-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-0900x700x1000-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-0900x700x1000-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x700x1000-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-0900x700x1000-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-0900x700x850-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-0900x700x850-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-0900x700x850-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-0900x700x850-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1200x0600-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0600-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1200x0600-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0600-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1200x0650-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0650-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1200x0650-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0650-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1200x0700-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0700-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1200x0700-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1200x0700-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1200x600x1000-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x600x1000-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x600x1000-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x600x1000-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x600x850-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1200x600x850-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1200x600x850-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1200x600x850-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1200x650x1000-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x650x1000-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x650x1000-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x650x1000-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x650x850-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1200x650x850-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1200x650x850-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-1200x650x850-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1200x700x1000-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x700x1000-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x700x1000-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1200x700x1000-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1200x700x850-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1200x700x850-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1200x700x850-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1200x700x850-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1500x0600-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0600-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1500x0600-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0600-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1500x0650-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0650-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1500x0650-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0650-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1500x0700-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0700-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1500x0700-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1500x0700-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1500x600x1000-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1500x600x1000-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x600x1000-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1500x600x1000-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x600x850-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1500x600x850-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1500x600x850-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1500x600x850-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1500x650x1000-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1500x650x1000-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x650x1000-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1500x650x1000-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x650x850-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1500x650x850-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1500x650x850-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1500x650x850-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1500x700x1000-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1500x700x1000-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x700x1000-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-1500x700x1000-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1500x700x850-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1500x700x850-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1500x700x850-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1500x700x850-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1800x0600-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0600-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1800x0600-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0600-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1800x0650-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0650-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1800x0650-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0650-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1800x0700-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0700-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-1800x0700-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-1800x0700-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-1800x600x1000-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x600x1000-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x600x1000-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x600x1000-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x600x850-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1800x600x850-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1800x600x850-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1800x600x850-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1800x650x1000-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x650x1000-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x650x1000-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x650x1000-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x650x850-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1800x650x850-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1800x650x850-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-1800x650x850-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-1800x700x1000-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x700x1000-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x700x1000-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-1800x700x1000-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-1800x700x850-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-1800x700x850-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-1800x700x850-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-1800x700x850-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2000x0600-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0600-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2000x0600-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0600-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2000x0650-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0650-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2000x0650-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0650-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2000x0700-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0700-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2000x0700-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-2000x0700-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2000x600x1000-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x600x1000-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x600x1000-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x600x1000-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x600x850-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2000x600x850-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2000x600x850-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2000x600x850-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2000x650x1000-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x650x1000-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x650x1000-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x650x1000-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x650x850-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2000x650x850-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2000x650x850-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2000x650x850-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2000x700x1000-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x700x1000-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x700x1000-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2000x700x1000-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2000x700x850-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2000x700x850-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2000x700x850-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2000x700x850-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2400x0600-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2400x0600-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2400x0600-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(115-2400x0600-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2400x0650-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2400x0650-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2400x0650-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-2400x0650-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2400x0700-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	900 mm
E25145(115-2400x0700-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	900 mm
E25145(115-2400x0700-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	900 mm
E25145(115-2400x0700-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	900 mm
E25145(115-2400x600x1000-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x600x1000-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x600x1000-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x600x1000-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x600x850-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2400x600x850-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2400x600x850-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2400x600x850-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2400x650x1000-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x650x1000-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x650x1000-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x650x1000-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x650x850-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2400x650x850-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2400x650x850-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2400x650x850-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(115-2400x700x1000-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x700x1000-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x700x1000-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	1000 mm
E25145(115-2400x700x1000-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	1000 mm
E25145(115-2400x700x850-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	1.5 mm	850 mm
E25145(115-2400x700x850-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	1.5 mm	850 mm
E25145(115-2400x700x850-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	1.5 mm	850 mm
E25145(115-2400x700x850-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	1.5 mm	850 mm
E25145(120-0500x0600-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0500x0600-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0500x0600-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-0500x0600-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0500x0650-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0500x0650-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0500x0650-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-0500x0650-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0500x0700-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0500x0700-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0500x0700-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-0500x0700-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0500x600x1000-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0500x600x1000-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0500x600x1000-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0500x600x1000-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0500x600x850-S109)	500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0500x600x850-S112)	500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0500x600x850-S209)	500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0500x600x850-S212)	500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-0500x650x1000-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0500x650x1000-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0500x650x1000-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0500x650x1000-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0500x650x850-S109)	500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0500x650x850-S112)	500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0500x650x850-S209)	500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0500x650x850-S212)	500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-0500x700x1000-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0500x700x1000-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0500x700x1000-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0500x700x1000-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0500x700x850-S109)	500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0500x700x850-S112)	500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0500x700x850-S209)	500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0500x700x850-S212)	500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-0900x0600-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0900x0600-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0900x0600-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-0900x0600-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0900x0650-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0900x0650-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0900x0650-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-0900x0650-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0900x0700-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-0900x0700-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-0900x0700-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-0900x0700-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-0900x600x1000-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0900x600x1000-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0900x600x1000-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0900x600x1000-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0900x600x850-S109)	900 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0900x600x850-S112)	900 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0900x600x850-S209)	900 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0900x600x850-S212)	900 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-0900x650x1000-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0900x650x1000-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0900x650x1000-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0900x650x1000-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0900x650x850-S109)	900 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0900x650x850-S112)	900 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0900x650x850-S209)	900 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0900x650x850-S212)	900 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-0900x700x1000-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-0900x700x1000-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-0900x700x1000-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-0900x700x1000-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-0900x700x850-S109)	900 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-0900x700x850-S112)	900 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-0900x700x850-S209)	900 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-0900x700x850-S212)	900 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1200x0600-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1200x0600-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1200x0600-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1200x0600-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1200x0650-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1200x0650-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1200x0650-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1200x0650-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1200x0700-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1200x0700-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1200x0700-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1200x0700-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1200x600x1000-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1200x600x1000-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1200x600x1000-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-1200x600x1000-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1200x600x850-S109)	1200 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1200x600x850-S112)	1200 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1200x600x850-S209)	1200 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1200x600x850-S212)	1200 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1200x650x1000-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1200x650x1000-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1200x650x1000-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1200x650x1000-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1200x650x850-S109)	1200 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1200x650x850-S112)	1200 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1200x650x850-S209)	1200 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1200x650x850-S212)	1200 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1200x700x1000-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1200x700x1000-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1200x700x1000-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1200x700x1000-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1200x700x850-S109)	1200 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1200x700x850-S112)	1200 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1200x700x850-S209)	1200 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1200x700x850-S212)	1200 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1500x0600-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1500x0600-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1500x0600-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1500x0600-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1500x0650-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1500x0650-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1500x0650-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1500x0650-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1500x0700-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1500x0700-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1500x0700-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1500x0700-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1500x600x1000-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1500x600x1000-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1500x600x1000-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1500x600x1000-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1500x600x850-S109)	1500 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1500x600x850-S112)	1500 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1500x600x850-S209)	1500 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-1500x600x850-S212)	1500 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1500x650x1000-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1500x650x1000-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1500x650x1000-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1500x650x1000-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1500x650x850-S109)	1500 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1500x650x850-S112)	1500 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1500x650x850-S209)	1500 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1500x650x850-S212)	1500 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1500x700x1000-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1500x700x1000-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1500x700x1000-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1500x700x1000-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1500x700x850-S109)	1500 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1500x700x850-S112)	1500 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1500x700x850-S209)	1500 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1500x700x850-S212)	1500 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1800x0600-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1800x0600-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1800x0600-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1800x0600-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1800x0650-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1800x0650-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1800x0650-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1800x0650-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1800x0700-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-1800x0700-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-1800x0700-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-1800x0700-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-1800x600x1000-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1800x600x1000-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1800x600x1000-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1800x600x1000-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1800x600x850-S109)	1800 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1800x600x850-S112)	1800 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1800x600x850-S209)	1800 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1800x600x850-S212)	1800 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1800x650x1000-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1800x650x1000-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1800x650x1000-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-1800x650x1000-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1800x650x850-S109)	1800 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1800x650x850-S112)	1800 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1800x650x850-S209)	1800 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1800x650x850-S212)	1800 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-1800x700x1000-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-1800x700x1000-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-1800x700x1000-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-1800x700x1000-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-1800x700x850-S109)	1800 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-1800x700x850-S112)	1800 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-1800x700x850-S209)	1800 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-1800x700x850-S212)	1800 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2000x0600-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2000x0600-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2000x0600-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2000x0600-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2000x0650-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2000x0650-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2000x0650-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2000x0650-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2000x0700-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2000x0700-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2000x0700-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2000x0700-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2000x600x1000-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2000x600x1000-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2000x600x1000-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-2000x600x1000-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2000x600x850-S109)	2000 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2000x600x850-S112)	2000 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2000x600x850-S209)	2000 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2000x600x850-S212)	2000 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2000x650x1000-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2000x650x1000-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2000x650x1000-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-2000x650x1000-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2000x650x850-S109)	2000 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2000x650x850-S112)	2000 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2000x650x850-S209)	2000 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-2000x650x850-S212)	2000 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2000x700x1000-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2000x700x1000-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2000x700x1000-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-2000x700x1000-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2000x700x850-S109)	2000 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2000x700x850-S112)	2000 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2000x700x850-S209)	2000 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2000x700x850-S212)	2000 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x0600-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2400x0600-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2400x0600-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2400x0600-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2400x0650-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2400x0650-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2400x0650-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2400x0650-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2400x0700-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	900 mm
E25145(120-2400x0700-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	900 mm
E25145(120-2400x0700-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	900 mm
E25145(120-2400x0700-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	900 mm
E25145(120-2400x600x1000-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2400x600x1000-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2400x600x1000-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-2400x600x1000-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2400x600x850-S109)	2400 mm	600 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2400x600x850-S112)	2400 mm	600 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2400x600x850-S209)	2400 mm	600 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2400x600x850-S212)	2400 mm	600 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x650x1000-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2400x650x1000-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2400x650x1000-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm
E25145(120-2400x650x1000-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2400x650x850-S109)	2400 mm	650 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2400x650x850-S112)	2400 mm	650 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2400x650x850-S209)	2400 mm	650 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2400x650x850-S212)	2400 mm	650 mm	Solid Grade 430 1.2 mm	2 mm	850 mm
E25145(120-2400x700x1000-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	1000 mm
E25145(120-2400x700x1000-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	1000 mm
E25145(120-2400x700x1000-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	1000 mm

03 Models and configurations

ITEM CODE	LENGTH	WIDTH	UNDERSHELF SPECIFICATION	WORKTOP THICKNESS	WORKING HEIGHT
E25145(120-2400x700x1000-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	1000 mm
E25145(120-2400x700x850-S109)	2400 mm	700 mm	Solid Grade 304 0.9 mm	2 mm	850 mm
E25145(120-2400x700x850-S112)	2400 mm	700 mm	Solid Grade 304 1.2 mm	2 mm	850 mm
E25145(120-2400x700x850-S209)	2400 mm	700 mm	Solid Grade 430 0.9 mm	2 mm	850 mm
E25145(120-2400x700x850-S212)	2400 mm	700 mm	Solid Grade 430 1.2 mm	2 mm	850 mm

04 Functional features

01	Grade 304 stainless steel worktop and frame The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.
02	No timber or galvanised backing beneath the worktop Stainless steel support beneath the worktop.
03	Adjustable stainless steel feet Adjustable stainless steel feet allow accurate levelling.
04	Solid undershelf included Supplied with a solid undershelf in Grade 304 or Grade 430 stainless steel, 0.9 mm or 1.2 mm.
05	Choice of table sizes Lengths: 500, 900, 1200, 1500, 1800, 2000 or 2400 mm. Standard widths: 600, 650 or 700 mm. An 1800 x 750 x 900 mm configuration with a 1.2 mm Grade 304 worktop and solid 0.9 mm Grade 304 undershelf is available under advanced customisation. The standard worktop is 1.2 mm thick and the standard working height is 900 mm. Advanced customisation offers 1.5 mm or 2 mm worktops and 850 mm or 1000 mm working heights.

05 Application information

Intended applications	Food Preparation Workstations, Healthcare Utility Rooms, Laboratory Work Areas, Pharmaceutical Support Areas, Slaughter & Abattoir Operations
Industries	Clinical Laboratories, Hospitals & Clinics, Hotels & Lodges, Institutional & Contract Catering, Meat & Poultry Processing, Pharmaceutical Manufacturing, Restaurants & Cafés

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.