


PRODUCT RANGE SPECIFICATION

E27350 – Stainless Steel Shelving



PRODUCT IMAGE · Five-shelf example:
E27350(112-2000-05S), 1500 × 400 mm shelves, 2000 mm overall height. Shelf count and dimensions depend on the selected configuration.

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE
Product range

DOCUMENT REFERENCE
E27350{PSS}

DATA STATUS
Published catalogue data

GENERATED ON
5 Oct 2026

01 Product description and specification

Product description	Organise stored items across several shelf levels while making use of vertical space. The standard E27350 unit has four shelves, each 1000 × 400 mm, and stands 2000 mm high. It is made from 1.2 mm Grade 304 stainless steel and has adjustable feet for levelling. The stainless steel surfaces can be wiped clean as part of routine care. Choose a shelf size to suit the items being stored and allow access for handling and cleaning. Choose shelf length, shelf depth, overall height and number of shelves using the configuration selectors. The range includes the existing four-shelf model and E27350(112-2000-05S), the 1500 × 400 mm, 2000 mm high five-shelf model. New configurations require confirmation of dimensions, construction, shelf spacing and price on quotation. Shelf load capacity has not been confirmed. Ask for a load rating for the selected configuration and intended use before ordering. Shelf spacing and any fixing requirements should also be confirmed.
---------------------	--

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

E27350 shelving in 1.2 mm Grade 304 stainless steel with adjustable feet. Standard: four shelves, each 1000 × 400 mm, 2000 mm overall height. Refer to the selected item for its shelf dimensions, height and shelf count. Custom configurations and load capacity require confirmation on quotation.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1000x0400-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1000 × 400 mm, 2000 mm Overall Height and Adjustable Feet.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1000x0400x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1000 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1000x0400x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1000 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1000x0400x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1000 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1000x0400x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1000 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1000x0400x2000-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1000 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1000x0500x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1000 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1000x0500x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1000 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1000x0500x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1000 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1000 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1000x0500x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1000 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1000x0500x2000-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1000 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1000x0500x2000-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1000 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1000 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1200x0400x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1200 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0400x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1200 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0400x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1200 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0400x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1200 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1200x0400x2000-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1200 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1200x0400x2000-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1200 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1200x0500x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1200 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0500x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1200 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0500x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1200 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1200 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1200x0500x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1200 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1200x0500x2000-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1200 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1200x0500x2000-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1200 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1200 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1500x0400x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1500 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1500x0400x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1500 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1500x0400x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1500 × 400 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1500x0400x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1500 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 3 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1500x0400x2000-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1500 × 400 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 4 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1500x0500x1800-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1500 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1500x0500x1800-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1500 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1500x0500x1800-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1500 × 500 mm, 1800 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 1800 mm Shelf Length: 1500 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 1800 mm (L × W × H)
E27350(112-1500x0500x2000-03S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 3 Shelves, Each 1500 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 3 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E27350(112-1500x0500x2000-04S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 4 Shelves, Each 1500 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 4 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-1500x0500x2000-05S)	Grade 304 Stainless Steel Shelving, 1.2 mm Thick, with 5 Shelves, Each 1500 × 500 mm, 2000 mm Overall Height and Adjustable Feet. Proposed Custom Configuration; Dimensions, Construction and Price Subject to Confirmation on Quotation.	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 5 Shelf Width: 500 mm Overall dimensions: – × – × 2000 mm (L × W × H)
E27350(112-2000-05S)	Stainless Steel Shelving 5-Tier 2000MM Height Shelves 1500MM X 400MM W 1.2 304	Height: 2000 mm Shelf Length: 1500 mm Shelf Tiers: 5 Shelf Width: 400 mm Overall dimensions: – × – × 2000 mm (L × W × H)

03 Functional features

01	Grade 304 Stainless Steel Specified in 1.2 mm Grade 304 stainless steel.
02	Storage Across Multiple Levels Separate stored items across shelf levels to make use of vertical space. The standard unit has four shelves.
03	Adjustable Feet Level the unit during installation using the adjustable feet.
04	Surfaces for Routine Cleaning Stainless steel surfaces can be wiped clean. Leave sufficient access around stored items for routine cleaning.
05	Size and Shelf-Count Options Request alternative shelf lengths, depths, overall heights and shelf counts using the configuration selectors. Custom configurations are confirmed on quotation.

04 Application information

Intended applications	Storage & Organisation
Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés

05 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.