

PRODUCT RANGE SPECIFICATION

E27357(109) – Eco Modular Stainless Steel Shelving

|                                 |                                        |                                         |                             |
|---------------------------------|----------------------------------------|-----------------------------------------|-----------------------------|
| DOCUMENT SCOPE<br>Product range | DOCUMENT REFERENCE<br>E27357(109){PSS} | DATA STATUS<br>Published catalogue data | GENERATED ON<br>14 Sep 2026 |
|---------------------------------|----------------------------------------|-----------------------------------------|-----------------------------|

01 Product description and specification

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product description      | <p>E27357(109) eco modular shelving uses Grade 304 stainless steel shelves with a 0.9 mm thickness. The support posts are 1.5 mm thick and have pre-cut mounting holes, allowing shelf heights and spacing to be adjusted with ease. Posts and shelves have a satin brushed finish.</p> <p>Choose 800, 1000, 1200 or 1500 mm overall length, with a width of 300 or 400 mm. The standard height is 1800 mm; a 2200 mm height is also available. Select 4, 5 or 6 tiers to suit the required storage arrangement.</p> <p>Select the dimensions and tier count to view the matching item and specification sheet. The catalogue illustration shows a five-tier example; dimensions and shelf thickness follow the selected model.</p> |
| Short Form Specification | <div><p><b>SPECIFICATION USE</b></p><p>Use this description when specifying this product range.</p></div> <p>E27357(109) Eco modular shelving: Grade 304 stainless steel shelves, 0.9 mm thick; 1.5 mm support posts with pre-cut holes for adjustable shelf heights and spacing; satin brushed posts and shelves. Specify 800, 1000, 1200 or 1500 mm L x 300 or 400 mm W; 1800 mm standard H or 2200 mm H; 4, 5 or 6 tiers.</p>                                                                                                                                                                                                                                                                                                    |

02 Technical specifications

| PARAMETER              | VALUE                     | UNIT | TECHNICAL NOTE                                                                                                              |
|------------------------|---------------------------|------|-----------------------------------------------------------------------------------------------------------------------------|
| Material               | Stainless Steel Grade 304 | —    | The primary material used in the construction of the item. Certain components may be manufactured from different materials. |
| Material Thickness     | 0.9                       | mm   | Thickness of the shelves; support post thickness is specified separately.                                                   |
| Support Post Thickness | 1.5                       | mm   | Material thickness of the structural support posts.                                                                         |
| Finish                 | Satin Brushed Finish      | —    | —                                                                                                                           |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(4T-109-0800-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 1800 mm (L x W x H)   |
| <b>E27357(4T-109-0800-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 2200 mm (L x W x H)   |
| <b>E27357(4T-109-0800-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 1800 mm (L x W x H)   |
| <b>E27357(4T-109-0800-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 2200 mm (L x W x H)   |
| <b>E27357(4T-109-1000-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 1800 mm (L x W x H) |
| <b>E27357(4T-109-1000-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 2200 mm (L x W x H) |
| <b>E27357(4T-109-1000-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 1800 mm (L x W x H) |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(4T-109-1000-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 2200 mm (L x W x H) |
| <b>E27357(4T-109-1200-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 1800 mm (L x W x H) |
| <b>E27357(4T-109-1200-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 2200 mm (L x W x H) |
| <b>E27357(4T-109-1200-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 1800 mm (L x W x H) |
| <b>E27357(4T-109-1200-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 2200 mm (L x W x H) |
| <b>E27357(4T-109-1500-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 1800 mm (L x W x H) |
| <b>E27357(4T-109-1500-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 4<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 2200 mm (L x W x H) |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(4T-109-1500-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 1800 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 1800 mm (L x W x H) |
| <b>E27357(4T-109-1500-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 2200 mm H, with 4 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 4<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 2200 mm (L x W x H) |
| <b>E27357(5T-109-0800-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 1800 mm (L x W x H)   |
| <b>E27357(5T-109-0800-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 2200 mm (L x W x H)   |
| <b>E27357(5T-109-0800-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 1800 mm (L x W x H)   |
| <b>E27357(5T-109-0800-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 2200 mm (L x W x H)   |
| <b>E27357(5T-109-1000-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 1800 mm (L x W x H) |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(5T-109-1000-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 2200 mm (L x W x H) |
| <b>E27357(5T-109-1000-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 1800 mm (L x W x H) |
| <b>E27357(5T-109-1000-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 2200 mm (L x W x H) |
| <b>E27357(5T-109-1200-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 1800 mm (L x W x H) |
| <b>E27357(5T-109-1200-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 2200 mm (L x W x H) |
| <b>E27357(5T-109-1200-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 1800 mm (L x W x H) |
| <b>E27357(5T-109-1200-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 2200 mm (L x W x H) |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(5T-109-1500-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 1800 mm (L x W x H) |
| <b>E27357(5T-109-1500-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 5<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 2200 mm (L x W x H) |
| <b>E27357(5T-109-1500-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 1800 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 1800 mm (L x W x H) |
| <b>E27357(5T-109-1500-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 2200 mm H, with 5 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 5<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 2200 mm (L x W x H) |
| <b>E27357(6T-109-0800-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 1800 mm (L x W x H)   |
| <b>E27357(6T-109-0800-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 300 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 800 x 300 x 2200 mm (L x W x H)   |
| <b>E27357(6T-109-0800-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 1800 mm<br>Length: 800 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 1800 mm (L x W x H)   |

## 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(6T-109-0800-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 800 mm L x 400 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves.  | Height: 2200 mm<br>Length: 800 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 800 x 400 x 2200 mm (L x W x H)   |
| <b>E27357(6T-109-1000-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1000-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 300 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1000 x 300 x 2200 mm (L x W x H) |
| <b>E27357(6T-109-1000-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1000 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1000-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1000 mm L x 400 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1000 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1000 x 400 x 2200 mm (L x W x H) |
| <b>E27357(6T-109-1200-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1200-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 300 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1200 x 300 x 2200 mm (L x W x H) |

### 03 Models and configurations

| MODEL                                | DESCRIPTION                                                                                                                                                                                                                                                                                     | PUBLISHED CONFIGURATION                                                                                                       |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>E27357(6T-109-1200-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1200 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1200-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1200 mm L x 400 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1200 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1200 x 400 x 2200 mm (L x W x H) |
| <b>E27357(6T-109-1500-0300-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1500-0300-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 300 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 6<br>Width: 300 mm<br>Overall dimensions: 1500 x 300 x 2200 mm (L x W x H) |
| <b>E27357(6T-109-1500-0400-1800)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 1800 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 1800 mm<br>Length: 1500 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 1800 mm (L x W x H) |
| <b>E27357(6T-109-1500-0400-2200)</b> | Eco modular shelving in Grade 304 stainless steel: 1500 mm L x 400 mm W x 2200 mm H, with 6 tiers and 0.9 mm thick shelves. Support posts are 1.5 mm thick, with pre-cut holes allowing shelf mounting heights and spacing to be adjusted with ease. Satin brushed finish on posts and shelves. | Height: 2200 mm<br>Length: 1500 mm<br>Shelf Tiers: 6<br>Width: 400 mm<br>Overall dimensions: 1500 x 400 x 2200 mm (L x W x H) |

### 04 Functional features

#### 01 0.9 mm Grade 304 shelves

The eco range uses 0.9 mm thick Grade 304 stainless steel shelves.

#### 02 1.5 mm support posts

Support posts are made from 1.5 mm thick material.

- 03 Adjustable shelf spacing**  
Pre-cut mounting holes allow shelf heights and spacing to be adjusted with ease.
- 04 Satin brushed finish**  
Both the posts and shelves have a satin brushed finish.
- 05 48 standard configurations**  
Combine four lengths, two widths, two heights and three tier counts.

**05 Application information**

|                       |                                                                                  |
|-----------------------|----------------------------------------------------------------------------------|
| Intended applications | Storage & Organisation                                                           |
| Industries            | Food & Beverage Processing, Foodservice & Catering, Pharmaceutical Manufacturing |

**06 Supply and support**

|                   |                    |
|-------------------|--------------------|
| Typical lead time | 10–15 working days |
| Warranty          | 12 months          |

**Product drawings and images**



**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.