

PRODUCT RANGE SPECIFICATION

E55113 – Insulated Multipot Food and Beverage Container



PRODUCT IMAGE

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE  
Product range

DOCUMENT REFERENCE  
E55113{PSS}

DATA STATUS  
Published catalogue data

GENERATED ON  
5 Oct 2026

01 Product description and specification

Product description

Insulated multipot for transporting prepared food or liquids from a central kitchen to serving areas, with dispensing options for catering service.

Construction and features

- Sizes ranging from 10 to 50 Liters.
- Easy to clean, non-drip tap.
- Stainless steel AISI 304 inner construction.
- Lid fitted with a silicone food quality gasket.
- All welded, double jacketed, insulated construction prevents ingress of water during cleaning.
- Drop down side carrying handles.
- Optional extras are an infuser, drip tray, plinth and trolley mounting.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield E55113. Insulated Multipot Food and Beverage Container. Capacity: 10 L, 25 L, 14 L, 22 L, 36 L, 50 L. Stainless steel AISI 304 inner construction. Lid fitted with a silicone food quality gasket.

02 Models and configurations

| MODEL        | DESCRIPTION                                                                              | PUBLISHED CONFIGURATION |
|--------------|------------------------------------------------------------------------------------------|-------------------------|
| E55113(C010) | Multipot Insulated Stainless Steel Grade 304 Liquid Container Type C to E55113C{PSS} 10L | Capacity: 10 L          |
| E55113(C025) | Multipot Insulated Liquid Container Type C to E55113C{PSS} 25L                           | Capacity: 25 L          |
| E55113C014   | Multipot Insulated Liquid Container Type C to E55113C(PSS) 14L                           | Capacity: 14 L          |
| E55113C022   | Multipot Insulated Liquid Container Type C to E55113C(PSS) 22L                           | Capacity: 22 L          |
| E55113C036   | Multipot Insulated Liquid Container Type C to E55113C(PSS) 36L                           | Capacity: 36 L          |

02 Models and configurations

| MODEL      | DESCRIPTION                                                    | PUBLISHED CONFIGURATION |
|------------|----------------------------------------------------------------|-------------------------|
| E55113C050 | Multipot Insulated Liquid Container Type C to E55113C(PSS) 50L | Capacity: 50 L          |

03 Application information

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| Intended applications | Food Holding and Distribution                      |
| Industries            | Hotels & Lodges, Institutional & Contract Catering |

04 Supply and support

|                   |                    |
|-------------------|--------------------|
| Typical lead time | 10–15 working days |
| Warranty          | 12 months          |

Product drawings and images





PRODUCT IMAGE

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.