

PRODUCT RANGE SPECIFICATION

E55113 – Insulated Multipot Food and Beverage Container

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE E55113{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	-----------------------------------	---	-----------------------------

01 Product description and specification

Product description	Insulated multipot for transporting prepared food or liquids from a central kitchen to serving areas, with dispensing options for catering service. Construction and features • Sizes ranging from 10 to 50 Liters. • Easy to clean, non-drip tap. • Stainless steel AISI 304 inner construction. • Lid fitted with a silicone food quality gasket. • All welded, double jacketed, insulated construction prevents ingress of water during cleaning. • Drop down side carrying handles. • Optional extras are an infuser, drip tray, plinth and trolley mounting.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E55113. Insulated Multipot Food and Beverage Container. Capacity: 10 L, 25 L, 14 L, 22 L, 36 L, 50 L. Stainless steel AISI 304 inner construction. Lid fitted with a silicone food quality gasket.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E55113(C010)	Multipot Insulated Stainless Steel Grade 304 Liquid Container Type C to E55113C{PSS} 10L	Capacity: 10 l
E55113(C025)	Multipot Insulated Liquid Container Type C to E55113C{PSS} 25L	Capacity: 25 l
E55113C014	MULTIPOT INSULATED LIQUID CONTAINER TYPE C TO E55113C(PSS) 14L	Capacity: 14 l
E55113C022	MULTIPOT INSULATED LIQUID CONTAINER TYPE C TO E55113C(PSS) 22L	Capacity: 22 l
E55113C036	MULTIPOT INSULATED LIQUID CONTAINER TYPE C TO E55113C(PSS) 36L	Capacity: 36 l
E55113C050	MULTIPOT INSULATED LIQUID CONTAINER TYPE C TO E55113C(PSS) 50L	Capacity: 50 l

03 Application information

Intended applications	Food Holding and Distribution
Industries	Foodservice & Catering

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images





PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.