PRODUCT RANGE SPECIFICATION

E55115(P) – Insulated Food Container Type P



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	E55115(P){PSS}	13 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/e55115p-insulated-food-container-type-p#specifications

01 Product description and specification

Product description

Type P insulated food containers hold prepared food warm during holding and transport. Available in 10, 20, 30, 40, 50 or 80 L sizes for 3, 9, 12, 15, 18 or 24 food insert pans respectively. Grade 304 stainless steel, double-wall insulated body, included insulated gasketed clamp-down main lid, radiused corners and drop-down handles. Food insert pans and their lids are optional and supplied separately. Not for cooking. Manufactured in South Africa.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this product range.

Basterfield E55115(P) Type P insulated food container in Grade 304 stainless steel; double-wall insulated body; included insulated main lid with gasket and clamps; radiused internal corners; drop-down side handles. Capacities: 10, 20, 30, 40, 50 or 80 L. Food insert pans and their individual lids are optional and supplied separately. Manufactured in South Africa. For holding prepared food warm and transport; not for cooking.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Length	550	mm	The length of the item typically as measured from left to right.
Width	305	mm	The width of the item typically as measured from front to back.

03 Configuration options

Capacity	10 L; 20 L; 30 L; 40 L; 50 L; 80 L

Options vary by model; not every combination is available. Use the product page to select a model.

04 Functional features

01 Grade 304 stainless steel
Stainless steel construction with radiused internal corners for access during cleaning.

02 Insulated body and main lid
The double-wall insulated body and included insulated main lid help keep prepared food warm during holding and transport.

03 Gasketed clamp-down lid
The included insulated main lid is secured by clamps against a gasket.

04 Six capacity options
Select 10, 20, 30, 40, 50 or 80 L for the intended meal-distribution requirements.

05 Drop-down carrying handles
Side handles provide carrying points and fold down when not in use.

06 Optional food insert pans
Compatible food insert pans and their individual lids can be specified separately.

05 Application information

Intended applications	Food Holding and Distribution
Industries	Hotels & Lodges, Institutional & Contract Catering, Restaurants & Cafés, Schools

06 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

07 Frequently asked questions

What capacities are available?
The Type P range is available in 10, 20, 30, 40, 50 and 80 L capacities. Select the capacity required for the food volume and food-pan arrangement.

How do the item codes identify capacity?
The digits after P show capacity in litres, using three digits: E55115(P010) is 10 L, E55115(P020) is 20 L, E55115(P030) is 30 L, E55115(P040) is 40 L, E55115(P050) is 50 L and E55115(P080) is 80 L.

What material is used?
The container is manufactured from Grade 304 stainless steel with double-wall insulated construction and radiused internal corners.

Are the body and lid insulated?
Yes. The double-wall body and included insulated main lid help retain warmth during food holding and transport.

Is the insulated main lid included?
Yes. The insulated, gasketed clamp-down main lid is included with the container. Food insert pans and their individual lids are optional and supplied separately.

How is the main lid secured?
Clamps hold the insulated main lid against its gasket. Drop-down side handles are provided for carrying the container.

Are food insert pans included?
Food insert pans and their individual lids are optional accessories and supplied separately. The listed pan counts describe the model's food-pan capacity, not the quantity included.

Can I cook food in this container?

No. The Type P container is for holding prepared food warm and transporting it to serving points. It is not a cooking appliance.

What are the dimensions and weights?

All six models have a listed length of 550 mm and width of 305 mm. Heights are 165, 235, 320, 400 and 480 mm for the 10, 20, 30, 40 and 50 L models respectively; listed weights are 11.5, 13.6, 16.0, 18.4 and 20.8 kg. The 80 L model has a height of 720 mm. See the model specifications for its weight.

Where are the containers manufactured?

Basterfield Type P insulated food containers are manufactured in South Africa.

How many food insert pans can each model accommodate?

Food insert-pan capacities are 3 pans for 10 L, 9 for 20 L, 12 for 30 L, 15 for 40 L, 18 for 50 L and 24 for 80 L. These are food pans. The pan counts describe capacity; food insert pans and their individual lids are optional and supplied separately.

E&OE. Specifications are subject to change without notice.

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357