

PRODUCT RANGE SPECIFICATION

E55115(P) – Insulated Food Container Type P

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	E55115(P){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description

Type P insulated food container for transporting pre-prepared food between a central kitchen and a remote serving point.

Basterfield E55115P Series Insulated Food Containers (Hot Boxes) are purpose-built for the efficient and hygienic transport of pre-prepared food – whether hot, cold, or frozen – from a central kitchen to a remote service point such as a conference venue, office, school, or institution. These containers are suited to ensuring meals retain their intended serving temperature over extended periods during transit.

Constructed from high-grade 18/8 (Grade 304) stainless steel, each unit features a fully welded, double-walled design filled with high-performance insulation. This robust construction provides superior temperature retention – keeping food hot for up to 6 hours and preserving ice for up to 48 hours – while ensuring sanitary operation and easy cleaning, thanks to radiused internal corners.

The airtight clamp-down lid, fitted with a durable gasket, prevents heat loss and spillage. Both the lid and body are insulated, and side-mounted drop-down handles offer secure and ergonomic handling. The sleek stainless steel exterior is easy to sanitize and suitable for both back-of-house and front-of-house use.

Available in five sizes ranging from 10 L to 50 L, the E55115P Series accommodates multiple service needs, each with a pre-configured number of optional insert pans (sold separately) for easy food portioning:

Product Code |
Model |
Pans |
Size (mm) |
Capacity |
Weight (kg) |

E55115p010 |
p10 |
3 |
550 × 305 × 165 |
10 L |
11.5 |

E55115p020 |
p20 |
9 |
550 × 305 × 235 |
20 L |
13.6 |

E55115p030 |
p30 |
12 |
550 × 305 × 320 |
30 L |
16.0 |

E55115p040 |
p40 |
15 |
550 × 305 × 400 |
40 L |
18.4 |

E55115p050 |
p50 |
18 |
550 × 305 × 480 |

50 L |
20.8 |

Insert pans and lids are optional accessories, with stacking configurations available for optimized food service workflows.

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield E55115(P) insulated food container with gasketed clamp-down lid. Capacity as selected from the published models. Insert pans are optional and supplied separately.
--------------------------	--

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
E55115(P050)	E55115(P050) Insulated Food Container Type P 50L 18 Pan Capacity Capacity: 50.	Capacity: 50 l
E55115P010	FOOD CONTAINER TYPE P10 TO DWG E55115P010 AND E55115P010(PSS) CAPACITY 3 PANS 10L	Capacity: 10 l
E55115P020	FOOD CONTAINER TYPE P20 TO DWG E55115P020 AND E55115P020(PSS) CAPACITY 9 PANS 20L	Capacity: 20 l
E55115P030	FOOD CONTAINER TYPE P30 TO DWG E55115P030 AND E55115P030(PSS) CAPACITY 12 PANS 30L	Capacity: 30 l
E55115P040	FOOD CONTAINER TYPE P40 TO DWG E55115P040 AND E55115P040(PSS) CAPACITY 15 PANS 40L	Capacity: 40 l

03 Application information

Intended applications	Food Holding and Distribution
Industries	Foodservice & Catering

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.