
MODEL SPECIFICATION

# E55810(0650W) – Drip Tray 650 x 300 mm with 40 mm Waste



PRODUCT IMAGE

| DOCUMENT SCOPE | DOCUMENT REFERENCE | DATA STATUS | GENERATED ON |
|---|---|---|---|
| Model | E55810(0650W){PSS} | Published catalogue data | 31 Oct 2026 |

## 01 Model specification

Grade 304 Stainless Steel Countertop Drip Tray, 650 x 300 mm, 35 mm High, with Removable Perforated Insert and Centre Outlet for a 40 mm (1½″ BSP) Waste Fitting.

## 02 Technical specifications

| PARAMETER | VALUE | UNIT | TECHNICAL NOTE |
|---|---|---|---|
| Length | 650 | mm | The length of the item typically as measured from left to right. |
| Width | 300 | mm | The width of the item typically as measured from front to back. |
| Material | Stainless Steel Grade 304 | – | The primary material used in the construction of the item. Certain components may be manufactured from different materials. |
| Waste Connection | 40 mm (1½″ BSP) | – | – |
| Height | 35 | mm | Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height. |

## 03 Dimensions and mass

| PARAMETER | VALUE | UNIT |
|---|---|---|
| Length | 650 | mm |
| Width | 300 | mm |
| Overall height | 35 | mm |


121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

## 04 Model and supply data

| | |
|---|---|
| **Parent product** | E55810(W) — Countertop Drip Trays with 40 mm Waste Outlet |
| **Typical lead time** | 10–15 working days |
| **Warranty** | 12 months |

## 05 Specification notes

**Configuration description**

The Basterfield E55810(0650W) is a 650 mm long x 300 mm wide Grade 304 stainless steel countertop drip tray, 35 mm high. A removable perforated insert sits above the collecting tray.

Place the tray on the countertop and fit a suitable 40 mm (1½″ BSP) waste fitting. Provide a cut-out in the countertop beneath the centre waste outlet so the fitting can connect to the pipework below. Size the cut-out to suit the selected fitting and allow access below the counter for connection and servicing.

This model is supported on stainless steel feet.

**Short Form Specification**

> **SPECIFICATION USE**
> Use this description when specifying this model.

Basterfield E55810(0650W). Grade 304 stainless steel countertop drip tray, 650 x 300 mm, 35 mm high, with removable perforated insert and centre outlet for a 40 mm (1½″ BSP) waste fitting. Provide a cut-out below the waste outlet to suit the selected waste fitting and connection to pipework.

**Detailed specification**

- Model: E55810(0650W)
- Length: 650 mm
- Width: 300 mm
- Overall height: 35 mm
- Material: Grade 304 stainless steel
- Insert: Perforated and removable
- Waste connection: 40 mm (1½″ BSP)
- Outlet position: Centre, beneath the tray
- Installation: On countertop, with cut-out for waste fitting and pipework below
- Support: Stainless steel feet

## 06 Frequently asked questions

**How is the tray connected to pipework?**

Place the tray on the countertop and fit a suitable 40 mm (1½″ BSP) waste fitting. Provide a cut-out in the countertop beneath the centre waste outlet so the fitting can connect to the pipework below. Size the cut-out to suit the selected fitting and allow access below the counter for connection and servicing.

**Does the countertop need a cut-out?**

A cut-out beneath the waste outlet allows the waste fitting to reach the pipework below. The tray sits on the counter; determine the cut-out dimensions from the selected fitting.

**Which sizes can I select?**

Choose 300, 450 or 650 mm length and 200 or 300 mm width. The six published configurations are 35 mm high.

**Is the waste fitting included?**

Confirm the required waste fitting and pipework components when requesting a quotation. This product specification defines the tray and its waste connection.

**Is there a side-spout alternative?**

The separate Countertop Drip Trays With Side Spout range offers 350, 450 and 650 mm lengths in 200 and 300 mm widths. All six models are 35 mm high; the original 350 x 300 mm model retains code E55810(0350S).

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.


121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357