
MODEL SPECIFICATION

H22681(TC-115-1950x650) – Medical Sink Triple Bowl Centre-Oriented



PRODUCT IMAGE

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Model	H22681(TC-115-1950x650){PSS}	13 Nov 2026

01 Model specification

Medical Sink, Grade 304 Stainless Steel, 1.5mm Thick, 1950mm (L) × 650mm (W) with Three Centre-Oriented Bowls, Each 450mm (L) × 400mm (W) × 250mm (D), Marine Edge, 150mm Rear Splashback, Tapware Landing, Included Gallows Brackets and Pre-Punched Waste Holes

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.5	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Length	1950	mm	The length of the item typically as measured from left to right.
Width	650	mm	The width of the item typically as measured from front to back.
Number of Bowls	3	–	–
Bowl Orientation	Centre	–	–
Bowl Length	450	mm	The length of the bowl typically as measured from left to right.
Bowl Width	400	mm	–
Bowl Depth	250	mm	–

121 Koornhof Road, Meadowdale, Germiston, South Africa, 1614 · hello@basterfield.co.za · basterfield.co.za · +27 87 095 5357

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Splashback Height	150	mm	Height of the splashback above the tabletop or working surface.
Mounting Type	Wall Mounted	—	—
Drainage	Dura waste outlet optional; not included	—	—
Waste Connection	Pre-punched waste hole; fitting optional	—	—
Tapware Supply	Borras medical mixer optional; not included	—	—

03 Dimensions and mass

PARAMETER	VALUE	UNIT
Length	1950	mm
Width	650	mm

04 Model and supply data

Parent product	H22681(TC) — Triple Bowl Medical Sink
Typical lead time	10–15 working days
Warranty	24 months

05 Specification notes

Configuration description

The H22681(TC-115-1950x650) is a wall-mounted triple-bowl medical sink for hospitals, clinics, healthcare utility rooms and laboratory washing areas. It is manufactured from Grade 304 stainless steel.

The sink has three centre-oriented bowls. A marine edge helps contain water on the sink top, and a 150 mm rear splashback protects the wall behind the sink. A dedicated landing provides space for tapware. Gallows brackets are included for wall mounting.

Each bowl has a pre-punched waste hole. Dura 817 waste fittings and the Borras medical mixer with wall and deck mounting kit are available as optional accessories and are supplied separately from the sink.

Overall dimensions are 1950 mm (L) x 650 mm (W), with 1.5 mm material thickness. Each bowl measures 450 mm (L) x 400 mm (W) x 250 mm (D).

Short Form Specification

> **SPECIFICATION USE**
> Use this description when specifying this model.

Basterfield H22681(TC-115-1950x650) triple-bowl medical sink in Grade 304 stainless steel, with three centre-oriented bowls, marine edge, 150 mm rear splashback, tapware landing and included gallows brackets for wall mounting. Each bowl to have a pre-punched waste hole. Overall dimensions 1950 mm (L) x 650 mm (W), material thickness 1.5 mm, and each bowl 450 mm (L) x 400 mm (W) x 250 mm (D). Waste fittings and medical mixer excluded from the standard sink.

Detailed specification

- Model: H22681(TC-115-1950x650)
- Material: Stainless Steel Grade 304
- Material Thickness: 1.5 mm
- Overall Dimensions: 1950 mm (L) × 650 mm (W)
- Number of Bowls: 3
- Bowl Orientation: Centre
- Bowl Dimensions: 450 mm (L) × 400 mm (W) × 250 mm (D)
- Edge: Marine edge
- Rear Splashback Height: 150 mm
- Tapware Provision: Dedicated landing
- Mounting: Wall mounted with included gallows brackets
- Waste Provision: A pre-punched waste hole
- Waste Fittings: Optional Dura 817; one per bowl; not included
- Tapware Supply: Optional Borras medical mixer with wall and deck mounting kit; not included

06 Frequently asked questions

Which applications is this sink suitable for?

Hospital and clinic washing areas, healthcare utility rooms and laboratory washing stations. Select tapware to suit the intended washing task.

What are the sink and bowl dimensions?

The current triple-bowl configuration is 1950 mm long x 650 mm wide. Each bowl measures 450 mm long x 400 mm wide x 250 mm deep. Dimensions are recorded against the selected item.

Which material and thicknesses are available?

Grade 304 stainless steel. Current configurations use 1.2 mm or 1.5 mm material.

How is the sink mounted and what is included?

The sink is wall mounted using the included gallows brackets. It has a marine edge, 150 mm rear splashback and a dedicated tapware landing.

Are waste fittings included?

No. Each bowl has a pre-punched waste hole. The optional Dura 817 waste is selected separately; allow one waste fitting per bowl (3 per triple-bowl sink).

Is a medical mixer included?

No. The Borras medical mixer with wall and deck mounting kit is available as an optional accessory. Its quantity can be adjusted to suit the installation.

E&OE. Specifications are subject to change without notice.