
MODEL SPECIFICATION

H50146(112-2000x1000) – Autopsy Table for Large Animals, Mobile



PRODUCT IMAGE

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Model	H50146(112-2000x1000){PSS}	23 Nov 2026

01 Model specification

Basterfield H50146 Mobile Autopsy Table for Large Animals, Grade 304 Stainless Steel, 1.2mm Top Thickness, 2000mm (L) × 1000mm (W) × 705mm (H) Including Castors, with Cross Bracing, 30–50mm Recessed Top Sloped Along the Length to a 1 1/2-inch Drainage Outlet, Four Ø200mm Castors, Two Lockable

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Length	2000	mm	The length of the item typically as measured from left to right.
Number of Lockable Castors	2	–	–
Width	1000	mm	The width of the item typically as measured from front to back.
Number of Castors	4	–	Four castors support the mobile table.
Framework Material	Stainless Steel Grade 304	–	–
Height	705	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Castor Diameter (mm)	200	mm	–
Recessed Slab Depth	30–50	mm	Depth of the recess in the table top.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Drainage	Lengthwise Fall to a 1 1/2-inch Drainage Outlet	—	—
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.

03 Dimensions and mass

PARAMETER	VALUE	UNIT
Length	2000	mm
Width	1000	mm
Overall height	705	mm

04 Model and supply data

Parent product	H50146 — Mobile Stainless Steel Autopsy Table for Large Animals
Typical lead time	10–15 working days
Warranty	24 months

05 Specification notes

Configuration description

The H50146 mobile autopsy table provides a stainless steel work surface for post-mortem examinations of horses, cattle and other large animals. It is suited to veterinary necropsy facilities, animal pathology laboratories and veterinary teaching environments.

Both standard versions measure 2000 mm long by 1000 mm wide, with an overall height of 705 mm including the 200 mm diameter castors. This item has a 1.2 mm thick top. The top and complete framework are manufactured from Grade 304 stainless steel, with cross bracing supporting the frame.

The recessed top varies from 30 mm to 50 mm deep to help contain liquids within the work area. A continuous fall along the length directs liquid towards the 1 1/2-inch drainage outlet, providing a defined drainage point during examinations and cleaning.

Four castors allow the table to be repositioned within the work area. Two of the four castors are lockable for positioning the table during use. The stainless steel top and framework provide accessible surfaces for routine cleaning between examinations.

Short Form Specification

SPECIFICATION USE
Use this description when specifying this model.

Basterfield H50146 mobile large-animal autopsy table; 2000 mm L × 1000 mm W × 705 mm H including castors; 1.2 mm Grade 304 stainless steel top; full Grade 304 stainless steel framework with cross bracing; 30–50 mm recessed top sloped along the length to a 1 1/2-inch drainage outlet; four Ø200 mm castors, two lockable.

Detailed specification

- Item Code: H50146(112-2000x1000)
- Application: Autopsy / Necropsy of Horses, Cattle and Other Large Animals
- Top Thickness: 1.2 mm
- Top Material: Grade 304 Stainless Steel
- Framework: Full Grade 304 Stainless Steel with Cross Bracing
- Standard Length: 2000 mm
- Standard Width: 1000 mm
- Overall Height Including Castors: 705 mm
- Recessed Top Depth: 30–50 mm
- Drainage: Sloped Along the Length Towards the Outlet
- Drainage Outlet: 1 1/2-inch
- Castor Diameter: 200 mm
- Castor Quantity: 4
- Lockable Castors: 2

06 Frequently asked questions

What is the H50146 autopsy table used for?

The H50146 is designed for autopsy, also called necropsy or post-mortem examination, of horses, cattle and other large animals in veterinary, animal pathology and teaching facilities.

What are the standard dimensions?

Both thickness options are 2000 mm long and 1000 mm wide. The overall height is 705 mm, including the 200 mm diameter castors.

Which stainless steel thicknesses are available?

Choose H50146(112-2000x1000) with a 1.2 mm thick top or H50146(115-2000x1000) with a 1.5 mm thick top. Both versions have the same standard dimensions, Grade 304 stainless steel construction, drainage arrangement and castors.

Is the complete framework stainless steel?

Yes. The top and complete framework are Grade 304 stainless steel. The frame includes cross bracing.

How does the table contain and drain liquids?

The recessed top is 30 mm to 50 mm deep and slopes along its length towards a 1 1/2-inch drainage outlet. The recess helps contain liquids while the fall guides them to the outlet.

How many castors are fitted, and how many lock?

The table has four 200 mm diameter castors. Two castors are lockable.

What information should I include in a quotation request?

Specify the item code for the required top thickness: H50146(112-2000x1000) for 1.2 mm or H50146(115-2000x1000) for 1.5 mm. Both are 2000 × 1000 mm with an overall height of 705 mm including castors.

Product drawings and images



PRODUCT IMAGE



PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.