

PRODUCT RANGE SPECIFICATION

H72230 – Stainless Steel Heavy Duty Mortuary Table



PRODUCT IMAGE · Mobile mortuary table with cross-braced stainless steel frame

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE

Product range

DOCUMENT REFERENCE

H72230{PSS}

DATA STATUS

Published catalogue data

GENERATED ON

4 Oct 2026

01 Product description and specification

Product description

The Basterfield H72230 is a heavy duty stainless steel mortuary table for body preparation areas in hospital mortuaries and pathology and mortuary service facilities. Its mobile layout allows the table to be repositioned within the preparation area.

The H72230(112-2000) configuration is made from Grade 304 stainless steel with a 1.2 mm material thickness. Overall dimensions are 2000 mm long × 660 mm wide × 750 mm high.

A stainless steel supporting frame, square stainless steel legs and cross braces form the understructure. Four Ø100 mm castors provide mobility, with brakes on two castors for positioning during use.

The table top has a drainage fall and a pre-punched Ø40 mm waste outlet opening. Welds are ground smooth and polished to a satin finish.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield H72230(112-2000) heavy duty mortuary table. Grade 304 stainless steel, 1.2 mm material thickness. Overall dimensions: 2000 mm (L) × 660 mm (W) × 750 mm (H). Stainless steel frame with square legs and cross braces. Four Ø100 mm castors, two with brakes. Drainage fall and pre-punched Ø40 mm waste opening. Satin finish.

02 Technical specifications

| PARAMETER                  | VALUE | UNIT | TECHNICAL NOTE                                         |
|----------------------------|-------|------|--------------------------------------------------------|
| Width                      | 660   | mm   | Overall width of H72230(112-2000).                     |
| Height                     | 750   | mm   | Overall height of H72230(112-2000), including castors. |
| Castor Diameter (mm)       | 100   | mm   | Diameter of each castor.                               |
| Number of Castors          | 4     | —    | Four castors support the mobile table.                 |
| Number of Lockable Castors | 2     | —    | Two of the four castors have brakes.                   |

02 Technical specifications

| PARAMETER              | VALUE           | UNIT | TECHNICAL NOTE                                                                             |
|------------------------|-----------------|------|--------------------------------------------------------------------------------------------|
| Drainage Hole Diameter | 40              | mm   | Diameter of the pre-punched waste opening; this does not specify a supplied waste fitting. |
| Waste Outlet Hole      | Pre-Punched     | —    | The table has a pre-punched waste outlet opening.                                          |
| Drainage               | Drainage Fall   | —    | The table top has a fall for drainage.                                                     |
| Framework Material     | Stainless Steel | —    | Stainless steel supporting framework.                                                      |
| Leg Material           | Stainless Steel | —    | Stainless steel supporting legs.                                                           |
| Leg Profile            | Square          | —    | Square-section supporting legs; section dimensions are unconfirmed.                        |
| Cross Bracing          | Yes             | —    | Cross braces support the table frame.                                                      |
| Finish                 | Satin           | —    | Welds are ground smooth and polished to a satin finish.                                    |

03 Models and configurations

| MODEL            | DESCRIPTION                                                                                                                                                                                                                                                                 | PUBLISHED CONFIGURATION                                                                                                                     |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| H72230(112-2000) | Heavy Duty Mortuary Table Stainless Steel Grade 304 1.2mm Thick 2000mm (L) × 660mm (W) × 750mm (H) with Four Ø100mm Castors (Two Lockable), Drainage Fall, Pre-Punched Ø40mm Waste Outlet, Cross-Braced Stainless Steel Frame, Square Stainless Steel Legs and Satin Finish | Length: 2000 mm<br>Material: Stainless Steel Grade 304<br>Material Thickness: 1.2 mm<br>Overall dimensions: 2000 × 660 × 750 mm (L × W × H) |

04 Functional features

|    |                                                                                                                                     |
|----|-------------------------------------------------------------------------------------------------------------------------------------|
| 01 | <b>Grade 304 Stainless Steel</b><br>The H72230(112-2000) configuration uses Grade 304 stainless steel in 1.2 mm material thickness. |
| 02 | <b>2000 × 660 × 750 mm Overall Size</b><br>Published overall dimensions for the H72230(112-2000) configuration.                     |
| 03 | <b>Four Ø100 mm Castors</b><br>Four castors provide mobility, with brakes on two castors for positioning.                           |
| 04 | <b>Drainage Fall and Waste Opening</b><br>The table top has a drainage fall and a pre-punched Ø40 mm waste opening.                 |
| 05 | <b>Cross-Braced Stainless Steel Frame</b><br>Stainless steel square legs and cross braces support the table.                        |
| 06 | <b>Satin Finish</b><br>Welds are ground smooth and polished to a satin finish.                                                      |

05 Application information

|                       |                      |
|-----------------------|----------------------|
| Intended applications | Mortuary Preparation |
|-----------------------|----------------------|

05 Application information

|            |                                                    |
|------------|----------------------------------------------------|
| Industries | Hospitals & Clinics, Pathology & Mortuary Services |
|------------|----------------------------------------------------|

06 Supply and support

|                   |                    |
|-------------------|--------------------|
| Typical lead time | 10–15 working days |
| Warranty          | 12 months          |

**VERIFICATION REQUIRED** Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.