


MODEL SPECIFICATION

H72430(112) – Mortuary Table and Sink
Stainless Steel Grade 304
1.2mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with
Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate
Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet



PRODUCT IMAGE

DOCUMENT SCOPE

Model

DOCUMENT REFERENCE

H72430(112){PSS}

DATA STATUS

Published catalogue data

GENERATED ON

4 Oct 2026

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	–	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Length	2567	mm	Overall length of the combined table and sink.
Width	766	mm	Overall width of the combined table and sink.
Height	900	mm	Overall height from floor level to the top rim.
Bowl Length	500	mm	Internal length of the integrated sink bowl.
Bowl Width	500	mm	Internal width of the integrated sink bowl.
Bowl Depth	250	mm	Bowl depth shown on the front drawing.

01 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Waste Outlet Diameter	40	mm	Each of the two separate outlets: one in the recessed slab and one in the sink bowl.
Recessed Slab Width	626	mm	Internal width of the recessed table slab.
Apron Height	65	mm	Vertical height of the apron around the work surface.
Number of Bowls	1	—	One integrated sink bowl alongside the recessed slab.
Adjustable Feet	Yes	—	Adjustable stainless steel feet for levelling during installation.
Framework Material	Stainless Steel	—	Stainless steel tubular supporting framework.
Feet Material	Stainless Steel	—	Material of the adjustable levelling feet.
Mounting Type	Free Standing	—	Freestanding table supported on adjustable feet.
Drainage	Separate Slab and Bowl Waste Outlets	—	The slab and bowl each have a separate Ø40 mm waste outlet.
Recessed Slab Length	1875	mm	Nominal recessed slab length, rounded to 1875 mm to match the top drawing as confirmed on 3 October 2026.

02 Dimensions and mass


PARAMETER	VALUE	UNIT
Length	2567	mm
Width	766	mm
Overall height	900	mm

03 Model and supply data

Parent product	H72430 – Stainless Steel Mortuary Table and Sink
Typical lead time	10–15 working days
Warranty	12 months


Configuration description	The Basterfield H72430(112) is a freestanding mortuary table and sink in Grade 304 stainless steel with 1.2 mm material thickness. It measures 2567 mm long × 766 mm wide × 900 mm high overall. The recessed slab measures a nominal 1875 mm long × 626 mm wide and has a Ø40 mm waste outlet. The integrated 500 × 500 × 250 mm sink bowl has its own Ø40 mm waste outlet. A 65 mm apron, stainless steel tubular framework and adjustable stainless steel feet complete the unit. The feet allow levelling during installation. For body preparation and wash-up areas in hospital mortuaries and pathology and mortuary service facilities.
Short Form Specification	SPECIFICATION USE Use this description when specifying this model. Basterfield H72430(112). Mortuary Table and Sink Stainless Steel Grade 304 1.2mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet.
Detailed specification	• Model: H72430(112) • Material: Stainless Steel Grade 304 • Material thickness: 1.2 mm • Overall dimensions: 2567 mm (L) × 766 mm (W) × 900 mm (H) • Recessed slab, nominal: 1875 mm (L) × 626 mm (W) • Bowl: 500 mm (L) × 500 mm (W) × 250 mm (D) • Waste outlets: Two separate Ø40 mm outlets, one in the slab and one in the bowl • Apron height: 65 mm • Support: Stainless steel tubular framework • Feet: Adjustable stainless steel • Installation: Freestanding

Product drawings and images




TOP RIGHT

ISOMETRIC VIEW · Isometric view — bowl depth 250 mm



FRONT

FRONT VIEW · Front view — overall length, height and bowl depth



TOP

TOP VIEW · Top view – table and sink layout

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.