


PRODUCT RANGE SPECIFICATION

H72430 – Stainless Steel Mortuary Table and Sink



PRODUCT IMAGE · Mortuary table and sink rendering

① Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE
Product range

DOCUMENT REFERENCE
H72430{PSS}

DATA STATUS
Published catalogue data

GENERATED ON
4 Oct 2026

01 Product description and specification

Product description

The Basterfield H72430 combines a recessed mortuary preparation slab and an integrated sink bowl in one freestanding stainless steel unit for body preparation and wash-up areas. It is available in Grade 304 or Grade 316 stainless steel, with a choice of 1.2 mm or 1.5 mm material thickness.

Overall dimensions are 2567 mm long × 766 mm wide × 900 mm high. The nominal recessed slab dimensions are 1875 mm long × 626 mm wide, with its own Ø40 mm waste outlet. The integrated sink bowl measures 500 mm long × 500 mm wide × 250 mm deep and has a separate Ø40 mm waste outlet.

A 65 mm stainless steel apron runs around the work surface. The stainless steel tubular framework supports the table, and adjustable stainless steel feet allow the unit to be levelled during installation. Welded seams are ground smooth and polished to a satin finish.

The combined layout provides adjacent preparation and washing areas for hospital mortuaries and pathology and mortuary service facilities.

Short Form Specification

SPECIFICATION USE

Use this description when specifying this product range.

Basterfield H72430 freestanding mortuary table and sink. Grade 304 or Grade 316 stainless steel; 1.2 mm or 1.5 mm material thickness. Overall dimensions: 2567 mm (L) × 766 mm (W) × 900 mm (H). Recessed slab, nominal: 1875 mm long × 626 mm wide, with Ø40 mm waste outlet. Integrated bowl: 500 mm (L) × 500 mm (W) × 250 mm (D), with a separate Ø40 mm waste outlet. 65 mm apron, stainless steel tubular framework and adjustable stainless steel feet.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Length	2567	mm	Overall length of the combined table and sink.
Width	766	mm	Overall width of the combined table and sink.
Height	900	mm	Overall height from floor level to the top rim.

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Bowl Length	500	mm	Internal length of the integrated sink bowl.
Bowl Width	500	mm	Internal width of the integrated sink bowl.
Bowl Depth	250	mm	Bowl depth shown on the front drawing.
Waste Outlet Diameter	40	mm	Each of the two separate outlets: one in the recessed slab and one in the sink bowl.
Recessed Slab Width	626	mm	Internal width of the recessed table slab.
Apron Height	65	mm	Vertical height of the apron around the work surface.
Number of Bowls	1	—	One integrated sink bowl alongside the recessed slab.
Adjustable Feet	Yes	—	Adjustable stainless steel feet for levelling during installation.
Framework Material	Stainless Steel	—	Stainless steel tubular supporting framework.
Feet Material	Stainless Steel	—	Material of the adjustable levelling feet.
Mounting Type	Free Standing	—	Freestanding table supported on adjustable feet.
Drainage	Separate Slab and Bowl Waste Outlets	—	The slab and bowl each have a separate Ø40 mm waste outlet.
Recessed Slab Length	1875	mm	Nominal recessed slab length, rounded to 1875 mm to match the top drawing as confirmed on 3 October 2026.

03 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
H72430(112)	Mortuary Table and Sink Stainless Steel Grade 304 1.2mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet	Material: Stainless Steel Grade 304 Material Thickness: 1.2 mm Overall dimensions: 2567 × 766 × 900 mm (L × W × H)
H72430(115)	Mortuary Table and Sink Stainless Steel Grade 304 1.5mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet	Material: Stainless Steel Grade 304 Material Thickness: 1.5 mm Overall dimensions: 2567 × 766 × 900 mm (L × W × H)

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
H72430(312)	Mortuary Table and Sink Stainless Steel Grade 316 1.2mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet	Material: Stainless Steel Grade 316 Material Thickness: 1.2 mm Overall dimensions: 2567 × 766 × 900 mm (L × W × H)
H72430(315)	Mortuary Table and Sink Stainless Steel Grade 316 1.5mm Thickness 2567mm (L) × 766mm (W) × 900mm (H) with Nominal 1875mm (L) × 626mm (W) Recessed Slab, 500mm (L) × 500mm (W) × 250mm (D) Bowl, Separate Ø40mm Waste Outlets, 65mm Apron, Stainless Steel Tubular Frame and Adjustable Stainless Steel Feet	Material: Stainless Steel Grade 316 Material Thickness: 1.5 mm Overall dimensions: 2567 × 766 × 900 mm (L × W × H)

04 Functional features

01	Combined Preparation Slab and Sink A nominal 1875 × 626 mm recessed preparation slab and integrated sink bowl share one freestanding stainless steel frame.
02	Separate Waste Outlets The recessed slab and sink bowl each have a separate Ø40 mm waste outlet.
03	500 × 500 × 250 mm Sink Bowl An integrated bowl provides a washing area alongside the recessed slab.
04	Stainless Steel Tubular Framework The supporting framework and 65 mm apron form the table structure.
05	Adjustable Stainless Steel Feet Adjustable feet allow the unit to be levelled during installation.
06	Four Material Configurations Choose Grade 304 or Grade 316 stainless steel, each available in 1.2 mm or 1.5 mm thickness.


05 Application information

Intended applications	Mortuary Preparation
Industries	Hospitals & Clinics, Pathology & Mortuary Services

06 Supply and support


Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images




TOP RIGHT

ISOMETRIC VIEW · Isometric view — bowl depth 250 mm



FRONT

FRONT VIEW · Front view — overall length, height and bowl depth



TOP

TOP VIEW · Top view – table and sink layout

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.