

PRODUCT RANGE SPECIFICATION

H72461(112-0900) – 900 mm Freestanding Stainless Steel Instrument Cabinet

DOCUMENT SCOPE	DOCUMENT REFERENCE	DATA STATUS	GENERATED ON
Product range	H72461(112-0900){PSS}	Published catalogue data	14 Sep 2026

01 Product description and specification

Product description	Free-standing Grade 304 stainless steel instrument cabinet with hinged doors for medical, laboratory and institutional storage areas. Constructed from durable 1.2 mm thick stainless steel Grade 304, it offers excellent resistance to corrosion, ensuring longevity and hygiene. The cabinet features hinged doors with glass insets for clear visibility of stored contents, allowing for quick identification without the need to open the doors. With a compact yet spacious design measuring 900 mm (L) x 300 mm (D) x 1800 mm (H), the cabinet offers ample storage space across four sturdy shelves. This unit is designed to stand directly on the ground without support feet, providing stability and installation into various workspaces.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield H72461(112-0900). 900 mm Freestanding Stainless Steel Instrument Cabinet. With a compact yet spacious design measuring 900 mm (L) x 300 mm (D) x 1800 mm (H), the cabinet offers ample storage space across four sturdy shelves. This unit is designed to stand directly on the ground without support feet, providing stability and installation into various workspaces.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
H72461(112-0900)	The Instrument Cabinet (Standing Type) is a high-quality storage solution designed for medical, laboratory, and industrial environments requiring secure and organized storage of instruments and supplies. Constructed from durable 1.2mm thick Stainless Steel Grade 304, it offers excellent resistance to corrosion, ensuring longevity and hygiene. The cabinet features hinged doors with glass insets for clear visibility of stored contents, allowing for quick identification without the need to open the doors. It is equipped with secure handles and cylinder locks, providing controlled access and ensuring the safety of valuable or sensitive instruments. With a compact yet spacious design measuring 900mm (L) x 300mm (D) x 1800mm (H), the cabinet offers ample storage space across four sturdy shelves. This unit is designed to stand directly on the ground without support feet, providing stability and seamless integration into various workspaces.	Standard configuration

03 Application information

Intended applications	Mortuary Preparation, Storage & Organisation
Industries	Pathology & Mortuary Services, Research Laboratories

04 Supply and support

Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.