PRODUCT RANGE SPECIFICATION

M30840(200) – Stainless Steel Meat Trolley



PRODUCT IMAGE

ⓘ Product image is representative of the range and may not reflect the actual item.

DOCUMENT SCOPE	DOCUMENT REFERENCE	GENERATED ON
Product range	M30840(200){PSS}	14 Nov 2026

Detailed item specifications

View available models and configuration options on the product page. Select a model to download its detailed specification sheet with dimensions, technical specifications and drawings. Scan the QR code or follow the link below.

https://basterfield.co.za/products/m30840200-stainless-steel-meat-trolley#specifications

01 Product description and specification

Product description	200 L Grade 304 stainless steel meat trolley with radiused internal corners, fixed push handle and 150 mm castors in a diamond formation.
Short Form Specification	**SPECIFICATION USE** Use this description when specifying this product range. Basterfield M30840(200) meat trolley, Grade 304 stainless steel, 2 mm material thickness and 200 L capacity. Container dimensions: 660 x 660 x 505 mm (L x W x H). Overall dimensions including castors and push handle: 753 x 660 x 685 mm (L x W x H). Reinforced rim, radiused internal corners, fixed stainless steel push handle, 20 mm round-bar stainless steel axles and 150 mm diameter castors in a diamond formation with lower-set centre castors.

02 Functional features

01 **200 L Container**
Grade 304 stainless steel container with a reinforced rim and radiused internal corners.

02 **Separate Clearance Dimensions**
Container: 660 x 660 x 505 mm. Overall, including handle and castors: 753 x 660 x 685 mm (L x W x H).

03 **Diamond Castor Arrangement**
150 mm diameter castors with lower-set centre castors provide a central turning pivot.

03 Application information

Intended applications	Material Handling, Meat Processing
Industries	Meat & Poultry Processing

04 Supply and support

Typical lead time	10–15 working days

04 Supply and support

Warranty	12 months

05 Frequently asked questions

What is the trolley capacity?

The container has a nominal capacity of 200 L.


What is the difference between container and overall dimensions?

The container is 660 x 660 x 505 mm (L x W x H). The overall dimensions, including castors and the push handle, are 753 x 660 x 685 mm. Use the overall dimensions to check access and clearance.


How are the castors arranged?

The 150 mm diameter castors are in a diamond formation with lower-set centre castors, providing a central pivot for turning.


Product drawings and images




PRODUCT IMAGE




PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE



TOP RIGHT

PRODUCT IMAGE

E&OE. Specifications are subject to change without notice.