

PRODUCT RANGE SPECIFICATION

M50144 – Heavy Duty Sausage Table

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE M50144{PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Oct 2026
---------------------------------	-----------------------------------	---	-----------------------------

Detailed item specifications

Select an item code for its detailed specification sheet, including model dimensions, technical specifications and drawings. For a printed copy, scan the QR code or visit the product page and select the item.

<https://basterfield.co.za/products/m50144-heavy-duty-sausage-table#specifications>



01 Product description and specification

Product description	Heavy-duty sausage table in 1.2mm Grade 304 stainless steel, measuring 1700mm (L) x 600mm (W) x 900mm (H), with a 30mm recessed top and a vertically downward pipe of 22mm outside diameter and 19.05mm inside diameter.
---------------------	--

Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Sausage Table Stainless Steel Grade 304 Heavy-Duty 1.2mm Thickness 1700mm (L) x 600mm (W) x 900mm (H) with 30mm Recessed Top. The recessed top incorporates a vertically downward pipe, Ø22mm outside diameter / Ø19.05mm inside diameter. Vertical distance from the table top to the pipe end: 100mm. Pipe position: centred, with an 80mm offset measured from the inside face of the recess to the pipe centre.
--------------------------	--

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Material	Stainless Steel Grade 304	—	The primary material used in the construction of the item. Certain components may be manufactured from different materials.
Construction	Heavy-Duty	—	All welded table construction.
Material Thickness	1.2	mm	The thickness of the material used for the item's primary construction. The thickness of individual components may vary.
Length	1700	mm	The length of the item typically as measured from left to right.
Width	600	mm	The width of the item typically as measured from front to back.

02 Technical specifications

PARAMETER	VALUE	UNIT	TECHNICAL NOTE
Height	900	mm	Overall vertical envelope, including the splashback where fitted. For tables and sinks, this is distinct from working height.
Recessed Slab Depth	30	mm	Depth of the recessed table top.
Pipe Outside Diameter	22	mm	—
Pipe Inside Diameter	19.05	mm	—
Pipe Drop from Table Top	100	mm	Vertical distance from the table top to the end of the downward pipe.
Pipe Centre Offset from Recess Face	80	mm	Distance from the inside face of the recess to the pipe centre.
Pipe Orientation	Vertically Downward	—	—
Pipe Position	Centred	—	The pipe is centred and offset 80mm from the inside face of the recess to its centre.

03 Models and configurations

Common to all models: Overall dimensions (L × W × H): 1700 × 600 × 900 mm
ITEM CODE
M50144(112-1700x600x900)

04 Functional features

01	Grade 304 Stainless Steel	Manufactured in 1.2mm Grade 304 stainless steel with heavy-duty construction.
02	1700mm Sausage Preparation Table	Overall dimensions of 1700mm length × 600mm width × 900mm height.
03	30mm Recessed Top	A worktop recessed by 30mm for the sausage preparation workstation.
04	Vertical Downward Pipe	The recessed top incorporates a pipe with Ø22mm outside diameter and Ø19.05mm inside diameter.
05	100mm Table-Top-to-Pipe-End Drop	The pipe ends 100mm vertically below the table top.
06	Centred Pipe with 80mm Offset	The pipe is centred, with 80mm measured from the inside face of the recess to the pipe centre.

05 Application information

Intended applications	Food Preparation Workstations, Meat Processing
Industries	Meat & Poultry Processing

Typical lead time	10–15 working days
Warranty	12 months

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.