

PRODUCT RANGE SPECIFICATION

B22328(G1) – Medical Wash Hand Basin

DOCUMENT SCOPE Product range	DOCUMENT REFERENCE B22328(G1){PSS}	DATA STATUS Published catalogue data	GENERATED ON 14 Sep 2026
---------------------------------	---------------------------------------	---	-----------------------------

01 Product description and specification

Product description	Medical wash hand basin for clinical handwashing stations. Specify the required basin configuration and fittings for the installation. Manufactured from Grade 304 stainless steel with 1.2 mm thickness, this single bowl medical basin delivers exceptional durability and corrosion resistance whilst maintaining the stringent cleanliness standards required in medical facilities. The integrated extended splashback provides comprehensive water containment, protecting surrounding walls and maintaining a hygienic workspace essential for medical procedures and handwashing protocols. Precisely engineered with overall dimensions of 500 mm (L) x 420 mm (W) x 500 mm (H), this medical basin features a generously proportioned bowl measuring 440 mm (L) x 310 mm (W) x 150 mm (D), providing ample space for thorough hand washing and medical procedures. Pre-punched tapholes are configured with 180 mm hole pitch centres and 22 mm diameter openings, specifically designed to accommodate elbow-operated medical mixers for hands-free operation. The basin incorporates a 40 mm waste outlet for efficient drainage, ensuring rapid water evacuation to maintain hygiene standards. Installation versatility is achieved through robust 25 mm square tubular gallows brackets featuring 10 mm diameter pre-punched mounting holes for secure wall fixing. Optional front support legs with adjustable feet enable precise floor levelling, accommodating uneven surfaces whilst maintaining stability. This medical basin is ideally suited for hospitals, clinics, dental surgeries, veterinary practices, laboratories, and pharmaceutical facilities where hygiene is paramount.
Short Form Specification	SPECIFICATION USE Use this description when specifying this product range. Basterfield B22328(G1). Medical Wash Hand Basin. Front Support Legs: No, Yes. Pre-punched tapholes are configured with 180 mm hole pitch centres and 22 mm diameter openings, specifically designed to accommodate elbow-operated medical mixers for hands-free operation. Installation versatility is achieved through robust 25 mm square tubular gallows brackets featuring 10 mm diameter pre-punched mounting holes for secure wall fixing.

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22328(G1)	Medical Single Bowl Basin Grade 304	Front Support Legs: No

02 Models and configurations

MODEL	DESCRIPTION	PUBLISHED CONFIGURATION
B22328(G1-SL)	Medical Single Bowl Basin Grade 304 Stainless Steel 1.2mm Thickness 500mm (L) x 420mm (W) Bowl 440mm (L) x 310mm (W) x 150mm (D) with 150mm Extended Splashback, Pre-Punched Tapholes, 40mm Waste Outlet, Wall-Mounted Gallows Brackets and Front-Support Legs	Front Support Legs: Yes


03 Application information

Intended applications	Hands-Free Handwashing (Knee/Elbow/Foot Operated)
Industries	Hospitals & Clinics, Pharmaceutical Manufacturing, Research Laboratories

04 Supply and support


Typical lead time	10–15 working days
Warranty	12 months

Product drawings and images**PRODUCT IMAGE**



TOP


PRODUCT IMAGE




TOP RIGHT



PRODUCT IMAGE



PRODUCT IMAGE




RIGHT

PRODUCT IMAGE



PRODUCT IMAGE



PRODUCT IMAGE

VERIFICATION REQUIRED Published values are provided for initial specification. Confirm the selected model, critical dimensions, site services, clearances, and the latest document revision with Basterfield before procurement, manufacture, or installation. E&OE. Specifications are subject to change without notice.